




Apliques exterior

Outdoor wall lights

HOOD
NEW

Apliques exterior-Outdoor wall lights

Outdoor



Ref	K	Led Watt	Lumens	Finish
8895	3000K	12W	1100lm	Blanco-White
8896	3000K	12W	1100lm	Gris oscuro-Dark grey
		220-240V~ 50/60Hz CRI:≥ 80		Aluminio/Acrílico-Aluminium/Acrylic





Ref	CCT switch	Led Watt	Lumens	Finish
8857	2700K-3300K-4000K	15W	1200lm	Negro-Black
8858	2700K-3300K-4000K	15W	1200lm	Blanco-White
8859	2700K-3300K-4000K	15W	1200lm	Corten-Corten
220-240V ~ 50/60Hz CRI:≥ 80				PP+PC-PP+PC



Ref	CCT switch	Led Watt	Lumens	Finish
8854	2700K-3300K-4000K	15W	1200lm	Negro-Black
8855	2700K-3300K-4000K	15W	1200lm	Blanco-White
8856	2700K-3300K-4000K	15W	1200lm	Corten-Corten
220-240V ~ 50/60Hz CRI:≥ 80				PP+PC-PP+PC

 CCT SWITCH
2700K-3300K-4000K




IK06




CREEK
NEW

Apliques exterior-Outdoor wall lights

Outdoor



Ref	CCT switch	Led Watt	Lumens	Finish
8851	2700K-3300K-4000K	15W	1200lm	Negro-Black
8852	2700K-3300K-4000K	15W	1200lm	Blanco-White
8853	2700K-3300K-4000K	15W	1200lm	Corten-Corten
220-240V ~ 50/60Hz CRI:≥ 80				PP+PC-PP+PC



Ref	CCT switch	Led Watt	Lumens	Finish
8863	2700K-3300K-4000K	15W	1200lm	Negro-Black
8864	2700K-3300K-4000K	15W	1200lm	Blanco-White
8865	2700K-3300K-4000K	15W	1200lm	Corten-Corten
220-240V ~ 50/60Hz CRI:≥ 80				PP+PC-PP+PC

 CCT SWITCH
2700K-3300K-4000K



IK06






Ref	CCT switch	Led Watt	Lumens	Finish
8860	2700K-3300K-4000K	20W	1600lm	Negro-Black
8861	2700K-3300K-4000K	20W	1600lm	Blanco-White
8862	2700K-3300K-4000K	20W	1600lm	Corten-Corten
220-240V~ 50/60Hz CRI:≥ 80				PP+PC-PP+PC




IK06





REFERENCE	K	LED WATT	LUMENS	FINISH
9155	3000K	12W	890lm	Negro-Black
9280	3000K	12W	890lm	Corten-Corten
220-240V~ 50/60Hz CRI ≥80			Aluminio-Aluminium	



9156
pág. 508

LED life / LED vida

30,000 h

ON / OFF

30,000

garantía, manifiesto

5 años

WARRANTY

GARANTIA


LED

LED

INCLUDED

IP65





REFERENCE	K	LED WATT	LUMENS	FINISH
9096	3000K	10.5W	885lm	Gris Oscuro-Dark grey
		220-240V~ 50/60Hz CRI ≥80		Aluminio-Aluminium





REFERENCE	BULB (Not incl)	FINISH
9097	2L x GU10	Gris Oscuro-Dark Grey
9098	2L x GU10	Blanco-White
9099	2L x GU10	Negro-Black
máx. 12W LED (Not incl)		100-240V~ 50/60Hz Aluminio-Aluminium





Bombillas recomendadas-Suggested bulbs

K	Wat LED	On/Off	Dimmable	Lumens
 2700K	7W	R09254	R09257	510lm
 3000K	7W	R09255	R09258	540lm
 4000K	7W	R09256	R09259	570lm






REFERENCE	BULB (Not incl)	FINISH
9100	1L x GX53	Gris oscuro-Dark grey
9101	1L x GX53	Blanco-White
9102	1L x GX53	Negro-Black
9103	1L x GX53	Corten-Corten
máx. 12 W LED (Not incl)		100-240V~50/60Hz Aluminio-Aluminium




Bombillas recomendadas-Suggested bulbs

REFERENCE	Wattios LED	CCT	Lumens	Ángulo luz
R09224	9W	3000K	730lm	120°
R09225	9W	4000K	740lm	120°





REFERENCE	BULB (Not incl)	FINISH
9109	1L x GU10	Blanco-White
9110	1L x GU10	Gris oscuro-Dark grey
9111	1L x GU10	Negro-Black
máx. 12W LED (Not incl)		100-240V ~ 50/60Hz Aluminio/Cristal-Aluminium/Glass



Bombillas recomendadas-Suggested bulbs

K	Wat LED	On/Off	Dimmable	Lumens
2700K	7W	R09254	R09257	510lm
3000K	7W	R09255	R09258	540lm
4000K	7W	R09256	R09259	570lm




NOT INCLUDED




IP65





REFERENCE	BULBS NOT INCLUDED	FINISH
9112	1L x E27	Blanco-White
9113	1L x E27	Gris Oscuro-Dark Grey
9114	1L x E27	Negro-Black
máx. 20W LED (Not incl)		100-240V~ 50/60Hz Aluminio/Cristal-Aluminium/Glass







Ref	Bulb (Not incld)	Finish
8897	1L x E27	Negro-Black
8898	1L x E27	Blanco-White
8899	1L x E27	Gris oscuro-Dark grey
máx. 20W LED (Not incld)		100-240V ~ 50/60Hz Aluminio/cristal-Aluminium/glass






REFERENCE	K	LED WATT	LUMENS	FINISH
8152	3000K	6 W	550lm	Blanco-White
8153	3000K	6 W	550lm	Gris Oscuro-Dark grey
8154	3000K	6 W	550lm	Negro-Black
220-240V~ 50/60Hz CRI ≥80				Aluminio-Aluminium





REFERENCE	K	LED WATT	LUMENS	FINISH
7990	3000K	20W	1900lm	Blanco-White
7991	3000K	20W	1900lm	Gris Oscuro-Dark grey
7992	3000K	20W	1900lm	Negro-Black
7993	3000K	20W	1900lm	Corten-Corten
7994	3000K	24W	2300lm	Blanco-White
7995	3000K	24W	2300lm	Gris Oscuro-Dark grey
7996	3000K	24W	2300lm	Negro-Black
7997	3000K	24W	2300lm	Corten-Corten
220-240V~ 50/60Hz CRI ≥80				Aluminio-Aluminium





REFERENCE	BULB (Not incl)	FINISH
7929	2L x GU10	Gris Oscuro/madera-Dark Grey/wood
máx. 10W LED (Not incl) 100-240V~ 50/60Hz Aluminio/Cristal/Madera-Aluminium/Glass/SPC Wood		



REFERENCE	BULB NO INCLUDED	FINISH
7928	1L x E27	Gris Oscuro/madera-Dark Grey/wood
máx. 15W LED (Not incl) 100-240V~ 50/60Hz Aluminio/PC/Madera-Aluminium/Opal PC/SPC Wood		



6W



8W




REFERENCE	K	LED WATT	LUMENS	FINISH
6540	3000K	6W	620lm	Gris oscuro-Dark grey
6541	3000K	6W	620lm	Arena blanco-Sand white
7813	3000K	8W	830lm	Gris oscuro-Dark grey
7814	3000K	8W	830lm	Arena blanco-Sand white
220-240V~ 50/60Hz			Aluminio cristal-Aluminium glass	





REFERENCE	BULB NO INCLUDED	FINISH
7133	1L×E27	Beige oscuro-Dark beige
	máx. 20W LED (Not incl)	100-240V~ 50/60Hz
Aluminio/fibra textil sintética-Aluminium/synthetic textile fibre		



7131
pág. 474






REFERENCE	BULB NO INCLUDED	FINISH
6551	1L x E27	Gris oscuro-Dark grey
6552	1L x E27	Gris oscuro-Dark grey
	máx. 20W LED (Not incl)	100-240V ~ 50/60Hz Aluminio/cristal-Aluminium/glass



6550
pág. 502




6555
pág. 478


6553
pág. 424







REFERENCE	K	LED WATT	LUMENS	FINISH	SENSOR	IP
6774	3000K	15W	1120lm	Gris Oscuro/Madera-Dark Grey/Wood	*	54
6770	3000K	13W	980lm	Gris Oscuro/Madera-Dark Grey/Wood		65
		100-240V~ 50/60Hz CRI:≥ 80		Aluminio/PC-Aluminium/PC		





Ref	K	Led Watt	Lumens	Finish
8902	3000K	12W	1000lm	Blanco-White
8903	3000K	12W	1000lm	Gris oscuro-Dark grey
220-240V~ 50/60Hz CR!≥ 80			Aluminio/Acrílico-Aluminium/Acrylic	





REFERENCE	BULB NO INCLUDED	FINISH
6495	1L x E27	Grafito-Graphite
6494	1L x E27	Grafito-Graphite
6492	2L x E27	Grafito-Graphite
6493	2L x E27	Grafito-Graphite
máx. 20W LED (Not incl)		100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass




6490
pág. 500





REFERENCE	BULB NO INCLUDED	FINISH
6508	1L x E27 máx. 20W LED (Not incl)	Blanco-White 100-240V~ 50/60Hz Polietileno-Polyethylene





REFERENCE	BULB NO INCLUDED	FINISH
6482	2L x E27	Grafito-Graphite
6483	1L x E27	Grafito-Graphite
máx. 20W LED (Not incl)		100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass





7908
pág. 460





REFERENCE	BULB (Not incl)	FINISH
6558	1L x GX53	Gris oscuro-Dark grey
6559	1L x GX53	Blanco-White
OAMI 005818614-0003	máx. 10W LED (Not incl)	100-240V~50/60Hz Aluminio-Aluminium





Luz orientable-Orientable light



OAMI 005818614-0003



REFERENCE	BULB (Not incl)	FINISH
6769	2L x GX53	Gris oscuro-Dark grey
6768	2L x GX53	Blanco-White
	máx. 10W LED (Not incl)	100-240V~50/60Hz Aluminio-Aluminium



Bombillas recomendadas-Suggested bulbs

REFERENCE	Wattios LED	CCT	Lumens	Ángulo luz
R09224	9 W	3000K	730lm	120°
R09225	9 W	4000K	740lm	120°





REFERENCE	BULB (Not incl)	FINISH
6510	2L x GU10	Gris oscuro-Dark grey
6511	2L x GU10	Blanco-White
7037	2L x GU10	Negro-Black
7470	2L x GU10	Corten-Corten
6514	2L x GU10	Gris oscuro-Dark grey
6515	2L x GU10	Blanco-White
7038	2L x GU10	Negro-Black
7471	2L x GU10	Corten-Corten
máx. 10W LED (Not incl) 100-240V~50/60Hz Aluminio/Cristal- Aluminium/Glass		



Bombillas recomendadas-Suggested bulbs

K	Wat LED	On/Off	Dimmable	Lumens
2700K	7W	R09254	R09257	510lm
3000K	7W	R09255	R09258	540lm
4000K	7W	R09256	R09259	570lm








NOT INCLUDED






IP54








REFERENCE	BULB (Not incl)	FINISH
6512	1L x GU10	Gris oscuro-Dark grey
6513	1L x GU10	Blanco-White
7039	1L x GU10	Negro-Black
7472	1L x GU10	Corten-Corten
6516	1L x GU10	Gris oscuro-Dark grey
6517	1L x GU10	Blanco-White
7040	1L x GU10	Negro-Black
7473	1L x GU10	Corten-Corten
máx. 10W LED (Not incl) 100-240V~50/60Hz Aluminio/Cristal- Aluminium/Glass		









REFERENCE	K	LED WATT	LUMENS	FINISH	IP	DAVOS
8589	2700K	12W	1100lm	Gris oscuro-Dark grey	54	Dimmable
8600	2700K	12W	1100lm	Blanco arena-Sand white	54	Dimmable
8601	2700K	12W	1100lm	Negro arena-Sand black	54	Dimmable
8602	2700K	12W	1100lm	Corten-Corten	54	Dimmable
6520	3000K	12W	1100lm	Gris oscuro-Dark grey	54	On-off
6521	3000K	12W	1100lm	Blanco arena-Sand white	54	On-off
6524	3000K	12W	1100lm	Negro arena-Sand black	54	On-off
6527	3000K	12W	1100lm	Corten-Corten	54	On-off
7647	4000K	12W	1100lm	Gris oscuro-Dark grey	54	On-off
7648	4000K	12W	1100lm	Blanco arena-Sand white	54	On-off
7649	4000K	12W	1100lm	Negro arena-Sand black	54	On-off
7650	4000K	12W	1100lm	Corten-Corten	54	On-off
DAVOS						
8604	2700K	12W	1100lm	Negro arena-Sand black	54	Dimmable
8603	2700K	12W	1100lm	Blanco arena-Sand white	54	Dimmable
6522	3000K	12W	1100lm	Gris oscuro-Dark grey	54	On-off
6523	3000K	12W	1100lm	Blanco arena-Sand white	54	On-off
7645	4000K	12W	1100lm	Gris oscuro-Dark grey	54	On-off
7646	4000K	12W	1100lm	Blanco arena-Sand white	54	On-off
DAVOS XL						
8609	2700K	20W	1830lm	Gris oscuro-Dark grey	65	Dimmable
8610	2700K	20W	1830lm	Blanco arena-Sand white	65	Dimmable
8611	2700K	20W	1830lm	Negro arena-Sand black	65	Dimmable
8612	2700K	20W	1830lm	Corten-Corten	65	Dimmable
7435	3000K	20W	1830lm	Gris oscuro-Dark grey	65	On-off
7436	3000K	20W	1830lm	Blanco arena-Sand white	65	On-off
7437	3000K	20W	1830lm	Negro arena-Sand black	65	On-off
7438	3000K	20W	1830lm	Corten-Corten	65	On-off
7651	4000K	20W	1830lm	Gris oscuro-Dark grey	65	On-off
7652	4000K	20W	1830lm	Blanco arena-Sand white	65	On-off
7653	4000K	20W	1830lm	Negro arena-Sand black	65	On-off
7654	4000K	20W	1830lm	Corten-Corten	65	On-off
DAVOS DOUBLE						
8605	2700K	24W	2200lm	Gris oscuro-Dark grey	54	Dimmable
8606	2700K	24W	2200lm	Blanco arena-Sand white	54	Dimmable
8607	2700K	24W	2200lm	Negro arena-Sand black	54	Dimmable
8608	2700K	24W	2200lm	Corten-Corten	54	Dimmable
7815	3000K	24W	2200lm	Gris oscuro-Dark grey	54	On-off
7816	3000K	24W	2200lm	Blanco arena-Sand white	54	On-off
7817	3000K	24W	2200lm	Negro arena-Sand black	54	On-off
7818	3000K	24W	2200lm	Corten-Corten	54	On-off
7819	4000K	24W	2200lm	Gris oscuro-Dark grey	54	On-off
7820	4000K	24W	2200lm	Blanco arena-Sand white	54	On-off
7821	4000K	24W	2200lm	Negro arena-Sand black	54	On-off
7822	4000K	24W	2200lm	Corten-Corten	54	On-off
220-240V ~ 50/60Hz				Aluminio-Aluminium		



DAVOS





DAVOS XL



DAVOS DOUBLE






REFERENCE	K	LED WATT	LUMENS	FINISH	
6534	3000K	9.6W	720lm	Gris oscuro-Dark grey	ø 150
6535	3000K	9.6W	720lm	Blanco-White	ø 150
6538	3000K	9.6W	720lm	Corten-Corten	ø 150
6536	3000K	9.6W	720lm	Gris oscuro-Dark grey	150 x 150
6537	3000K	9.6W	720lm	Blanco-White	150 x 150
6539	3000K	9.6W	720lm	Corten-Corten	150 x 150
220-240V ~ 50/60Hz				Aluminio-Aluminium	






REFERENCE	BULB NO INCLUDED	FINISH
7050	1L x E27	Gris Oscuro-Dark Grey
7051	1L x E27	Blanco-White
7052	1L x E27	Corten-Corten
máx. 20W LED (Not incl)		100-240V~ 50/60Hz Aluminio-Aluminium




REFERENCE	BULBS NOT INCLUDED	FINISH
8352	1L x E27	Gris Oscuro-Dark Grey
8353	1L x E27	Blanco-White
8354	1L x E27	Corten-Corten
máx. 20W LED (Not incl)		100-240V~ 50/60Hz Aluminio-Aluminium




8379
pág. 464





REFERENCE	K	LED WATT	LUMENS	FINISH
7072	3000K	9W	762lm	Gris oscuro-Dark grey
7073	3000K	9W	762lm	Blanco-White
100-240V~ 50/60Hz CRI≥ 80				Aluminio/PC-Aluminium/PC




REFERENCE	K	LED WATT	LUMENS	FINISH
7070	3000K	9W	773lm	Gris oscuro-Dark grey
7071	3000K	9W	773lm	Blanco-White
100-240V~ 50/60Hz CRI≥ 80				Aluminio/PC-Aluminium/PC






8471



8470



8473







8472

350°



REFERENCE	K	LED WATT	LUMENS	FINISH	SENSOR
8470	3000K	20W	1700lm	Blanco-White	No
8471	3000K	20W	1700lm	Negro-Black	No
8472	3000K	20W	1700lm	Blanco-White	Yes
8473	3000K	20W	1700lm	Negro-Black	Yes
220-240V~ 50/60Hz CRI:≥ 80				Aluminio-Aluminium	



COOPER

Apliques exterior-Outdoor wall lights

Outdoor



8474





8475



8476





8477



350°




REFERENCE	K	LED WATT	LUMENS	FINISH	SENSOR
8474	3000K	20W	1700lm	Blanco-White	No
8475	3000K	20W	1700lm	Negro-Black	No
8476	3000K	20W	1700lm	Blanco-White	Yes
8477	3000K	20W	1700lm	Negro-Black	Yes
220-240V~ 50/60Hz CRI:≥ 80				Aluminio- Aluminium	






LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Flux out: 143.7 lm

Height	Beam diameter	Angle 78.23deg	1 meter
1m	32.21, 90.111 m		230.98lm
2m	8.053, 22.531 m		461.97lm
3m	3.579, 10.011 m		692.95lm
4m	2.013, 5.6321 m		923.94lm
5m	1.288, 3.6041 m		1154.92lm
6m	0.8948, 2.5031 m		1385.91lm
7m	0.6574, 1.8391 m		1616.89lm
8m	0.5033, 1.4081 m		1847.88lm
9m	0.3877, 1.1121 m		2078.86lm
10m	0.3221, 0.9011 m		2309.85lm

Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.




REFERENCE	K	LED WATT	LUMENS	FINISH
7045	3000K	6W	510lm	Gris oscuro-Dark grey
7046	3000K	6W	510lm	Blanco-White
220-240V~ 50/60Hz CRI≥ 80				Aluminio/PC-Aluminium/PC



8151
pág. 516





REFERENCE	K	LED WATT	LUMENS	FINISH
7062	3000K	9 W	725lm	Gris oscuro-Dark grey
7063	3000K	9 W	725lm	Blanco-White
		220-240V~ 50/60Hz CRI≥ 80		Aluminio/PC-Aluminium/PC



7060
pág. 468

LED life / LED vida
50.000 h

ON / OFF
30.000



garantía manifiesto 5 años
WARRANTY
GARANTIA
LED

LED
INCLUDED

IP65




DRIVER
TUV




REFERENCE	K	LED WATT	LUMENS	FINISH
7108	3000K	12W	1100lm	Gris Piedra-Stone Grey
7109	3000K	12W	1100lm	Blanco-White
		220-240V~ 50/60Hz	Cemento liso-Smooth cement	



7107
pág. 530






REFERENCE	BULB NO INCLUDED	FINISH
7182	2L x GU10	Blanco-White
7183	2L x GU10	Gris oscuro-Dark grey
máx. 12W LED (Not incl)		100-240V ~ 50/60Hz Hormigón-Concrete



7187
pág. 471



REFERENCE	BULB NO INCLUDED	FINISH
7180	2L x GU10	Blanco-White
7181	2L x GU10	Gris oscuro-Dark grey
máx. 12W LED (Not incl)		100-240V ~ 50/60Hz Hormigón-Concrete



7185
pág. 470



Plafón exterior
Outdoor ceiling lamp


KANDANCHÚ

Plafón exterior-Outdoor ceiling lamp


Outdoor



REFERENCE	BULB NO INCLUDED	FINISH
7900	GU10	Blanco-White
7901	GU10	Gris oscuro-Dark grey
7902	GU10	Negro-Black
7903	GU10	Corten-Corten
1x GU10 máx.10W 100-240V ~ 50/60Hz Aluminio/Cristal-Aluminium/Glass		




REFERENCE	BULB NO INCLUDED	FINISH
7904	GU10	Blanco-White
7905	GU10	Gris oscuro-Dark grey
7906	GU10	Negro-Black
7907	GU10	Corten-Corten
1x GU10 máx.10W 100-240V ~ 50/60Hz Aluminio/Cristal-Aluminium/Glass		




Bombillas recomendadas-Suggested bulbs

K	Wat LED	On/Off	Dimmable	Lumens
2700K	7W	R09254	R09257	510lm
3000K	7W	R09255	R09258	540lm
4000K	7W	R09256	R09259	570lm





REFERENCE	BULB NO INCLUDED	FINISH
7908	E27	Gris Oscuro-Dark Grey
	1x E27 máx.20W	100-240V~ 50/60Hz Aluminio/Cristal-Aluminium/Glass



6483
pág. 424

Bombillas recomendadas-Suggested bulbs

REFERENCE	Wattios LED	CCT	Lumens	Ángulo luz
➔ R09133	10W	3000K	1050lm	320°
➔ R09139	14W	3000K	1460lm	240°
➔ R09140	14W	4000K	1510lm	240°

NOT INCLUDED


3 years
WARRANTY
GARANTIA

IP54






6553



6554



REFERENCE	BULB NO INCLUDED	FINISH
6553	1L x E27	Gris oscuro-Dark grey
6554	1L x E27	Gris oscuro-Dark grey
máx. 20W LED (Not incld)		100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass





6550
pág. 502

6555
pág. 478

6551
pág. 414





REFERENCE	BULBS NOT INCLUDED	FINISH
8378	2L x E27	Gris Oscuro-Dark Grey
8379	2L x E27	Blanco-White
8380	2L x E27	Corten-Corten
máx. 20W LED (Not incld)		100-240V ~ 50/60Hz Aluminio-Aluminium






7065




7066



REFERENCE	BULB NO INCLUDED	FINISH
7065	2L x E27	Gris oscuro-Dark grey
7066	2L x E27	Gris oscuro-Dark grey
máx. 20W LED (Not incld)		100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass



IP65




REFERENCE	K	LED WATT	LUMENS	FINISH
7060	3000K	9W	725lm	Gris oscuro-Dark grey
7061	3000K	9W	725lm	Blanco-White
		220-240V~ 50/60Hz		Aluminio/PC-Aluminium/PC



7062
pág. 450






REFERENCE	BULB NO INCLUDED	FINISH
7184	1L x GU10	Blanco-White
7185	1L x GU10	Gris oscuro-Dark grey
máx. 12W LED (Not incld)		100-240V~ 50/60Hz Hormigón-Concrete



7181
pág. 455



IP65



7183
pág. 454

REFERENCE	BULB NO INCLUDED	FINISH
7186	1L x GU10	Blanco-White
7187	1L x GU10	Gris oscuro-Dark grey
máx. 12W LED (Not incld)		100-240V~ 50/60Hz Hormigón-Concrete





Colgantes exterior

Outdoor single pendants

POLINESIA

By Santiago Sevillano

Colgantes exterior-Outdoor pendant lamp



7133
pág. 412

REFERENCE	BULB NO INCLUDED	FINISH
7131	1L x E27	Beige oscuro-Dark beige
máx. 20W LED (No incl) 100-240V ~ 50/60Hz Aluminio/fibra textil sintética-Aluminium/synthetic textile fibre		



IP44




Registered N° 007663331-0007

POLINESIA

By Santiago Sevillano

Colgantes exterior-Outdoor pendant lamp



7133
pág. 412

REFERENCE	BULB NOT INCLUDED	FINISH
7130	1L x E27	Beige oscuro-Dark beige
máx. 20W LED (No incl) 100-240V ~ 50/60Hz Aluminio/fibra textil sintética-Aluminium/synthetic textile fibre		



NOT INCLUDED



IP44





IP44

Registered N° 007663331-0007

MAYA

by José Ignacio Ballester

Colgantes exterior-Outdoor pendant lamp




REFERENCE	BULB NO INCLUDED	FINISH
6555	1L x E27	Gris oscuro-Dark grey
	máx. 20W LED (No incl)	100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass



OAMI 005818614-0006




MAYA





IP44

REFERENCE	BULB NO INCLUDED	FINISH	
1397	1L x E27	Blanco-White	ø350
1398	1L x E27	Blanco-White	ø400
1399	1L x E27	Blanco-White	ø500
máx. 20W LED (No incl)		PE / ABS / Aluminio-PE / ABS / Aluminium	




1388
pág. 516



Sobremesa exterior

Outdoor table Lamp



REFERENCE	K	LED WATT	LUMENS	FINISH
9082	3000K	1W	85lm	Negro mate-Matte black
9083	3000K	1W	85lm	Oro-Gold
9084	3000K	1W	85lm	Negro níquel-Nickel black
9085	3000K	1W	85lm	Oro rosa-Rose gold
9086	3000K	1W	85lm	Blanco mate-Matte white
Cable incluido/Wire included USB- TYPE C		DC 3.7V / 1A	ABS / PE	





USB-TYPE C








REFERENCE	K	LED WATT	LUMENS	FINISH
7930	3000K	2W	180lm	Blanco-White
7931	3000K	2W	180lm	Negro-Black
7932	3000K	2W	180lm	Corten-Corten
			DC 5V / 1A	Aluminio-Aluminium





REFERENCE	K	LED WATT	LUMENS	FINISH
7933	3000K	2W	180lm	Blanco-White
7934	3000K	2W	180lm	Negro-Black
7935	3000K	2W	180lm	Corten-Corten
		DC 5V / 1A		Aluminio-Aluminium







REFERENCE	K	LED WATT	LUMENS	FINISH
7985	3000K	2W	180lm	Blanco-White
7986	3000K	2W	180lm	Negro-Black
7987	3000K	2W	180lm	Corten-Corten
DC 5V/1A CRI≥ 80				Aluminio-Aluminum



Sobremuro exterior

Outdoor over wall



Ref	Bulb (no incl)	Finish	SIZE
8844	1L x E27	Gris Oscuro-Dark grey	ø120
8845	1L x E27	Blanco-White	ø120
8846	1L x E27	Gris Oscuro-Dark grey	110x110
8847	1L x E27	Blanco-White	110x110
máx. 20W LED (No incl)		100-240V~ 50/60Hz Aluminium/PC- Aluminium/PC	



8109
pág. 518




IK08



NEVADA
NEW

Sobremuro-Over wall lamp

Outdoor




Ref	Bulb (no incl)	Finish
8900	1L x E27	Negro-Black
máx. 20W LED (No incl)		100-240V ~ 50/60Hz Aluminio/cristal- Aluminium/glass



8899	8901
pág. 402	pág. 506






Ref	Bulb (no incl)	Finish
8928	1L x E27	Gris Oscuro-Dark Grey
8929	1L x E27	Blanco-White
8930	1L x E27	Corten-Corten
máx. 20W LED (No incl)		100-240V~ 50/60Hz Aluminio-Aluminium



8379 pág. 464	8354 pág. 440
------------------	------------------



IP54




REFERENCE	BULB NO INCLUDED	FINISH
6490	1L x E27	Grafito-Graphite
	máx. 20W LED (No incl)	100-240V ~ 50/60Hz Aluminio/cristal-Aluminium/glass



6492
pág. 420





REFERENCE	BULB NO INCLUDED	FINISH
6550	1L x E27	Gris oscuro-Dark grey
	máx. 20W LED (No incl)	100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass



6553	6555	6551
pág. 462	pág. 478	pág. 414



NOT INCLUDED

IP54




Lámparas de suelo

Outdoor ground lamps

NEVADA
NEW

Baliza exterior-Bollard Outdoor

Outdoor




Ref	Bulb (Not incld)	Finish
8901	1L x E27	Negro-Black
máx. 20W LED (Not incld)		100-240V~ 50/60Hz Aluminio/cristal-Aluminium/glass



GANT
NEW

Baliza exterior-Bollard Outdoor

Outdoor



9155-9280
pág. 390


REFERENCE	K	LED WATT	LUMENS	FINISH
9156	3000K	18W	2060lm	Negro-Black
9281	3000K	18W	2060lm	Corten-Corten
9157	3000K	32W	3370lm	Negro-Black
9282	3000K	32W	3370lm	Corten-Corten
9278	3000K	43W	5180lm	Negro-Black
9279	3000K	43W	5180lm	Corten-Corten
220-240V~ 50/60Hz CRI:≥ 80				Aluminio-Aluminium





REFERENCE	K	LED WATT	LUMENS	FINISH
9283	3000K	6W	420lm	Gris oscuro-Dark grey
9284	3000K	6W	420lm	Corten-Corten
9285	3000K	6W	420lm	Gris oscuro-Dark grey
9286	3000K	6W	420lm	Corten-Corten
220-240V~ 50/60Hz CRI:≥ 80				Aluminio-Aluminium





REFERENCE	K	LED WATT	LUMENS	FINISH
9158	3000K	10W	690lm	Negro-Black
9159	3000K	10W	690lm	Corten-Corten
9160	3000K	10W	690lm	Gris oscuro-Dark grey
220-240V~ 50/60Hz CRI:≥ 80				Aluminio-Aluminium






REFERENCE	K	LED WATT	LUMENS	FINISH	HEIGHT
6771	3000K	13W	980lm	Gris Oscuro/Madera-Dark Grey/Wood	350
6772	3000K	13W	980lm	Gris Oscuro/Madera-Dark Grey/Wood	600
6773	3000K	13W	980lm	Gris Oscuro/Madera-Dark Grey/Wood	1000
		100-240V~ 50/60Hz CRI:≥ 80		Aluminio/PC-Aluminium/PC	



6770
pág. 416





7045
pág. 448

REFERENCE	K	LED WATT	LUMENS	FINISH
8151	3000K	12W	1020lm	Gris oscuro-Dark grey
		220-240V~ 50/60Hz CRI:≥ 80		Aluminio/PC- Aluminium/PC





REFERENCE	BULB NO INCLUDED	FINISH
8108	1L x E27	Gris Oscuro-Dark grey
8109	1L x E27	Gris Oscuro-Dark grey
máx. 20W LED (Not incld)		100-240V~ 50/60Hz Aluminium/PC-Aluminium/PC




8847
pág. 494



IK08





REFERENCE	K	LED WATT	LUMENS	FINISH
8478	3000K	7W	740lm	Negro-Black
8479	3000K	7W	740lm	Corten-Corten
220-240V~ 50/60Hz CRI:≥ 80				Aluminio-Aluminium






REFERENCE	K	LED WATT	LUMENS	SIZE	FINISH
8480	3000K	12W	880lm	600 mm	Negro-Black
8481	3000K	12W	880lm	800 mm	Negro-Black
220-240V ~ 50/60Hz CRI:≥ 80				Aluminio-Aluminium	





REFERENCE	BULB NO INCLUDED	FINISH
8155	1L × GU10	Negro-Black
NEW 9287	1L × GU10	Gris Oscuro-Dark grey
NEW 9288	1L × GU10	Corten-Corten
máx. 12W LED (Not incld)		100-240V ~ 50/60Hz Aluminio-Aluminium






Bombillas recomendadas-Suggested bulbs

K	Wat LED	On/Off	Phase cut	Lumens
2700K	7W	R09254	R09257	510lm
3000K	7W	R09255	R09258	540lm
4000K	7W	R09256	R09259	570lm





REFERENCE	BULB NO INCLUDED	FINISH	
1388	1L x E27	Blanco-White	ø350
1391	1L x E27	Blanco-White	ø400
1394	1L x E27	Blanco-White	ø500
máx. 20W LED (Not incld)		100-240V ~ 50/60Hz PE/ABS-PE/ABS	



Complementos exterior *NO INCLUIDO-Outdoor complements *NOT INCLUDED


TU0492	TU0652	TU0653	TU0494



1397
pág. 480



REFERENCE	BULB NO INCLUDED	FINISH
1400	4L×GU10 máx 12W LED (Not incld)	Blanco-White
	1L× E27 máx 20W LED (Not incld)	
	100-240V~ 50/60Hz	PE/Acero-PE/Steel




Bombillas recomendadas-Suggested bulbs

BULB	Reference	Reference
GU10	R09219	R09220
E27	R09139	R09140

Complementos exterior *NO INCLUIDO-Outdoor complements *NOT INCLUDED

TU0652	TU0653	TU0494






REFERENCE	BULB NO INCLUDED	FINISH
7107	1L x GU10	Gris Piedra-Stone Grey
máx. 12W LED (Not incld) 100-240V~ 50/60Hz Cemento liso-Smooth cement		



7108
pág. 452



Bombillas recomendadas-Suggested bulbs

K	Wat LED	On/Off	Phase cut	Lumens
2700K	7W	R09254	R09257	510lm
3000K	7W	R09255	R09258	540lm
4000K	7W	R09256	R09259	570lm




Señalizadores
Step wall lights



REFERENCE	K	LED WATT	LUMENS	FINISH
7011	3000K	3W	210lm	Gris Oscuro-Dark Grey
7012	3000K	3W	210lm	Blanco arena-Sand white
7640	3000K	3W	210lm	Corten-Corten
7015	3000K	6W	420lm	Gris Oscuro-Dark Grey
7016	3000K	6W	420lm	Blanco arena-Sand white
7642	3000K	6W	420lm	Corten-Corten
220-240V ~ 50/60Hz CRI:≥ 80				Aluminio/PC-Aluminium/PC





REFERENCE	K	LED WATT	LUMENS	FINISH
7013	3000K	3W	210lm	Gris Oscuro-Dark Grey
7014	3000K	3W	210lm	Blanco arena-Sand white
7641	3000K	3W	210lm	Corten-Corten
7017	3000K	6W	420lm	Gris Oscuro-Dark Grey
7018	3000K	6W	420lm	Blanco arena-Sand white
7643	3000K	6W	420lm	Corten-Corten
220-240V ~ 50/60Hz CRI:≥ 80				Aluminio/PC-Aluminium/PC




ASPEN

Señalizadores empotrables-Recessed step wall lights



Outdoor



REFERENCE	K	LED WATT	LUMENS	FINISH
7021	3000K	3W	210lm	Gris Oscuro-Dark Grey
7022	3000K	3W	210lm	Negro arena-Sand black
7023	3000K	3W	210lm	Blanco arena-Sand white
7024	3000K	3W	210lm	Gris Oscuro-Dark Grey
7025	3000K	3W	210lm	Negro arena-Sand black
7026	3000K	3W	210lm	Blanco arena-Sand white
200-240V ~ 50/60Hz CRI:≥ 80				Aluminio/PC-Aluminium/PC



× Modos Instalación-Installation Forms






REFERENCE	K	LED WATT	LUMENS	FINISH
7027	3000K	3W	210lm	Gris Oscuro-Dark Grey
7028	3000K	3W	210lm	Negro arena-Sand black
7029	3000K	3W	210lm	Blanco arena-Sand white
7030	3000K	3W	210lm	Gris Oscuro-Dark Grey
7031	3000K	3W	210lm	Negro arena-Sand black
7032	3000K	3W	210lm	Blanco arena-Sand white
200-240V~ 50/60Hz CRI:≥ 80				Aluminio/PC-Aluminium/PC

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



× Modos Instalación-Installation Forms



Con tubo carcasa-Recessed tube housing



76mm



Con pinzas-With clamps




74mm





REFERENCE	OPERATING RATING	VOLTAGE	AMPERE	WIRE SECTION	OUTER CABLE DIAMETER	IP
TU0662	-40°C + 105C	400V AC	17,5A	0.5 mm ² - 1,5 mm ²	3,5 mm-7,0mm; 7mm-10mm	68
TU0663	-40°C + 105C	400V AC	24A	0.5 mm ² - 2,5 mm ²	5 mm-9mm; 9mm-12mm	68
PC-PC PA66 Nylon						



REFERENCE	DESCRIPCIÓN	ACABADO	TAMAÑO
TU0492	Piqueta 16cm	Negro-Black	40×160 mm
TU0652	Piqueta 21cm	Negro-Black	45×210 mm
TU0653	Piqueta 26cm	Negro-Black	55×270 mm
Aluminio-Aluminium			

BASE SUJECIÓN/FIXING BASE



REFERENCE	DESCRIPCIÓN	ACABADO	TAMAÑO
TU0494	Disco para suelo	Negro-Black	ø50 mm
Aluminio-Aluminium			