PENDANT
PLUSMINUS
FLOOR & TABLE

CEILING WALL OUTDOOR

LING VALL OOR

V131/

## Collections

Africa

Floor & Table Vol 1 356

Algorithm Free

Pendant Vol 1 200

Algorithm Grid

Pendant Vol 1 206

Alpha

Wall Vol 2 316

Array

Pendant Vol 1 2

Balance

Floor & Table Vol 1 400

Bamboo

Outdoor Vol 2 414 Bigger

Pendant
Vol 1 176
Ceiling
Vol 2 202

Bind

Pendant Vol 1 240 Ceiling Vol 2 128

Bind Solo

Ceiling Vol 2 148

Break

Outdoor Vol 2 430

Break Plus

Outdoor Vol 2 435

Brisa

Outdoor Vol 2 402

Circle

Ceiling Vol 2 18 Circus

Pendant
Vol 1 32
Ceiling
Vol 2 42

Circus solo

Pendant Vol 1 56 Ceiling Vol 2 62

Class

Outdoor Vol 2 456

Cosmos

Pendant Vol 1 160

Dama

Pendant Vol 1 20 Floor & Table Vol 1 364

Dots

Wall Vol 2 242

Dots Glass

Wall
Vol 2 252
Outdoor
Vol 2 372

Dots Outdoor

Outdoor Vol 2 360

Duo

Ceiling Vol 2 2

Duo Petra

Ceiling Vol 2 12

Empty

Outdoor Vol 2 408

Flamingo

Pendant Vol 1 154

Flamingo Mini

**Pendant** Vol 1 144

Flat

Pendant Vol 1 94 Floor & Table Vol 1 405 Ceiling

Vol 2 68

Funnel

Ceiling Vol 2 172 Wall Vol 2 300

Ghost

Pendant Vol 1 90 Floor & Table Vol 1 438

Guise

Pendant
Vol 1 110
Ceiling
Vol 2 168
Wall
Vol 2 288

Halo

Pendant Vol 1 218 Wall Vol 2 336

Halo Jewel

Pendant Vol 1 224

I.Cono

Floor & Table Vol 1 424 Wall Vol 2 308 Jazz

Floor & Table Vol 1 444

June

Outdoor Vol 2 446

Knit

Pendant Vol 1 26 Floor & Table Vol 1 378

Kontorno

Pendant Vol 1 80 Wall Vol 2 278

Lily

Pendant Vol 1 14 Floor & Table Vol 1 372

Line

Ceiling Vol 2 76

Match

**Pendant** Vol 1 166

## Collections

Mayfair

Pendant Vol 1 194 Floor & Table Vol 1 394

MayfairMini

Floor & Table Vol 1 388

Meridiano

Outdoor Vol 2 450

Musa

Floor & Table
Vol 1 454
Wall
Vol 2 296

North

Pendant
Vol 1 264
Floor & Table
Vol 1 412
Wall
Vol 2 330

Offset

Floor & Table
Vol 1 460
Ceiling
Vol 2 94
Wall
Vol 2 348

Origami

Wall
Vol 2 312
Outdoor
Vol 2 388

Out

Floor & Table Vol 1 468 Outdoor Vol 2 378

Palma

Pendant Vol 1 170 Ceiling Vol 2 116 Wall Vol 2 256

Palo Alto

Outdoor Vol 2 394

Pin

Floor & Table
Vol 1 418
Wall
Vol 2 262

Plusminus

**Plusminus** Vol 1 271 Plusminus solo

Floor & Table
Vol 1 472
Ceiling
Vol 2 120
Wall
Vol 2 216

Puck

Ceiling Vol 2 192 Wall Vol 2 320

Puck Wall Art

Wall Vol 2 324

Rhythm Horizontal

**Pendant** Vol 1 182

Rhythm Vertical

**Pendant** Vol 1 188

Set

Wall Vol 2 274

Skan

Pendant Vol 1 116 Floor & Table Vol 1 434 Slim

Pendant Vol 1 212

Spa

Ceiling Vol 2 182 Wall Vol 2 232

Sticks

Pendant Vol 1 66 Wall Vol 2 340

Sticks Solo

Pendant Vol 1 384 Floor & Table Vol 1 384

Structural

Ceiling Vol 2 176 Wall Vol 2 268

Suite

Floor & Table
Vol 1 430
Wall
Vol 2 304

Tempo

Pendant Vol 1 234 Wall Vol 2 226

Top

Ceiling Vol 2 36 Wall Vol 2 210

Tube

**Pendant** Vol 1 106

Tube Free

Pendant Vol 1 100 Ceiling Vol 2 196

Up

**Ceiling** Vol 2 188

Warm

Pendant Vol 1 122 Floor & Table Vol 1 448 Wind

Pendant Vol 1 230 Outdoor Vol 2 422

Wireflow

Pendant Vol 1 126

Wireflow Chandelier

**Pendant** Vol 1 140

Wireflow Free

**Pendant** Vol 1 134

Wireflow Lineal

**Pendant** Vol 1 130

## Pendant

Algorithm Free Flat Palma 94 170 200 Rhythm Horizontal Ghost Algorithm Grid 90 182 206 Guise Rhythm Vertical 110 Array Halo 188 218 Bigger Skan Halo 176 116 Jewel Bind Slim 224 240 212 Knit Circus Sticks 26 32 66 Kontorno Circus Solo Sticks 80 Solo Lily 56 74 14 Cosmos Tempo Match 160 234 166 Dama Tube Mayfair 20 106 194 Flamingo North 154 264 Flamingo <sub>Mini</sub>

144

Tube Free

Warm

Wind

Wireflow

Wireflow

Chandelier

Wireflow

Wireflow

100

122

230

126

140


Free

Lineal

130

134

# Array



Design by Umut Yamac.

A striking pendant of impressive proportions, Array is an exploration of thread and its potential to create lightweight and dynamic sculptures of light.



ARRAY

Composed of an array of fine technical threads pulled taut between two aluminum rings, Array presents a wide range of conical and cylindrical silhouettes that can be combined together to form a compelling installation.

The spacing distribution of the threads creates translucency and volume, whilst the layering effect gives the illusion of movement.
Suspended overhead, Array emits a pleasant downlight projected from an invisible source concealed within the lower ring.


At the same time, indirect light washes upwards in a gradient of colour, enveloping rather than invading the space it occupies.











10 VOL1 ARRAY








## Height 70 cm 1800 1815 Ø 37 cm Ø 54,5 cm

## Height 110 cm






Ø 82,5 cm



Height 190 cm







#### Height 70 cm



1850 Ø 54,5 cm

Height 110 cm



1855

Ø 54,5 cm



Ø 82,5 cm



#### Threads.

24 Beige M1 (NCS S 2005-Y50R)

37 Terra Red (NCS S 4040-Y70R)

47 Green L1 (NCS S 4005-G80Y)

#### Rings.

11 Black (S 8500-N)

Textile threads: Polyester FR (Flame retardant) Upper ring: Aluminum Bottom ring: Brass

#### **LED Colour Temperature**

2700 K CRI>90

#### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi

#### Electrical connection options







Remote

Built-in Surface

Height 190 cm







1870 Ø 82,5 cm



1880 Ø 124 cm




# Lily



Design by Ludovica+Roberto Palomba.

The simplicity of Lily's refined silhouette makes this fixture ideal for an elegant interior with a relaxed ambience. Suspended from a high ceiling or positioned strategically about the room, its graceful glass diffuser radiates brings a sense of warmth and wellbeing.









5730 Ø 49 cm

11 Black (NCS S 8500-N) 25 Beige D1 (NCS S 4005-Y50R)

Shade: Triple opal blown glass Body: Aluminum

LED Colour Temperature

2700 K CRI>90

Control

Analog: 1-10V; Push Digital: DALI-2 Smart: Casambi

Electrical connection options










Built-in

Surface





## Dama



Design by Ludovica+Roberto Palomba.

Dama is a homage to the classic lamp, ideal for shaping an intimate atmosphere with an elevated aesthetic. Combining technical quality with a layer of warmth and intimacy, the collection connects the charm of tradition with the finesse of contemporary lighting design.





24 VOL1 PENDANT 25 VOL1

Cutting-edge invisible technology allows Dama's circular light source to radiate with a gentle, uniform glow from within. Suspended from a micro-thin cable that's almost invisible to the eye, the pendant exhibits an ethereal quality, its graceful silhouette looming overhead.



25 Beige D1 (NCS S 4005-Y50R)

Shade: Paper Body: Aluminum

#### LED Colour Temperature

2700 K CRI>90

#### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi

#### Electrical connection options











Surface Free Wire




3235

Ø 45 cm





# Knit



Design by Meike Harde.

Light, materiality and tangibility collide with the Knit collection. Its texture is magnetic, calling out for us to touch its surface, to feel its warmth and to keep it close. Light seeps outwards through the fabric transmitting a soft 360° glow.









While the urchin, a symbol of fertility, conceals a soft inside beneath its protective outer shell, Knit delights in the femininity and softness of its outer layer. It exudes intimacy, comfort and familiarity.





24 Beige M1 (NCS S 2005-Y50R)

Fabric shade: PES FR Shade: PE- Polyethylene Diffuser: PMMA Diffuser ring: ABS

## LED Colour Temperature

2700 K CRI>90


## Control

Analog: 1-10V Digital: DALI-2 Smart: Casambi


### Electrical connection options







# Circus



Design by Antoni Arola.

Circus is defined by its minimalist structure and signature conductive bar, delicately balanced by opposing elements to create a festival of light. A creative toolkit full of possibilities to explore and enjoy that offers total freedom of composition, multiple components and a myriad of diffuse and accented lighting effects.





34 VOL1 CIRCUS PENDANT 35 VOL1




Its structure is developed both vertically and horizontally and combines volumetric diffusion effects, hide diffusers, spot and indirect lighting. This system turns the professional into a composer of atmospheres, where object luminaires can be combined with functional elements.




















Suspended from the ceiling and positioned at any angle, the discs reflect rather than emit light. Lustrous and ethereal, these halos cast spherical shadows evocative of a circus performance or lunar eclipse when positioned above a spot.











44 VOL1 CIRCUS






Suspended in parallel to form an equilibrium or poised in asymmetrical harmony, the slender and distinctive bar amplifies the possibilities for shaping a space. Whether composed independently, as a pair or fixed to the ceiling, it conducts electricity and transports light to different points of interest, creating a visual hierarchy within the space and between the surrounding objects.




46 VOL1 PENDANT 47 VOL1






48 VOL1 CIRCUS PENDANT 49 VOL1










50 VOL1 CIRCUS

Circus offers a variety of fixtures that can be built into the conductive bar, suspended from a track or hung directly from the surface of the ceiling. The bar amplifies the possibilities for shaping a space by conducting electricity and transporting light to wherever it is needed.




#### Electrical connection options



## Pendant Tracks

A358 (H 3m) A359 (H 9m)	A364 (H 3m) A365 (H 9m)	<b>A370</b> (H 3m) <b>A371</b> (H 9m)
110 cm	150 cm	200 cm
3 / 9 B		
<b>A376</b> (H 3m) <b>A377</b> (H 9m)	<b>A382</b> (H 3m) <b>A383</b> (H 9m)	<b>A388</b> (H 3m) <b>A389</b> (H 9m)
110 cm	150 cm	200 cm
E 6 / E 8		
70 cm		



52 VOL1 CIRCUS

> With a choice of black (11) or beige (24) finishings and dimming control, Circus offers a variety of fixtures that can be built into the conductive bar, suspended from a track or hung directly from the surface of the ceiling. With a traditional light rail the connection is visible from below, but with Circus, the luminaires can be connected to the bar from above, sealed with a cover and with pendants passing seamlessly through the lower section.

This innovation has a significant impact on the aesthetic purity of the design.

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

#### Volumetric Diffuser

Diffuser: PE- Polyethylene

#### Hidden Diffuser

Shade: Aluminum

Diffuser: PC- Polycarbonate

Spots / Downlight Body: Aluminum

Lens: PMMA

#### Pendant Spot

Body: Zinc Alloy Lens: PMMA

### Volumetric Diffuser

## PENDANT





Ø 45 cm

## DIRECT TO TRACK 0164

Ø 20 cm



#### Ø 20 cm

### Hidden Diffuser

#### PENDANT



## DIRECT TO TRACK 0157



Ø 40 cm

#### Pg 32 VOL1 Pg 42 VOL 2

 $\overline{\bigcirc}$ 

#### PENDANT 53 VOL1

#### **LED Colour Temperature**

Volumetric Diffuser / Hidden Diffuser

Static White

2700 K; 3000 K; 3500 K

Tunable White (1800 K- 4000 K)

Tunable Red (Red - 2700 K)

Spots / Downlight

Static White 2700 K - 680 lm

3000 K - 711 lm

3500 K - 737 lm 7,2W

Only ref. 0131, 0132,

0141, 0142, 0152 and 0153 Tunable White (1800 K - 4000 K)

Smart (P2P)

308 lm - 504 lm 5,5W

Only ref. 0131, 0141 and 0152 Tunable Red (Red - 2700 K)

Smart (P2P)

155 lm - 581 lm 7W

CRI>90

## Accent Spotlight

PENDANT

### Accent Downlight

DOWNLIGHTS

#### DIRECT TO TRACK

Control

Digital: DALI-2 (P2P)

\*ProtoPixel products are

compatible with all other

Updated detailed spec sheets

DALÍ-2 products via a

designated gateway

(please consult us)

on vibia.com

Smart: Casambi (simultaneous line);

Casambi (P2P); ProtoPixel\* (P2P)

0140 Narrow 0141 Medium 0142 Wide

Ø4cm



0130 Narrow

0131 Medium

0132 Wide

Ø4cm

#### 0151 Narrow 0152 Medium 0153 Wide



Ø4cm

## Narrow 14°

Ø 0,36 m

Ø 0,72 m



Medium



Wide

Ø 2,7 m

Ø 0,36 m 2087 lx Ø 0,91 m 477 lx Ø 1,33 m 251 lx 150 lx Ø 2,7 m Ø 0,72 m 522 lx Ø 1,82 m

54 VOL1

Suspended from the ceiling and positioned at any angle, a range of reflector discs reflect diffuse light from a spot angled towards them. Lustrous and ethereal, they cast a spherical shadow on the adjacent surface like a lunar eclipse.

11 Black

(Bottom face: White / Top face: Black)

### Reflected Light

**CIRCUS** 

LIGHT REFLECTOR







PENDANT 55 VOL1

## Dynamic light

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project Designing an atmosphere of wellbeing is based on two main axes: **space** and **time**. The axis of time implies the concept of dynamic light.

Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.

Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing.

## A source of emotion

Vibia's approach to coloured light invites the use of colour and intensity to create and experience different atmospheres, making them as natural and subtle as possible.

Colour is a source of emotion, it can instantly set a mood, convey a feeling or generate a sense of wellbeing.






Static, tunable white and tunable red Circus product options offer a range of static white in three different temperatures as well as the option of tunable white. Tunable lighting allows for comprehensive temperature regulation: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

The **tunable red** option allows you to glide from red to white, exploring a range of relaxing and cosy effects. Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

#### Static White



#### Tunable White




#### Tunable Red



**Contact Vibia Support Service at vibia.com** for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

## Circus Solo




## Design by Antoni Arola.

The Circus system incorporates a range of independent elements that can be surface mounted to the ceiling, including spots, downlights and general lighting fixtures. This line allows professionals to create harmonic compositions and subtle atmospheres that break with the standards.




58 VOL1 CIRCUS SOLO











60 VOL1 CIRCUS SOLO





62 VOL1 **CIRCUS SOLO** PENDANT 63 VOL1

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

#### Volumetric Diffuser

Diffuser: PE- Polyethylene Top cover: Aluminum

#### Hidden Diffuser

Shade: Aluminum Diffuser: PC- Polycarbonate Top cover: Aluminum

#### Spots

Body: Zinc Alloy Lens: PMMA

#### LED Colour Temperature

Volumetric Diffuser / Hidden Diffuser

Static White

2700 K; 3000 K; 3500 K

Tunable White (1800 K- 4000 K)

Tunable Red (Red - 2700 K)

Pendant Spot

Static White

2700 K - 680 lm

3000 K - 711 lm 3500 K - 737 lm

7,2W

Only ref. 0177 and 0178

Tunable White (1800 K - 4000 K)

Smart

308 lm - 504 lm 5,5W

Only ref. 0177

Tunable Red (Red - 2700 K)

Smart

155 lm - 581 lm 7W

## CRI>90 Control

Analog: Push Digital: DALI-2\* Smart: Casambi;

\*DALI-2 products are compatible (via a designated gateway) with all ProtoPixel dynamic-light solution products.

#### Electrical connection options



Pg 56 VOL 1 Pg 62 VOL 2

## Accent Spotlight





Ø4cm



₹

## Volumetric Diffuser


## Hidden Diffuser

Surface Built-In




0182

Surface Built-In




Surface Built-In Remote

0193 150 x max. 200 cm



Surface Built-In Remote

0196 150 x max. 200 cm



Suspended from the ceiling and positioned at any angle, a range of reflector discs reflect diffuse light from a spot angled towards them, rather than emitting their own light. Lustrous and ethereal, they cast a spherical shadow on the adjacent surface like a lunar eclipse.

▲ 11 Black

(Bottom face: White / Top face: Black)

### Reflected Light

LIGHT REFLECTOR

A146

A147

Ø 40 cm H 9 m

Ø 60 cm H 9 m





## Dynamic light

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project Designing an atmosphere of wellbeing is based on two main axes: **space** and **time**. The axis of time implies the concept of dynamic light.

Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.

Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing.

## A source of emotion

Vibia's approach to coloured light invites the use of colour and intensity to create and experience different atmospheres, making them as natural and subtle as possible.

Colour is a source of emotion, it can instantly set a mood, convey a feeling or generate a sense of wellbeing.






Static, tunable white and tunable red Circus product options offer a range of static white in three different temperatures as well as the option of tunable white. Tunable lighting allows for comprehensive temperature regulation: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

The **tunable red** option allows you to glide from red to white, exploring a range of relaxing and cosy effects. Tunable white lighting option al lows for comprehensive temperature regulation depending on the atmosphere of every scene.

#### Static White



#### Tunable White



#### Tunable Red



### Sticks

Design by Arik Levy.

Fusing technology, space, and architecture, Sticks offers a creative toolkit for integrating light elements into an interior environment. Graphic in form, the collection consists of minimalist Aluminum rods that transform linear light into a floating sculpture.



68 VOL1 STICKS PENDANT 69 VOL1










70 VOL1







### 11 Black (NCS S 8500-N)

Stick: Aluminum Diffuser: PC- Polycarbonate

### LED Colour Temperature

2700 K; 3000 K; 3500 K CRI>90

### Control

Surface canopy, Built-in, Remote driver: 1-10V.

### **Electrical connection options**







Surface canopy


Built-in disc S





Horizontal Pendants version with a UGR index <19 available.

Create your own composition easy and quick at vibia.com selecting the option that best fits your needs.



### Connecting space application


Custom configurations include ceiling-to-ceiling, wall-to-wall, floor-to-wall, wall-to-ceiling, or suspended from the ceiling into open space. Through their physical form and the light they cast, they create and disrupt architectural planes.

### Connectable

The Sticks collection has three sizes: 1.5 m, 2 m, or 3 m, and they can be connected one to each other to a total maximum lenght of 6.5 meters per electrical connection.


1.5 m 2 m

3 m





Sticks are connected one to each other with a 15 cm length cord.




Each stick rotates on its own axis, allowing light to be directed precisely where needed.

### **Vertical Pendant**



### Pendants-Pendants





### Sticks Solo

Design by Arik Levy.

A pure solution for a minimalist interior, Sticks Solo features a range of horizontal pendants of various lengths and incorporates a range of electrical connection options for seamless integration with the surrounding architecture.

STICKS SOLO





The stick rotates on its own axis, allowing light to be directed precisely where needed

78 VOL1 STICKS SOLO PENDANT 79 VOL1

11 Black (NCS S 8500-N)

Stick: Aluminum Diffuser: PC- Polycarbonate

### LED Colour Temperature

2700 K; 3000 K; 3500 K CRI>90

### Control

Analog: 1-10V Digital: DALI-2 Smart: Casambi

### Electrical connection options







Surface Built-in Remote Remote XXS canopy disc S Micro













Linear flat diffuser



Horizontal Pendants version with a UGR index <19 available.






## Kontorno


Design by Sebastian Herkner.

Consisting of an elegant linear framework complemented by a cylindrical diffuser or curved reflector, the Kontorno collection envelops the light source it contains, offering diffuse, balanced illumination.



82 VOL1 KONTORNO







84 VOL1 KONTORNO

The Kontorno pendant consists of a streamlined silhouette that appears to float from invisible cables. Embedded with LEDs, curved volumes are balanced by sleek geometric architecture.

The reflector lends an intentional look of raining light.

11 Black (NCS S 8500-N)

Concave shade: Aluminum Diffuser: PC- Polycarbonate Pendant structure: Steel Canopy: Aluminum LED Colour Temperature


2200 K; 2700 K; 3000 K; 3500 K CRI>90

### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi


### Aluminum Shade






Pg 80 VOL 1 Pg 278 VOL 2







The Kontorno pendant consists of a streamlined silhouette that appears to float from invisible cables.
Embedded with LEDs, curved volumes are balanced by sleek geometric architecture. The cylindrical diffuser evenly illuminates the surrounding space.

11 Black (NCS S 8500-N)

Glass shade: Opal triplex Diffuser: PC- Polycarbonate Pendant structure: Steel Canopy: Aluminum

### LED Colour Temperature

2200K; 2700 K; 3000K CRI>90

### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi

### Glass Shade





6474 92 cm 6476 122 cm



Pg 80 VOL1 Pg 278 VOL 2





Design by Arik Levy.

A study in contrasts, the Ghost collection embodies both spirit and materiality, discretion and presence. A contemporary reimagining of the grand lights that once graced entryways and living areas, its sensuous form radiates with a warm, welcoming glow.



92 VOL1 GHOST



**4987** Ø 47,5 cm

True to its namesake, the Ghost pendant possesses an ethereal presence. Large in scale yet elegant in sensibility, the luminaire floats overhead from nearly invisible cables to provide a striking focal point in any space. Crafted meticulously of mouth-blown opal triplex glass, Ghost's rich, smooth material generates a warm, ambient glow.

11 Black (NCS S 8500-N)

Diffuser: Opal Glass Metal parts: Aluminum

### LED Colour Temperature

2700 K CRI>90

### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi








## Flat

Design by Ichiro Iwasaki.

A study in geometry, the Flat collection features distinctive, disc-shaped diffusers that form horizontal planes of light, infusing a space with pools of soft illumination.







98 VOL1 PENDANT 99 VOL1

### INDIVIDUAL MODEL



13 Off-White (NCS S 1000-N)

37 Terra Red (NCS S 4040-Y70R)47 Green L1 (NCS S 4005-G80Y)

Shade: Aliminum Diffuser: PC- Polycarbonate Pendant structure: Steel Canopy: Aluminum LED Colour Temperature 2700 K; 3500 K CRI>90

### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi Ref. 5935 and 5940. Electrical connection options




Upper side of the disc available in: Off-White, Terra Red y Green L1.



### MULTIPLE MODELS


### Set your composition to vibia.com











### Tube Free



### Design by Ichiro Iwasaki.

Tube Free seemingly emancipates the tube from its point of connection to create a landscape of independent pendants. When set out over a space, the arrangement of numerous tubes of equal or varying heights creates a delicate structure and facilitates a harmonious congregation of shades.



Composed of two different sized luminaires and a black tube that extends vertically, it conducts light to wherever it is required, integrating within the architecture of any interior.








TUBE FREE PENDANT 105 VOL1 104 VOL1

### INDIVIDUAL MODEL





15 Grey L2 (NCS S 2500-N)

16 Grey M1 (NCS S 4500-N)

21 Black Grey (NCS S 7000-N)

24 Beige M1 (NCS S 2005-Y50R)

37 Terra Red (\$ 4040-Y70R)

### Finish customization

(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate Shade: Aluminum Led support: Aluminum Tube: Steel Canopy: Steel

### LED Colour Temperature


2700 K; 3000 K; 3500 K CRI>90

### Control

Analog: 1-10V; Push Digital: DALI-2 Smart: Casambi

### Electrical connection options





Surface Free Wire

### BIND related product



### MULTIPLE MODELS

### Set your composition to vibia.com



















Pg 100 VOL 1 Pg 196 VOL 2

## Tube



Tube is a modular pendant and ceiling system with numerous possibilities. Composed of three different sized luminaires and a black tube that extends both vertically and horizontally, it conducts light to wherever it is required, integrating within the architecture of any interior.

TUBE

Tube is an innovative system of hanging lamps: a network of tubes directs the light from a single point of connection to numerous luminaires that can be freely positioned within a space. The tubes draw distinct lines across a wall, ceiling or through space, offering a graphic tool with which to design a space, as well as the opportunity to configure multiple configurations.

10 White (NCS S 0300-N)

15 Grey L2 (NCS S 2500-N)

16 Grey M1 (NCS S 4500-N)

21 Black Grey (NCS S 7000-N)24 Beige M1 (NCS S 2005-Y50R)

37 Terra Red (\$ 4040-Y70R)

LED Colour Temperature

2700 K; 3000 K; 3500 K CRI>90

### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi



Set your composition to vibia.com





## Guise




Design by Diez Office.


Crafted of precision-cut glass and embedded with a row of recessed LEDs, Guise explores the relationship between light and transparency. The light inside the glass appears invisible, while the delicately engraved surface generates a beautiful diffusion.



112 VOL1 PENDANT PENDANT 113 VOL1



Crafted of borosilicate glass, a lightweight and industrial-grade material prized for its superior strength and durability, the Guise pendant can be fitted horizontally or vertically in any space. It is suspended from an invisible cable which lends a sense of weightlessness to the overall expression. Radiating with an intense glow, a special sensor offers dimming control without direct contact.



114 VOL1 PENDANT PENDANT 115 VOL1

### 18 Graphite (ADAPTA RF9913WX)

Diffuser: Borosilicate glass Body: Aluminum LED support: Aluminum Canopy: Steel

### LED Colour Temperature


3000 K CRI>90

### Control

Analog: Push; Sensor; 1-10V Digital: DALI-2 Smart: Casambi










Pg 110 VOL 1 Pg 168/288 VOL 2














## Skan



Design by Lievore, Altherr, Molina.

Skan is a sleek and unadorned fixture. It combines lean lines with soothing purity of form, adding a minimalist sensibility to any space.



118 VOL1 PENDANT 119 VOL1

Sleek and understated, the Skan pendant adds a minimalist sensibility to any space. The LED-powered design is marked by a restrained geometric profile with its elegant interplay of lean lines and gentle curves. Suspended overhead by a lean cable, its saucer-like silhouette is at once delicate and dramatic.







120 VOL1 PENDANT 121 VOL1

### INDIVIDUAL MODEL

Skan's sleek disc design is defined by its pure form and simple lines. The LED-powered pendant features a steel canopy and diffuser that casts a broad, bright dimmable light. Streamlined and understated, it lends a quiet elegance as a single lamp or grouping of pendants.



10 White (NCS S 0300-N)

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2500-Y50R)

37 Terra Red (NCS S 4040-Y70R)

42 Blue M1 (NCS S 5010-B10G)
47 Green L1 (NCS S 4005-G80Y)

Finish customization (Available options: Vibia colour palette)

Shade: Aluminum Diffuser: PMMA Canopy: Steel

### LED Colour Temperature

2700 K; CRI >90 3000 K; CRI >80 3500 K; CRI >90


### Control

Analog: Push; 0-10V; 1-10V Digital: DALI-2 Smart: Casambi

### Electrical connection options



Remote Built-in




Surface Free Wire

### BIND related product




### MULTIPLE MODELS

### Set your composition at ${\bf vibia.com}$









# Warm




Design by Ramos & Bassols.

A contemporary take on a timeless design, Warm features a generously sized, classic drum shade with a muted colour palette that provides a refined touch.



124 VOL1 PENDANT WARM 125 VOL1





4925 4926

Ø 62 cm

Screen shade: Ref. 4925

10 White (NCS S 0300-N)

Aluminum shade: Ref. 4926.

10 White (NCS S 0300-N)

25 Beige D1 (NCS S 4005-Y50R)


28 Brown M1 (NCS S 4020-Y60R)

56 Green D1 (NCS S 7010-G30Y)

Finish customization (Available options: Vibia colour palette)

Diffuser: PMMA Canopy: Steel

LED light source



### Wireflow



### Design by Arik Levy.

Crafted of black, electrical cables, Volumetric's airy, three-dimensional outline lends it the feeling of being at once present and absent. The geometric volumes are tipped with LED light terminals in a contemporary take on the traditional chandelier.



128 VOL1 PENDANT 129 VOL1






Pressed-glass diffuser

Wireflow volumes for gathering spaces. Illuminate dining, living or working spaces of any scale with geometric shapes that provide a focal point without overpowering the space. Choose from multiple shapes and sizes, plus adjust lengths to suit individual tastes and project needs.

Create a personalized Wireflow pendant at <u>vibia.com</u>





Characterised by its graphic style and simplicity of form, Wireflow traces three-dimensional geometries of steel and aluminum, which, despite their large scale, maintain a sense of weightlessness. Available in 4 and 8 diffuser versions, its distinctive volumetric aesthetic will draw the eye to specific focus points without visually overcomplicating an area.




Diffuser: Pressed-glass Body: Aluminum Horizontal rods and Canopy: Steel **LED Colour Temperature** 2700 K; 3000 K; 3500 K CRI>90

### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi









0312

50 x 50 cm

8 LEDs




### Wireflow Lineal



### Design by Arik Levy.


Wireflow Lineal's ultra-minimalist design is balanced by a distinctive, precipitous presence that adds an intriguing accent to any room. Ideal for illuminating large spaces with high ceilings, its lean profile traces a formal silhouette in an open space with meticulous precision.




132 VOL1 PENDANT 133 VOL1

### 2 LEDs 0320

57 cm x max. 200 cm




### 6 LEDs 0338 145 cm x max. 200 cm




### 6 LEDs 0325

155 cm x max. 200 cm



### 10 LEDs 0330

275 cm x max. 200 cm



O4 Black (RAL 9005)

Diffuser: PC- Polycarbonate Body and canopy: Aluminum Horizontal rods: Steel

### **LED Colour Temperature**

2700 K; 3000 K; 3500 K CRI>90

### Control

Analog: Push; 1-10V Digital: DALI Smart: Casambi





Wireflow lineal pendants for task lighting. Creative designs comprised of lineal black wires to subtlety enhance a space over tables, reception desks and bars. Adjust top and bottom lengths for project needs.

Create your personalized Wireflow lineal at <u>vibia.com</u>



### Wireflow Free



### Design by Arik Levy.

True to its name, Wireflow Free adapts easily to any environment. Its cables can be directed to form unexpected visual rhythms across a wall or ceiling, or to branch out from a central point and delineate specific activity zones within a space. Free offers maximum versatility in both form and function.














138 VOL1 WIREFLOW FREE PENDANT 139 VOL1

### INDIVIDUAL MODEL



O4 Black (RAL 9005)

Diffuser: Pressed-glass / PC- Polycarbonate Body: Aluminum Canopy: Steel Ceiling supports: POM

# LED Colour Temperature

2700 K; 3000 K; 3500 K CRI>90

### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi

Ref. 0345 and 0348 With pressed-glass diffuser Ref. 0361 and 0347 Without pressed-glass diffuser, with polycarbonate diffuser

### **Electrical connection options**








Surface Free Wire

### MULTIPLE MODELS

### Set your composition to vibia.com









# Wireflow Chandelier




### Design by Arik Levy.

Wireflow Chandelier is a contemporary reimagining of the traditional fixture. Its ultramodern silhouette provides an unexpected twist, while its graceful lines echo with a sense of timeless elegance. Though substantial in size its airy outline creates a feeling of transparency.



20 LEDs **0315** 

120 x 279 cm




42 LEDs **0376** 

150 x 112 cm



42 LEDs 0377

150 x 194 cm




Grandeur amplified. A focal point is created with Wireflow Chandelier for large spaces with this revamp of the classic chandelier. Large scale luminaire options based on project needs with height adjustability.

Select your favorites and personalize the height at <u>vibia.com</u>

### 42 LEDs 0378

150 x 276 cm



### 43 LEDs **0374**

150 x 307 cm



### 43 LEDs **0375**

150 x 396 cm





O4 Black (RAL 9005)

Diffuser: Pressed-glass Body: Aluminum Canopy and horizontal rods: Steel

### LED Colour Temperature

2700 K; 3000 K; 3500 K CRI>90

### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi




# Flamingo Mini



Design by Antoni Arola.

Flamingo Mini creates multi-layered silhouettes with an avant-garde, intriguing aesthetic. This hanging lamp recalls a bird hovering overhead, bringing an intimate ambience as it casts diffuse gradations of soothing light through its translucent diffuser.









The Flamingo Mini collection pairs poetic beauty with high quality performance. Its deconstructed design separates an LED light source from layers of translucent diffusers, producing soft gradations of illumination. The diffusers are available in a range of different configurations, each LED performing likea spotlight, directed upwards or downwards to produce an ambient effect.





Three options of installation

11 Black (NCS S 8500-N)

Diffuser: PMMA Rods: Stainless steel Body: Aluminum Canopy: ABS

LED Colour Temperature 2700 K CRI>90

Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi

Electrical connection options












# Flamingo



Design by Antoni Arola.

Displaying the elegant poise of the bird that inspired it, Flamingo projects a feeling of weightlessness hovering overhead. The deconstructed design separates the LED light source from its translucent shades, producing gradations of diffuse illumination.



156 VOL1 FLAMINGO








158 VOL1 FLAMINGO PENDANT 159 VOL1







20 Gold (Gold)

67 Copper (Copper)

93 White (RAL 9016)

Diffuser: PMMA Body: Aluminum Canopy and rods: Steel

### LED Colour Temperature 2700 K; 3500 K

2700 K; 3500 K CRI>90

### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi





# Cosmos



Design and light become one with the Cosmos collection. Flattened spheres suspended from slim cables create a cluster of pendant lights like a constellation of stars.









164 VOL1 COSMOS PENDANT 165 VOL1



The minimalist, lacquered discs floating in space, their simple, sculptural curves and muted finishes, transmit a tranquil sensibility. LEDs are embedded within the opaque diffusers, unifying design and light source to generate a warm, indirect glow.

10 White (NCS S 0300-N)

14 Chocolate (RAL 8019)

58 Off-white (NCS S 2005-Y20R)

62 Green (Pantone 5645)

Diffuser: PC-Polycarbonate Canopy: Steel Body: PU - Polyurethane

## LED Colour Temperature

2700 K; CRI >90 3000 K; CRI >80

### Control

Analog: On/ Off; Push; 1-10V Digital: DALI-2 Smart: Casambi




# Match



Design by Jordi Vilardell & Meritxell Vidal.

Based on the principle of co-creation, Match is a lighting collection that can be fully customised virtually. Characterised by unlimited configurations, Match's kinetic clusters exude a textured, sculptural presence.



Match is a unique pendant collection constructed from sleek aluminum rods finished in matt lacquered white or matt lacquered graphite and equipped with LED light terminals. Fully customisable, it is based on the concept of co-creation, taking on myriad forms to suit any space: from tight, concentrated clusters to sprawling configurations that span a larger area.



03 White (RAL 9016)



18 Graphite (RAL 7016)

Head: Aluminum Rods: Steel Canopy Plate: Steel

**LED Colour Temperature** 2700 K; 3000 K; 3500 K CRI>80

#### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi

### Personalization options available

Configuration layout at vibia.com Request more information







### Built-in installation.


Electrical connection finials: the minimum height is 10 cm and the dimension of the cut-out is 10,5 cm.

Nodes: the minimum height is 12 cm and the dimension of the cut-out is 4,5 cm.









# Palma



Design by Antoni Arola.

The interior ambience takes on a life of its own with the possibility of integrating plants with the lighting compositions. Palma connects light and vegetation as in the natural landscape.



172 VOL1 PALMA

18 Graphite (ADAPTA RF 9913 WX)

Diffuser: Blown-glass Profile: Aluminum Planter: PMMA

### LED Colour Temperature

2700 K CRI>90

### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi

3720

Ø 25 cm

3724 Ø 25 cm

3726 Ø 25 cm

3728 Ø 25 cm 3730

Ø 25 cm





















174 VOL1 PALMA

The floating effect is attained through its multiple configurations, the almost imperceptible suspension, a unique cable system and the hoops that wrap the spheres. Its capacity to create ambience increases with additional fixtures like a luminous hanging garden.

18 Graphite (ADAPTA RF 9913 WX)

Diffuser: Blown-glass Profile: Aluminum Planter: PMMA LED Colour Temperature


2700 K CRI>90

Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi









# Bigger



Design by La Invisible.

Bigger serves as statement lighting without overbearing the space it occupies, radiating with profuse light which cascades down from the ceiling, its impressive scale bringing the space to life.





BIGGER 180 VOL1 **PENDANT** 181 VOL1





Pg 176 VOL 1 Pg 262 VOL 2

#### LED Colour Temperature 23 Beige L1 (NCS S 0502-Y50R) 2700 K; 3500 K

24 Beige M1 (NCS S 2005-Y50R) Tunable White (2200 K-4000 K) CRI>90 37 Terra Red (NCS S 4040-Y70R)

#### 53 Green M1 (NCS S 6005-G80Y) Control

Body: Aluminum Shade: Aluminum Diffuser: PC- Polycarbonate

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi


Vibia's general lighting, spot accent and downlight luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.

### **Tunable White (2200K - 4000K)**

Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

### Static White 2700K; 3500K

You can select the static white option that fits best with the desired ambience.



Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

# Rhythm Horizontal



### Design by Arik Levy.

Minimalist in form yet simultaneously complex, Rhythm features slender light modules of varying lengths, each fitted with an LED, that can be arranged in endless configurations. Fluid and flowing or angular and anarchic, the collection offers total freedom of composition.



184 VOL1 RHYTHM HORIZONTAL PENDANT 185 VOL1

### Wood

The collection includes the option of a natural wood in White oak or Walnut. Reflected in its textured surface, warm light bathes the space, producing a rich and restorative atmosphere.

82 White oak

83 American walnut

Stick: Wood Spacers: Aluminum
Diffuser: PC-Polycarbonate
Canopy: Steel

### LED Colour Temperature

2700 K; 3500 K CRI>90

#### Control


Analog: 1-10V Digital: DALI-2 Smart: Casambi

### Electrical connection options





Surface



Stick 87 cm

2155

49 x 87 cm



186 VOL1 RHYTHM HORIZONTAL PENDANT 187 VOL1

### Basic

Its unique rotation system allows the light sticks to move along a horizontal axis, positioned in any direction to provide ambient downward illumination from above.

14 Chocolate (RAL 8019)

58 Off-white (RAL D2 1109005)

Stick: PA- Polyamide Diffuser: PC- Polycarbonate Canopy: Steel

LED Colour Temperature 2700 K; 3500 K CRI>90

Control

Analog: 1-10V Digital: DALI-2 Smart: Casambi

**Electrical connection options** 



Surface

Stick 47 cm



2110  $45 \times 47 \text{ cm}$ 

2111 93 x 47 cm





2112 141 x 47 cm



2113 189 x 47 cm

Stick 87 cm









# Rhythm Vertical



### Design by Arik Levy.

Evoking the mood of Zen minimalism, Rhythm features slender light modules of varying lengths, each fitted with an LED module, that can be arranged in endless configurations.



## Wood

The collection includes the option of a natural wood in White oak or Walnut. Reflected in its textured surface, warm light bathes the space, producing a rich and restorative atmosphere.

82 White oak

83 American walnut

Stick: Wood Spacers: Aluminum
Diffuser: PC-Polycarbonate
Canopy: Steel

### LED Colour Temperature

2700 K; 3500 K CRI>90

#### Control

Analog: 1-10V Digital: DALI-2 Smart: Casambi

### Electrical connection options





Built-in

Surface

Stick 87 cm

2165

87 x 52,5 cm


2167 87 x 81 cm








192 VOL1 RHYTHM VERTICAL PENDANT 193 VOL1







# Basic

A luminous sculpture suspended in space, Rhythm can be suspended vertically to provide ambient uplighting.

14 Chocolate (RAL 8019)

58 Off-white (RAL D2 1109005)

Stick: PA- Polyamide Diffuser: PC-Polycarbonate Canopy: Steel

### **LED Colour Temperature**

2700 K; 3500 K CRI>90

### Control

Analog: 1-10V Digital: DALI-2 Smart: Casambi

### Electrical connection options
























# Mayfair



Design by Diego Fortunato.


A modern reimagining of the traditional 19th-century bouillotte lamp, the Mayfair collection is a statement in contemporary design. Perfectly proportioned, its luminaire casts a pool of diffuse, downward light to create an intimate lighting effect.



196 VOL1 PENDANT 197 VOL1



Featuring a steel or methacrylate diffuser, the LED-powered pendant lamp is distinguished by its timeless style and sleek silhouette. Available in a range of striking colours, it casts a warm ambient glow that's ideal for relaxed interior lighting.



MAYFAIR PENDANT 198 VOL1 199 VOL1

#### INDIVIDUAL MODEL

# PMMA shade: Refs. 5520 07 Graphite and green (RAL 7016 and RAL 6026)



### Steel shade: Refs. 5525

- 20 Gold (Gold)
- 67 Copper (Copper)
- 18 Graphite (RAL 7016)
- 23 Warm White (NCS S 0502-Y50R)
- 25 Beige D1 (NCS S 4005-Y50R)
- 38 Terra Dark (NCS S 5040-Y70R)
- 47 Green L1 (NCS S 4005-G80Y)

#### Finish customization

(Available options: Vibia colour palette)

### Diffuser: PC-Polycarbonate Tube and canopy: Steel

### **LED Colour Temperature**

LED 2700 K CRI >90

#### Control

Individual model Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi

### **Electrical connection options**










Surface Free Wire



# Set your composition to vibia.com

MULTIPLE MODELS






















# Algorithm Free



Like a cloud of frozen rain, this collection brings together beauty and geometry. Each unique grouping of globes defines areas of interior space, underlining their multiple uses while becoming a single aesthetic element.







PENDANT 204 VOL1 ALGORITHM FREE 205 VOL1

### INDIVIDUAL MODEL

# MULTIPLE MODELS


### Set your composition to vibia.com



















Sphere: Blown-glass Diffuser: PC- Polycarbonate Glass fastening: Aluminum Canopy: Steel Pendant structure: Steel LED support: Aluminum

# LED Colour Temperature 2700 K; 3500 K CRI >90

# Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi

### **Electrical connection options**




















# Algorithm Grid



### Design by Toan Nguyen.

Like a cloud of frozen rain, this collection brings together beauty and geometry. Mathematical order provides a magical harmony with an astonishing range of permutations and compositions.

Can be customized to suit any space.



208 VOL1 PENDANT 209 VOL1

Algorithm resembles a sparkling constellation of illuminated drops that appear to float in mid-air. Evoking a mood that's equal parts mathematical and magical, the pendant is anchored to the ceiling from a tubular steel lattice. Sleek tensile cables are studded with glowing, handblown glass orbs powered by LEDs and suspended at different heights. Fully customisable, each unique grouping of globes defines areas of interior space, underlining their multiple uses while becoming a single aesthetic element.

### 18 Graphite (ADAPTA RF 9913 WX)

Sphere: Blown-glass Diffuser: PC- Polycarbonate Glass fastening: Aluminum Canopy: Steel Pendant structure: Steel LED support: Aluminum

## LED Colour Temperature

2700 K; 3500 K CRI >90


#### Control

Individual model Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi

### Create your personalized Algorithm at vibia.com










0825 0827\* 10 LEDs 75 x 85 cm



0830 0832\* 6 LEDs 123 x 25 cm 0835 0837\* 10 LEDs 214 x 25 cm



0860 0862\* 13 LEDs 110 x 110 cm 0865 0867\* 25 LEDs 160 x 160 cm



0840 0842\* 14 LEDs 306 x 25 cm 0845 0847\* 14 LEDs 183 x 34 cm 0850 0852\* 29 LEDs 399 x 34 cm



0870 0872\* 15 LEDs 110 x 60 cm 0875 0877\* 24 LEDs 185 x 60 cm






# Slim



Design by Jordi Vilardell.

Streamlined and refined, Slim serves as a sleek punctuation mark.











Distinguished by long, slender strands suspended from fibre cords, Slim draws the eye upwards like drops of light falling from the sky. Crafted of patterned glass diffusers, it lends a candlelit ambience that bathes a space in a soft pool of light thanks to its LED fittings.

#### INDIVIDUAL MODEL


#### MULTIPLE MODELS

#### Set your composition to vibia.com



















0920 Ø ,6 cm

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R) 37 Terra Red (NCS S 4040-Y70R)

47 Green L1 (NCS S 4005-G80Y)

68 Ocre (NCS S 3050-Y30R)


Finish customization (Available options: Vibia colour palette)

Diffuser: Glass Body: FB- Fiberglass Canopy: Steel

#### LED Colour Temperature

2700 K; CRI >90 3000 K; CRI >80 3500 K; CRI >90

Control Analog: On/ Off; Push; 1-10V Digital: DALI-2 Smart: Casambi













#### BIND related product











# Halo







A seamless merging of light and matter, Halo lends the effect of light floating in air. Powered by LED bulbs that remain invisible within their opalized, linear moulds, the light flows freely from its source.



220 VOL1 HALO



03 White (RAL 9016)

Diffuser: PMMA Canopy: Steel LED Colour Temperature


2700 K; 3000 K CRI >90


Control

Analog: 1-10V Digital: DALI-2 Smart: Casambi Electrical connection options



Remote Surface





Pg 218 VOL 1 Pg 336 VOL 2



222 VOL1 HALO

03 White (RAL 9016)

Diffuser: PMMA Canopy: Steel LED support: Aluminum LED Colour Temperature

2700 K; 3000 K CRI >90

Control

Analog: 1-10V Digital: DALI-2 Smart: Casambi

Surface mounted

2330

Ø 55,5 cm



2331

2 units




2332 2333

3 units 5 units





Pg 218 VOL 1 Pg 336 VOL 2






# Halo Jewel



Design by Martín Azúa.

Subtle light floating in the air and delicately suspended by a perfectly crafted steel structure. Light and matter in one.



226 VOL1 PENDANT 227 VOL1

#### INDIVIDUAL MODEL






Canopy: Steel Pendant structure: Steel Diffuser: Methacrylate LED support: Aluminum

#### LED Colour Temperature 2700 K; 3000 K CRI >90

#### Control

Analog: 1-10V Digital: DALI-2 Smart: Casambi

#### Electrical connection options



#### MULTIPLE MODELS

#### Set your composition at **vibia.com**



228 VOL1 PENDANT 229 VOL1

#### INDIVIDUAL MODEL


#### MULTIPLE MODELS

#### Set your composition at vibia.com















11 Black (NCS S 8500-N)

20 Gold (Gold)


Canopy: Steel Pendant structure: Steel Diffuser: Methacrylate LED support: Aluminum LED Colour Temperature

2700 K; 3000 K CRI >90

#### Control

Analog: 1-10V Digital: DALI-2 Smart: Casambi





Surface

Free Wire

# Wind

Design by Jordi Vilardell.

A perfect marriage of technology and tradition. Wind's drum shade is made of fibreglass, an innovative webbed texture and pattern that elevates the visual contribution of this timeless silhouette.



232 VOL1 WIND

27 Sand (NCS S 1505-Y50R)

53 Green M1 (NCS S 6005-G80Y)


61 Ocre Red (NCS S 3050-Y60R)

Shade: FB- Fiberglass Canopy: Steel Lid: Steel Diffuser: PMMA LED Colour Temperature

2700 K CRI >90

Control

Analog: On/ Off







**4077** Ø 60 cm



**4078** Ø 120 cm





# Tempo



#### Design by Lievore Altherr.

The Tempo collection reclaims our collective memory of light, distilling lighting archetypes to their most basic forms. Vibia presents three designs in two sizes: the disc, the diamond and the milk glass oval - all inspired by the interplay of opacity, translucence and transparency.



236 VOL1 TEMPO 237 VOL1



The Tempo pendant lamp collection integrates perfectly into all types of spaces and contemporary interior design projects. Suspended from the ceiling by a slim cable, its blown glass diffusers offer subtle nuances of transparency and translucency.









238 VOL1 TEMPO PENDANT 239 VOL1

#### INDIVIDUAL MODEL






5774

5780





#### MULTIPLE MODELS

#### Set your composition at **vibia.com**



The classic bistrot globe has evolved with an oval organic shape with an gradated lighting that crosses the spectrum from transparency to translucence. The opaline diamond shade illuminates with a diffused light of superior quality. The model with the reflector plate converts the bulb into a small brilliant bubble that radiates light.

- 18 Graphite (ADAPTA RF 9913 WX)
- 37 Terra Red (NCS S 4040-Y70R)
- 58 Cream (RAL 7044)
- 62 Green (NCS S 3010-G20Y)


Diffuser: Blown-glass Canopy: Steel LED support: Aluminum Shade: Aluminum

#### LED Colour Temperature 2700 K CRI >90

#### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi


#### Electrical connection options



#### BIND related product



## Bind




Design by Martín Azúa.

Bind is a hybrid lighting system designed to create multiple atmospheres to suit a range of spaces, uses and moods. The connective quality, ease of installation and versatility of this fully modular system guarantees a harmonious balance between technical and decorative lighting, promising new holistic lighting solutions.



242 VOL1 BIND



Bind easily integrates within the existing architecture; as a ceiling or suspended track, it allows designers to experiment with horizontal planes, ideal for spaces with high ceilings where it is necessary for light to be conducted to a lower height; and, as a hybrid combination, the collection lends itself to complex compositions of various atmospheres.
















246 VOL1 BIND PENDANT 247 VOL1





To highlight a particular activity zone or feature within the space, Bind track is also compatible with a series of spots and downlights that provide functional, accented lighting.

248 VOL1 BIND 249 VOL1





250 VOL1 BIND







Multiple luminaires can be seamlessly connected to the track at any point, oriented to direct light in various directions.

The different pieces are made in pincer format to be applied at any point of the track and move easily and immediately as desired.











252 VOL1 BIND









254 VOL1 PENDANT 255 VOL1












258 VOL1 BIND PENDANT 259 VOL1

The Bind collection features ceiling surface and ceiling suspended track lighting, where a conductive bar or "track" represents the central element from which multiple luminaires can be fixed at any point. Bind track is compatible with a series of spots, downlights, lineal and general lighting fixtures that provide all types of functional lighting.

11 Black (NCS S 8500-N)



Body: Aluminum Diffuser: PC- Polycarbonate

#### **LED Colour Temperature**

Ø3cm

Static White

2700 K - 451 lm

3000 K - 471 lm

3500 K - 489 lm 4,3W

Ø4cm

Static White

2700 K - 530 lm

3000 K - 554 lm

3500 K - 574 lm

5,2W

Only ref. 6525, 6529, 6534 and 6538 Tunable White (1800 K - 4000 K) Smart (P2P)

308 lm - 504 lm 5,5W

Ø 18,5 cm

Static White

2700 K - 1256 lm

3000 K - 1313 lm

3500 K - 1360 lm 12.4W

Tunable White (1800 K - 4000 K)

Smart (P2P)

571 lm - 895 lm 8,9W

CRI>90

#### Control

Analog: On/Off; Push; 1-10V (simultaneuos line) Digital: DALI-2 (simultaneous line) Smart: Casambi (simultaneous line); Casambi (P2P); ProtoPixel\* (P2P)

\*ProtoPixel products are compatible with all other DALİ-2 products via a designated gateway (please consult us)

Updated detailed spec sheets on vibia.com

#### Wide Accent Downlight

Ø 18,5 cm

6540 Medium 6542 Wide









#### Wide



#### H = 1,5 m H = 3 m



#### Accent Downlight

#### Accent Spotlight

#### DOWNLIGHT Ø3cm

6500 Narrow 6504 Medium



#### SPOTLIGHT Ø3cm

6510 Narrow 6514 Medium Ø3 x 20 cm



#### Medium Narrow 36° 26° Ø 0,71 m Ø 0,98 m H = 1,5 m Ø 1,42 m Ø 1,95 m H = 3 m Ø 0,71 m 331 lx Ø 0,98 m 221 lx

Ø 1,42 m

83 lx

#### DOWNLIGHT Ø 4 cm

6520 Narrow 6524 Medium 6528 Wide


Ø 4 x 17,5 cm



#### SPOTLIGHT Ø4cm

6530 Narrow 6534 Medium 6538 Wide Ø 4 x 22,5 cm











Pg 240 VOL 1 Pg 128 VOL 2

260 VOL1 PENDANT 261 VOL1

A conductive bar represents the central element from which multiple luminaires can be fixed at any point.

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

#### **Electrical connection options**




Remote Built-in Surface



#### Pendant Tracks

A419 120 cm A422 210 cm A425 300 cm



#### Dynamic light

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project Designing an atmosphere of wellbeing is based on two main axes: **space** and **time**. The axis of time implies the concept of dynamic light.

Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.



Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing

### Comfortable environments

Vibia's spot accent, downlight and general lighting luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.

Tunable lighting allows for comprehensive temperature regulation and intensity: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

# Static White 2700 K 3000 K 3500 K Tunable White 1800 K 4000 K

**Contact Vibia Support Service at vibia.com** for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach..

Bind track is compatible with the Skan, Slim, North, Tempo and Tube pendant collections, presenting a range of decorative silhouettes with multiple lighting effects. Single or multiple pendants can be suspended as desired, allowing for the formation of intricate chandeliers created from a compilation of tracks with multiple pendants.

Track adapter: Aluminum

#### **LED Colour Temperature**

2700 K; 3000 K; 3500 K CRI>90

#### Control

Analog: On/Off; 1-10V (simultaneuos line); Digital: DALI-2 (simultaneous line); Smart: Casambi (simultaneous line); Casambi (P2P); ProtoPixel\* (P2P)

\*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

Updated detailed spec sheets on **vibia.com** 




BIND





PENDANT

263 VOL1





# North



#### Design by Arik Levy.


North pendant collection consists of triangular Aluminum shades pendant from cables and adjustable carbon fibre rods. The rod and shade are disconnected from one another via nearly invisible cables in a dynamic system of adjustable parts, directing the LED-powered light where needed.



266 VOL1 PENDANT 267 VOL1

#### INDIVIDUAL MODEL





24 Beige M1 (NCS S 2005-Y50R)

42 Blue M1 (NCS S 5010-B10G)

Finish customization (Available options: Vibia colour palette)


Diffuser: PMMA Shade: Aluminum Rods: Carbon Fiber Canopy: Steel

### **LED Colour Temperature** 2700 K; CRI >90

2700 K; CRI >90 3000 K; CRI >80 3500 K; CRI >90

#### Control

Individual model Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi






#### BIND related product









268 VOL1 NORTH

#### MULTIPLE MODELS


#### Set your composition at vibia.com











### Plusminus

### Plusminus

Visual Hierarchy 284

Raining Light 294

Flowing Pendants

Creative Canopy Connection 310

Defying Gravity 316

Suspended Animation 324

Reimagining Spaces

Framing Space



Design by Diez Office

Plusminus is a versatile lighting system that takes the concept of the light rail to a new level. The conductive textile ribbon at its core allows for free placement of the luminaires and the creation of unique light solutions on the spot.





Equal parts easy and avant-garde, Plusminus harnesses the design of a belt in a groundbreaking lighting concept that merges materiality and light. Featuring a textural, fabric belt that conducts electricity, it enables light to flow through space. Plusminus provides professionals a powerful toolkit for creating personalised lighting effects and unique atmospheres with different luminaires via Vibia's digital platform and click-and-connect functionality.

### Luminaire types and lighting effects







#### Sphere

0

#### **Volumetric Diffuser**

distributes light equally in all directions (360°). It attracts a relaxed gaze towards the point of light, and creates a calm, very comfortable atmosphere. The light sphere bathes all surfaces of the space, producing a peaceful, richer and extremely homogenous ambience.

#### Semisphere



#### **Hidden Diffuser**

emits a soft light that generates low contrasts between the illuminated areas and the shadows cast. The opaque part of the shade helps to direct the light through the diffuser, providing illumination that is both peaceful and concentrated at the same time.

#### Cone



#### **Hidden Diffuser**

emits a soft light that generates low contrasts between the illuminated areas and the shadows cast. The opaque part of the shade helps to direct the light through the diffuser, providing illumination that is both peaceful and concentrated at the same time.

#### Spotlight



#### Flat Diffuser

emits a soft light that generates low contrasts between the illuminated areas and the shadows cast. It is ideal for reading situations or when the light output is visible, as it does not produce glare.



#### Accent

emphasizes objects or architectural elements with intensive cones of light. Luminance contrasts attract the eye and bring the illuminated objects into the foreground. The light output is directed towards the object or architectural element and not towards the person, in order to avoid glare.



#### Linear Diffuser



#### **Linear Flat Diffuser**

provides a high degree of uniformity on the horizontal plane and generates a first layer of illumination on which to add more specific lighting applications. It generates soft shadows and subdued brightness in which the space and its component elements do not display visual hierarchies.



#### Linear Low UGR




#### Linear High Efficiency Low Glare

offers medium brightness and clarity of forms. Direct illumination, extended beam and luminaire performance enable installations with high-energy efficiencies and low-glare levels below UGR<19.

#### Linear High Comfort Low Glare

provides high levels of illumination and comfort with UGR levels below 19. It is also ideal for work or meeting areas.





Easy connection
Fix / Click / Connect


Each belt, which can be cut as needed, accommodates multiple luminaires and operates with simple plug-in technology for unparalleled ease of installation and connection. The belt offers adjustments in tension from taut to relaxed as well as click-and-connect functionality, snapping into a buckle attached to each luminaire.




# Visual Hierarchy


Plusminus's revolutionary belt design provides a powerful toolkit for reimagining spaces.

Combining multiple lighting effects and placing light precisely where needed, it creates visual hierarchies in any space.






The fabric belt offers endless flexibility of use, conducting light across a range of ceiling shapes and angles.










290 VOL1 PLUSMINUS 291 VOL1



Place multiple lights in different positions throughout a space with just a single electrical connection.







292 VOL1 PLUSMINUS VISUAL HIERARCHY 293 VOL1



how unique.

















# Raining Light

From a single spotlight positioned close at hand to a cascading installation of luminaires overhead, Plusminus's ceiling-to-floor possibilities create a stunning display of light in varying intensity and effect.



296 VOL1 PLUSMINUS RAINING LIGHT 297 VOL1

Plusminus's powerful design capabilities include constructing columns of light up to 60 meters high.











# Flowing Pendants

Defined by their flowing, continuous forms, Plusminus pendants provide endless possibilities for illuminating a space. Suspended overhead in silhouettes, soft and draped or taut and precise, their graphic presence creates distinctive ambiances.





















## Composing Light

Both object of beauty and high-performance lighting toolkit, Plusminus offers personalised atmospheres while doubling as striking visual sculpture.





308 VOL1 PLUSMINUS














# Creative Canopy Connection

Plusminus reimagines the use of the canopy. The belt flows in and out of the canopy, establishing conductivity and electrical connection where needed, with creative configurations becoming an essential element of the design.



312 VOL1 PLUSMINUS












314 VOL1 PLUSMINUS CREATIVE CANOPY CONNECTION 315 VOL1



A surface canopy presents yet another opportunity to play with Plusminus, securing the belt in one spot while allowing it to flow freely across a space in countless configurations.



# Defying Gravity

Plusminus's nearly invisible tensor wire introduces an element of intrigue to lighting. The wire extends from the belt to the wall or the ceiling, quietly completing the luminaire's design while lending it the magical look of floating in midair in defiance of gravity.




318 VOL1 PLUSMINUS 319 VOL1











## Balancing Act

Wall-to-wall installations hang in a delicate balance with Plusminus's invisible ceiling tensor. Lifting or lowering the belt, the cable creates varying degrees of tension that enables infinite configurations. 320 VOL1 PLUSMINUS











# Suspended Animation

Ceiling design no longer limits lighting options thanks to Plusminus. A bar suspended from the ceiling serves as both a sleek architectural feature and an opportunity for creative exploration.




326 VOL1 PLUSMINUS SUSPENDED ANIMATION 327 VOL1





Bar length 2 m Tensor cables max. 5 m









PLUSMINUS





# Reimagining Spaces

Merging light and materiality,
Plusminus introduces masterful new
ways to delineate space. Tracing a
slender outline, the fabric belt creates
a contained area within an open
layout, serving as an illuminated
perimeter with minimal presence.







336 VOL1 PLUSMINUS REIMAGINING SPACES 337 VOL1













# Framing Space


Plusminus's lean lines define an interior with precise transverse trajectories. Stretching from wall to wall, the belt evokes the effect of a false ceiling, reducing a room's volume and bringing light closer. With kinetic crisscrossed and zigzagged configurations or soothing straight lines, the luminaires appear integrated into the architecture.



340 VOL1 PLUSMINUS








Plusminus's nearly invisible tensor wire introduces an element of intrigue to lighting. Lifting or lowering the belt, the cable creates varying degrees of tension that enables infinite configurations.








342 PLUSMINUS

Plusminus' inherent adaptability provides the perfect solution for spaces that feature special architecture, scale, materials, or artwork.







Beige

Maximum 60 meters length per electrical connection point Fire Hazard Testing. GW-960. fulfills the requirements of: standards EN 60695-2-10:2013; EN 60695-2-11:2015; EN 60695-2-12:2011 / A1:2014 Belt: Polyester

346 VOL1 **PLUSMINUS** 347 VOL1

#### Luminaires types

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

37 Terra Red (NCS S 4040-Y70R)

42 Blue M1 (NCS S 5010-B10G)

53 Green M1 (NCS S 6005-G80Y)

#### **LED Colour Temperature**

LED 2700 K; 3000 K; 3500 K

Accent

2700 K - 941 lm 3000 K - 987 lm 3500 K - 1022 lm 7,9W

CRI>90

#### Control

Analog: On/ Off; 1-10V; Push Digital: DALI Smart: Casambi; Casambi integrated on each individual luminaire (P2P); ProtoPixel Simultaneous\*; ProtoPixel integrated on each

\*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

individual luminaire (P2P)\*

#### Sphere



#### Semisphere







6225 Ø 30 cm

#### Cone

6230

Ø 20 cm



6240 Ø 60 cm



6245 Ø 80 cm

#### Spotlight



Accent 6200 Narrow Ø 10 cm



Accent 6205 Medium **6210** Wide Ø 10 cm



Flat diffuser 6215 Ø 10 cm

#### Spotlight - Accent



Updated detailed spec sheets on vibia.com

# Linear Diffuser 6250 6255 102 x 4 x 3 cm 202 x 4 x 3 cm

#### Linear High Comfort Low Glare







6265 52,5 x 7 x 3 cm



103,7 x 7 x 3 cm


### Linear High Efficiency Low Glare







6280 52,5 x 7 x 3 cm



103,7 x 7 x 3 cm

348 VOL1

#### PLUSMINUS 349 VOL1

# Electrical connection options

Choose your preferred installation option according to your needs.



### Dimming control options

Choose your preferred installation option according to your needs.

Dimming Control	Electrical Connection			
	Surface 25 - 240 w	Built-in 25 - 240 w	Remote 25 - 240 w	Plug Max 60W
On/ Off	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Push Switch	_	_	_	<b>✓</b>
Push Simultaneous	<b>✓</b>	<b>✓</b>	<b>✓</b>	_
1-10V Simultaneous	<b>✓</b>	<b>✓</b>	<b>✓</b>	_
DALI Simultaneous	<b>✓</b>	<b>✓</b>	<b>✓</b>	_
Casambi Simultaneous	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Casambi integrated on each individual luminaire (P2P)	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
ProtoPixel Simultaneous	✓	<b>✓</b>	<b>✓</b>	✓
ProtoPixel integrated on each individual luminaire (P2P)	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>

## Belt Options Surface Canopy

Choose your preferred installation option according to your needs.



# Belt terminations

Belt terminations can be adjusted during the installation process according to your preference.




















**PLUSMINUS** 351 VOL1 350 VOL1

## Easy to design and install

Compose a personalised Plusminus at vibia.com

#### From scratch



- + Create and compose projects in detail.+ Draw and personalise in 3D to see it in space.+ Or personalise it step by step without drawing.

## From of a layout



- + Personalise and adapt it to the needs of your project.+ Add it to your project and edit it at any time.+ More than 100 creations for you.

#### Accessories Toolbox

Thought out to the smallest detail. Receive your personalised accessories toolbox for a quick and easy installation.





Floor & Table

### Floor & Table

Africa Lily 372 Pin 418 Balance Mayfair Plusminus Solo 400 394 472 Mayfair <sub>Mini</sub> Dama Skan 364 388 434 Flat Sticks Solo Musa 405 454 Ghost 384 North 438 Suite 412 I.Cono 430 Offset 424 Warm 460

Out

468

448

Jazz

444

Knit 378

# Africa



Design by Francisco Gomez Paz.

An object of desire, Africa is a unique gift that combines richness of form and materiality with high performance lighting capabilities. A holistic exploration of beauty and functionality.









"Africa was born as a response to new nomadic, free and casual ways of inhabiting, in which residential and professional spaces are increasingly hybridised".

Francisco Gomez Paz

360 VOL1 AFRICA







Portable

Its chargeable LED light source provides three levels of intensity which are controlled by a simple push button at the head.

Bolt-down

The bolted version is fixed in position, designed to integrate within the surrounding architecture.



1st Pulse Intensity 33%

2<sup>nd</sup> Pulse Intensity 66%

5580 5585

Lux Lux Lux 363 588 1061 1480

3<sup>rd</sup> Pulse Intensity 100%

5580 5585

Battery capacity 10.000mAh


Battery voltage 3,7V

Battery autonomy: 6,5h at 100% Intensity 10h at 66% Intensity 20h at 33% Intensity



362 VOL1 AFRICA

83 Walnut (Tray)





Tray that allows three or two luminaires to be charged by contact



### Dama



Design by Ludovica+Roberto Palomba.

A homage to the Abat-Jour lamp, the Dama collection connects the charm of tradition with the finesse of contemporary lighting design. Combining technical precision with aesthetic simplicity, Dama is ideal for shaping an intimate atmosphere with an elevated look.



368 VOL1 DAMA



"Paper, with its 'imperfect perfection', gave us precisely the sense of warmth that we were looking for, and at the same time a sense of lightness".

Ludovica+Roberto Palomba



370 VOL1 DAMA



11 Black (NCS S 8500-N) 25 Beige D1 (NCS S 4005-Y50R)

Tube: Steel Base: Zinc Alloy Shade: Paper


**LED Colour Temperature** 

2700 K CRI>90

Control

Analog: Push Smart: Casambi; ProtoPixel\*

\*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)



Pg 20 VOL1 Pg 364 VOL1

With a desire for integrity, Dama incorporates a circular LED with an internal diffuser, projecting a warm 360 degree glow from an invisible source.



Floor switch



Table switch



# Lily




Design by Ludovica+Roberto Palomba.

The Lily collection reveals contemporary lines with an ineffable lightness. Its graceful glass diffuser radiates with warmth and wellbeing, ideal for an elegant interior with a relaxed ambience.



374 VOL1 LILY FLOOR & TABLE 375 VOL1







A contemporary reimagining of the classic lampshade, it is characterised by a smooth, translucent glass diffuser which gently curves over at the top to conceal an invisible LED light source. A elegant aluminium stem denotes appeal as well as stability. The base consists of three or four rods which meet in the centre before branching out at the top to support the diffuser. The slender nature of the stem accentuates the sensuous curve of the diffuser.

11 Black (NCS S 8500-N)

25 Beige D1 (NCS S 4005-Y50R)

Body: Steel Shade: Triple opal blown glass

### **LED Colour Temperature**

2700 K CRI>90


#### Control

Analog: Push Smart: Casambi; ProtoPixel\* \*ProtoPixel products are

compatible with all other DALİ-2 products via a designated gateway (please consult us)



5720 Ø 49 x 63,5 cm



Ø 49 x 155 cm







Floor switch Table switch Pg 14 VOL 1 Pg 372 VOL 1

## Knit



Design by Meike Harde.

Light, materiality and tangibility collide with the Knit collection. Its texture is magnetic, calling out for us to touch its surface, to feel its warmth and to keep it close. Light seeps outwards through the fabric transmitting a soft 360° glow.





A single knitted lycra sleeve stretched over an ovoid polymer diffuser, its texture is magnetic, calling out for us to touch its surface, to feel its warmth and to keep it close.



382 VOL1 KNIT



24 Beige M1 (NCS S 2005-Y50R)

Fabric shade: PES FR
Interior diffuser: PE- Polyethylene
Botom diffuser: PC- Polycarbonate
Diffuser ring and support: ABS
Stem: Iron
Floor base: Zinc Alloy

### LED Colour Temperature

2700 K CRI>90

#### Control


Analog: Push Smart: Casambi; ProtoPixel\*

\*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)






Floor switch Ref. 7480, 7485, 7487




# Sticks Solo



Design by Arik Levy.

Sticks Solo floor can be free-standing or arranged floor to wall, connecting two planes of the same space. The stand alone model features one or two Sticks that produce a pleasant ambient lighting effect or indirect light depending on rod rotation.



386 VOL1 STICKS SOLO FLOOR & TABLE 387 VOL1

11 Black (NCS S 8500-N)

Stick: Aluminum Diffuser: PC- Polycarbonate **LED Colour Temperature** 2700 K; 3000 K; 3500 K CRI>90

**Control** Analog: Push







Linear flat diffuser

High energy efficiency and low glare levels UGR<19 for horizontal application Ref. 7376, 7379



Pg 74/384 VOL1










# Mayfair Mini



Design by Diego Fortunato.

The perfect lighting companion, the Mayfair Mini is a small-scale design that casts a contained pool of diffuse, downlight for an intimate atmosphere. A light to grab and go that can be moved where needed -indoors or out- via its slender stem.



390 VOL1 MAYFAIR MINI 5100R & TABLE 391 VOL1

The Mayfair Mini is offered in three formats. The portable version is perfect for indoor and outdoor use. Powered by a rechargeable battery, it can be transported to any desired position. It also comes in two bolted versions, available either with a base. The bolted formats are fixed in position, designed to integrate within the surrounding architecture.

















392 VOL1 MAYFAIR MINI



- 23 Warm White (NCS S 0502-Y50R)
  25 Beige D1 (NCS S 4005-Y50R)
- 38 Terra Dark (NCS S 5040-Y70R)
- 47 Green L1 (NCS S 4005-G80Y)

Base and shade: ABS + PC- Polycarbonate Diffuser: PC- Polycarbonate Stem: Stainless steel **LED Colour Temperature** 2700 K

CRI>90
Control


Analog: On/ Off; Sensor; 1-10V Digital: DALI-2 Ref. 5495 Rechargeable battery autonomy: 6h at 100% Intensity 12h at 50% Intensity 18h at 25% Intensity

Touch sensor 5495 and 5496



Rechargeable battery 5495





# Mayfair




Design by Diego Fortunato.

A modern reimagining of the traditional 19th-century bouillotte lamp, the Mayfair collection is a statement in contemporary design. Perfectly proportioned, its luminaire casts a pool of diffuse, downward light to create an intimate lighting effect.





396 VOL1












398 VOL1 FLOOR & TABLE 399 VOL1



Featuring a steel column and steel or methacrylate shade, the LED-powered floor lamp casts an ambient glow that's ideal for a relaxed interior setting and can be dimmed via an optical sensor.







PMMA shade: Refs. 5500, 5510

07 Graphite and green (RAL 7016 and RAL 6026)

08 Graphite and orange (RAL 7016 and RAL 2009)

Steel shade: Refs. 5505, 5515

20 Gold (Gold)

67 Copper (Copper)

Colour shade: Refs. 5505, 5515

18 Graphite (RAL 7016)

23 Warm White (NCS S 0502-Y50R)

25 Beige D1 (NCS S 4005-Y50R)38 Terra Dark (NCS S 5040-Y70R)

47 Green L1 (NCS S 4005-G80Y)

Finish customization (Available options: Vibia colour palette) Diffuser: PC- Polycarbonate Tube: Steel

Base: Zinc Alloy


LED Colour Temperature

2700 K CRI>90

Control

Analog: Optical sensor

Floor: Optical sensor on shade Table: Optical sensor on base



# Balance





Balance features a classic drum shade, elegantly cantilevered from its column to provide a general ambient lighting effect or a more focused reading light.



402 VOL1 BALANCE FLOOR & TABLE 403 VOL1



The Balance floor lamp serves multiple requirements simultaneously. Illuminating a variety of spaces with its simple movement - it functions as a dining room lamp, an ambient living room light, or a reading lamp for work purposes. Evoking the essence of its namesake, the drum shade is poised on a metal rod cantilevered from its steel column. Adjusting a small pull piece on the diffuser activates the fixture's counterweight system, enabling it to move to the right or left, or up or down - all the while remaining parallel to the floor.

18 Graphite (RAL 7016)

30 Nickel (Metallic finish)

Shade: Parchment paper/ Aluminum Vertical tube: Aluminum Base: Steel Arm: Stainless steel **LED Colour Temperature** 2700 K

Control

Analog: Push



# Flat

Design by Ichiro Iwasaki.

A study in geometry, the Flat collection features distinctive, disc-shaped diffusers that form horizontal planes of light, infusing a space with pools of soft illumination.







408 VOL1 FLAT FLOOR & TABLE 409 VOL1







The LED-powered collection features flat metal plates reflecting light off their surface, casting an enveloping, wraparound glow that appears illuminated from within. The floor lamp comes in small and large sizes, with a single or double plate - either a compact disc or a shelf-like plate that doubles as furniture. When deployed in pairs, the smaller, complementary disc captures and reflects light back at the larger plate, creating pockets of soft, pooled indirect light that illuminate both the space and the surface itself.

410 VOL1 FLAT



Ref. 5945, 5957, 5965

13 Off-White (NCS S 1000-N)

47 Green L1 (NCS S 4005-G80Y)

Ref. 5950

10 White (NCS S 0300-N)

Ref. 5955, 5970, 5972

11 Black (NCS S 8500-N)

37 Terra Red (NCS S 4040-Y70R)

47 Green L1 (NCS S 4005-G80Y)

Shade: Aluminum Diffuser: PC- Polycarbonate Structures: Steel


LED Colour Temperature 2700 K; 3500 K CRI>90

### Control

Analog: Push

Bolt-down

Ref. 5945 One general on/off and dimming switch for both discs






# North



### Design by Arik Levy.


North features a base, stem, and shade that are disconnected from one another in a dynamic system of adjustable parts. Protruding arms hold triangular shades that direct the light where needed.








The North Floor Pendant is defined by a dynamic, deconstructed silhouette. It synthesises the typical floor and pendant lamp by connecting floor and ceiling, its sleek conical shade hanging from a slender carbon fibre rod and secured by a counterweight at floor level. The angle of the rod is adjustable, allowing light to be directed precisely over a coffee table or sofa.



NORTH 416 VOL1



max. 210 x max. 310 x max. 130 cm

max. 270 x max. 230 x max. 355 cm

5620

max. 447 cm x max. 325 cm x max. 425 cm

10 White (NCS S 0300-N)

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

42 Blue M1 (NCS S 5010-B10G)

Diffuser: PMMA Shade: Aluminum Rods: Carbon fiber Base: Steel

LED Colour Temperature LED 2700 K: CRI>90 LED 3000 K: CRI>80 LED 3500 K: CRI>90

Control

Analog: Push



Pg 264/412 VOL 1 Pg 330 VOL 2



## Pin



### Design by Ichiro Iwasaki.

A timeless proposal from Japanese designer Ichiro Iwasaki, the Pin is both classic and contemporary. Characterised by a graceful stem and subtle, functional expression, it is small in scale but with exceptional lighting efficiency.





Slick, refined and understated, the Pin floor lamp is a state of the art design. Perfect for reading, its simple geometric form is designed to arc playfully over a sofa or chair.

Offering two arm lengths, a single or double stem and with an adjustable head, the Pin table lamp provides versatile task lighting that's ideal for work spaces.











11 Black (NCS \$ 8500-N)
 23 Warm White (NCS \$ 0502-Y50R)
 58 Cream (NCS \$ 2500-Y20R)
 62 Green (NCS \$ 3010-G20Y)

Finish customization (Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate Head: Aluminum Rods: Steel Base: Zinc Alloy LED Colour Temperature 2700 K CRI>90 Control Analog: On/ Off



# I.Cono



Design by Lievore, Altherr, Molina.

Distinguished by its signature visor-shaped shade, I.Cono presents a poised presence. The visual purity of its angular shade is matched by a sleek base and stem and complemented by a range of elegant finishes.



I.Cono's smooth surfaces and refined silhouette conceal advanced mechanisms for rotating the head and metal base, ideal for precision lighting and reading.









10 White (NCS S 0300-N)

21 Grey D1 (NCS S 7000-N)

25 Beige D1 (NCS S 4005-Y50R)

37 Terra Red (NCS S 4040-Y70R)

42 Blue M1 (NCS S 5010-B10G)

Shade: ABS + PC- Polycarbonate Tube: Metal Base: Zinc Alloy

#### LED Colour Temperature

2700 K CRI>90

#### Control

Analog: Push Smart: Casambi; ProtoPixel\* \*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

On/off switch on the cable





# Suite



Design by Jordi Vilardell & Meritxell Vidal.

Suite reimagines the traditional pairing of shelf and lamp. The collection consists of a set of shelves and a table lamp, with invisible ambient illumination adding an unexpected surprise.



432 VOL1 SUITE FLOOR & TABLE 433 VOL1





On/off switch under the shelf. USB charging connection.



6007 and 6012. Reading light Mink (Pantone 407C), mounted on shelf with dimmable light. Dimming push-button under the shelf.

### 14 Chocolate (RAL 8019)23 Warm White (NCS S 0502-Y50R)

Finish customization
(Available options: Vibia colour palette)


Diffuser: PC- Polycarbonate Shelf: Aluminum Lid: ABS with fiberglass Vertical tube: Steel Base: Steel

#### LED Colour Temperature


2700 K CRI>90


**Control** Analog: Push





# Skan





Skan is a sleek and unadorned fixture. It combines lean lines with soothing purity of form, adding a minimalist sensibility to any space.



436 VOL1 SKAN FLOOR & TABLE 437 VOL1

Characterized by simple shapes that exude an unmistakable elegance, the Skan floor lamp features flat, disc-like shades which emit a diffuse, comfortable uplight. Three slender stems are entwined like a group of trees, the body and head available in various contemporary matte finishes.

10 White (NCS S 0300-N)

11 Black (NCS S 8500-N)

37 Terra Red (NCS S 4040-Y70R)

Finish customization

(Available options: Vibia colour palette)


Head: Aluminum Diffuser: PMMA Vertical tube: Steel


**LED Colour Temperature** 2700 K; 3000 K; 3500 K CRI>90

Control Analog: Push



**0260** 43 x 37,5 x 198 cm





# Ghost




#### Design by Arik Levy.

A study in contrasts, the Ghost collection embodies both spirit and materiality, discretion and presence. A contemporary reimagining of the grand lights that once graced entryways and living areas, its sensuous form radiates with a warm, welcoming glow.



The Ghost table lamp features a stacked silhouette of voluminous forms to offer an enveloping luminous effect.
A black band encircles the midsection, accentuating its sensuous curves while serving as a hand-touch dimmer.





"Ghost is the pure expression of a state of mind, of the immateriality of mouthblown glass that projects a sensuous halo in space".

Arik Levy

442 VOL1 GHOST



11 Black (NCS S 8500-N)

Diffuser: Opal Glass Metal parts: Aluminum LED Colour Temperature


2700 K CRI>90


Control


Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi



/\_ 5: Push-dimming model equipped with two buttons, one for each diffuser. A quick push turns the light on and off, a longer pression dims the light.







## Jazz

Design by Diego Fortunato.

Undulating and fluid, Jazz's smooth silhouette is strikingly organic. The gently curved design imparts a playful presence, like an oversized chess piece standing guard.

JAZZ FLOOR & TABLE 446 VOL1 447 VOL1



1329

Ø 25 x 190 cm

10 White (NCS S 0300-N)

25 Beige D1 (NCS S 4005-Y50R)

45 Blue D1 (NCS S 7010-B10G)

Body: PU- Polyurethane Diffuser: PC- Polycarbonate

#### LED Colour Temperature

LED 2700 K CRI>90


Control Analog: Push Smart: Casambi; ProtoPixel\* \*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)



Floor switch



# Warm



Design by Ramos & Bassols.

A contemporary take on a timeless design, Warm features a generous drum shade in a muted colour palette for a refined touch.



450 VOL1 WARM FLOOR & TABLE


Bringing a touch of elegance that's adaptable to any atmosphere, Warm is available in two models: the translucent screen provides general ambient illumination and the opaque aluminium shade offers a brighter, up- and downlight.














4900 4901

Ø 32,4 x 59 cm

Screen shade: Ref. 4895, 4900, 4905

10 White (NCS S 0300-N)

4895 4896

Ø 19 x 41 cm

Aluminum shade: Ref. 4896, 4901, 4906

- 10 White (NCS S 0300-N)
- 25 Beige D1 (NCS S 4005-Y50R)
- 28 Brown M1 (NCS S 4020-Y60R)
- **56** Green D1 (NCS S 7010-G30Y)


Finish customization (Available options: Vibia colour palette)

4905 4906

Ø 32,4 x 150 cm

Diffuser: PMMA Rod: Aluminum Base: Steel

LED Colour Temperature 2700 K







# Musa


Design by Note Design Studio.

A poetic lighting solution, Musa is inspired by the beauty of nature. Its delicate silhouette consists of two ovals: a milky-white blown-glass shade and an LED-powered bulb cradled within.

456 VOL1 MUSA FLOOR & TABLE 457 VOL1







Refs. 7400, 7402. Electric cable with plug. Push-button on the base.





Ref. 7404. Portable version with battery. Electric cable with plug. Push-button on the base.

458 VOL1 MUSA





7400

9 x Ø 26 cm

7402 7404

Ø 26 x 14 x 10 cm

As a table lamp, its smooth bowl rests on an aluminium base that's tucked behind the body so as not to disrupt the design. A small, dimmable bulb nestles at its base, casting a soft glow that spreads across the larger sphere which contains and diffuses it.

23 Warm White (NCS S 0502-Y50R)

24 Beige M1 (NCS S 2005-Y50R)

36 Soft Pink (NCS S 1010-Y50R)

Finish customization (Available options: Vibia colour palette)

Diffuser: Blown-glass Body: Aluminum LED Colour Temperature

2700 K CRI>90

Control

Analog: Push

Ref: 7404

Portable

Battery life: from 6 to 18 hours (depending on intensity)





Pg 454 VOL1 Pg 296 VOL 2



# Offset





#### Design by Xuclà.

Offset consists of a vertical rod extending from a solid base. The rod can be angled to illuminate an adjacent wall with a diffuse, ambient lighting effect. A combination of multiple fixtures of different lengths adds a graphic dimension to a contemporary interior.






Never harsh or obvious, these are thoughtful, ultra-nuanced colours that respect and reflect the characteristics of natural light while capturing or enhancing a desired mood or moment. Applicable to day and night and every hour in between, each hue has an adaptable tone that can be tailored to any scenario or space.

Whatever the situation, these are illuminating tones that set the stage for life in all its colourful complexity.

### A source of emotion

Colour is a source of emotion it can instantly set a mood, convey a feeling or generate a sense of wellbeing Vibia's approach to coloured light invites the use of colour and gradients to create and experience different atmospheres, making them as natural and subtle as possible.

Natural light is never mono-tonal. Gradients come in infinite colours.



### Vibia Chromatica colours of light

#### Static White

2200 K	2500 K	2700 K
3000 K	3500 K	4000 K

You can select any desired light
-white, colour mood or gradientand intensity manually from the
analogic product interface.
You can also integrate your selection
into the control system for specific
scene design and activate it using
the Vibia App

Our colour lighting range is unique. We have selected 18 subtle tones and gradients based on a deep analysis of colour and temperature, in relation to human comfort and wellbeing.

#### Colour Moods



Illusive - An alluring and intriguing blue light that lends

an energised, almost magical feel to a space

**Contact Vibia Support Service at vibia.com** for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

# Delicate colour mood A warm and glowing orange-yellow hue, reminiscent of afternoon sun spilling through the window. Golden tones from apricot pink to soft orange meet in the gradient.

OFFSET

FLOOR & TABLE

467 VOL1

#### Colour Mood Grazer

11 Black (NCS S 8500-N)

23 Warm White (NCS S 0502-Y50R)

24 Beige M1 (NCS S 2005-Y50R)

Body: Aluminum Lens: PMMA


#### LED Colour Temperature

Infinite Colour (TW + RGB) CRI >90


#### Control

Smart: ProtoPixel\*
(also with push buttons)
\*ProtoPixel products are
compatible with all other
DALI-2 products via a
designated gateway
(please consult us)

You can select any desired light -white, colour mood or gradientand intensity manually from the analogic product interface







### Out



Design by Víctor Carrasco.

A romantic response to the global transition to life outside, Out brings the intimacy of indoor lighting outdoors. Suitable for illuminating a table or meeting point, this luminaire emanates with wa soft, diffuse downlight.



470 VOL1 OUT FLOOR & TABLE 471 VOL1





**4270** Not Fixed 211 x 242 cm

**4275** Bolt-down "hard wired" 211 x 242 cm

22 Graphite Black (NCS S 8000-N)

23 Warm White (NCS S 0502-Y50R)

25 Beige D1 (NCS S 4005-Y50R)

36 Soft Pink (NCS S 1010-Y50R)
37 Terra Red (NCS S 4040-Y70R)

47 Green L1 (NCS S 4005-G80Y)

Tube: Stainless Steel Shade: Aluminum Diffuser: PE- Polyethylene

#### LED Colour Temperature

2700 K CRI>90

#### Control

Ref. 4270 Analog: Push Smart: Casambi; ProtoPixel\* \*ProtoPixel products are compatible with all other DALI-2 products via a

designated gateway (please consult us) Ref. 4275 Digital: DALI-2

Ref. 4275 Digital: DALI-2 Smart: Casambi (Remote)


#### 4270. Cable with switch [P44]







# Plusminus Solo



#### Design by Diez Office.

Introducing a collection of versatile semispheres, Plusminus Solo offers complete freedom to create dynamic and restorative atmospheres. A combination of various typologies unlocks harmonious effects, from diffuse and general through to accented lighting.




474 VOL1 PLUSMINUS SOLO 475 VOL1





Table switch









Floor switch



Plusminus Solo offers two distinct designs, visually connected by their signature semi-spherical shades. A range of dome-shaped flat diffusers can be positioned as desired, directed upwards from floor level or tilted at an angle.

A compact floor or table lamp completes the set. With a thick cylindrical base and adjustable shade, this portable model provides accent or diffuse spotlighting wherever needed.



6341 Surface Accent medium 6343 Surface Flat diffuser

Ø 10 x 50 cm

6346 Bolt-down Accent medium 6348 Bolt-down Flat diffuser

Ø 10 x 50 cm

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

37 Terra Red (NCS S 4040-Y70R)

42 Blue M1 (NCS S 5010-B10G)

53 Green M1 (NCS S 6005-G80Y)

Body: Aluminum Base: Steel / Zinc Alloy Diffuser: PC- Polycarbonate

LED Colour Temperature 2700 K; 3000 K; 3500 K CRI>90

Control
Analog: Push
Digital: DALI-2 (Bolt-down)
Smart: Casambi; ProtoPixel\* \*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)



#### 6361

Surface / Bolt-down Accent medium

#### 6363

Surface / Bolt-down Flat diffuser

Ø 10 x 10 cm



6365 Surface / Bolt-down Flat diffuser

Ø 20 x 14 cm



6370 Surface / Bolt-down Flat diffuser

Ø 30 x 20 cm







PENDANT
PLUSMINUS
FLOOR & TABLE

CEILING WALL OUTDOOR



#### Collections

Africa

Floor & Table Vol 1 356

Algorithm Free

Pendant Vol 1 200

Algorithm Grid

Pendant Vol 1 206

Alpha

Wall Vol 2 316

Array

Pendant Vol 1 2

Balance

Floor & Table Vol 1 400

Bamboo

Outdoor Vol 2 414 Bigger

Pendant
Vol 1 176
Ceiling
Vol 2 202

Bind

Pendant Vol 1 240 Ceiling Vol 2 128

Bind Solo

Ceiling Vol 2 148

Break

Outdoor Vol 2 430

Break Plus

Outdoor Vol 2 435

Brisa

Outdoor Vol 2 402

Circle

Ceiling Vol 2 18 Circus

Pendant
Vol 1 32
Ceiling
Vol 2 42

Circus solo

Pendant Vol 1 56 Ceiling Vol 2 62

Class

Outdoor Vol 2 456

Cosmos

**Pendant** Vol 1 160

Dama

Pendant Vol 1 20 Floor & Table Vol 1 364

Dots

Wall Vol 2 242

Dots Glass

Wall
Vol 2 252
Outdoor
Vol 2 372

Dots Outdoor

Outdoor Vol 2 360

Duo

Ceiling Vol 2 2

Duo Petra

Ceiling Vol 2 12

Empty

Outdoor Vol 2 408

Flamingo

Pendant Vol 1 154

Flamingo Mini

**Pendant** Vol 1 144

Flat

Pendant Vol 1 94 Floor & Table Vol 1 405 Ceiling

Vol 2 68

Funnel

Ghost

Pendant Vol 1 90 Floor & Table Vol 1 438

Guise

Pendant
Vol 1 110
Ceiling
Vol 2 168
Wall
Vol 2 288

Halo

Pendant Vol 1 218 Wall Vol 2 336

Halo Jewel

Pendant Vol 1 224

I.Cono

Floor & Table
Vol 1 424
Wall
Vol 2 308

Jazz

Floor & Table Vol 1 444

June

Outdoor Vol 2 446

Knit

Pendant Vol 1 26 Floor & Table Vol 1 378

Kontorno

Pendant Vol 1 80 Wall Vol 2 278

Lily

Pendant Vol 1 14 Floor & Table Vol 1 372

Line

Ceiling Vol 2 76

Match

**Pendant** Vol 1 166

#### Collections

Mayfair

Pendant Vol 1 194 Floor & Table Vol 1 394

MayfairMini

Floor & Table Vol 1 388

Meridiano

Outdoor Vol 2 450

Musa

Floor & Table
Vol 1 454
Wall
Vol 2 296

North

Pendant
Vol 1 264
Floor & Table
Vol 1 412
Wall
Vol 2 330

Offset

Floor & Table
Vol 1 460
Ceiling
Vol 2 94
Wall
Vol 2 348

Origami

Wall
Vol 2 312
Outdoor
Vol 2 388

Out

Floor & Table Vol 1 468 Outdoor Vol 2 378

Palma

Pendant Vol 1 170 Ceiling Vol 2 116 Wall Vol 2 256

Palo Alto

Outdoor Vol 2 394

Pin

Floor & Table
Vol 1 418
Wall
Vol 2 262

Plusminus

**Plusminus** Vol 1 271 Plusminus solo

Floor & Table
Vol 1 472
Ceiling
Vol 2 120
Wall
Vol 2 216

Puck

Ceiling Vol 2 192 Wall Vol 2 320

Puck Wall Art

Wall Vol 2 324

Rhythm Horizontal

**Pendant** Vol 1 182

Rhythm Vertical

**Pendant** Vol 1 188

Set

Wall Vol 2 274

Skan

Pendant Vol 1 116 Floor & Table Vol 1 434 Slim

Pendant Vol 1 212

Spa

Ceiling Vol 2 182 Wall Vol 2 232

Sticks

Pendant Vol 1 66 Wall Vol 2 340

Sticks Solo

Pendant Vol 1 384 Floor & Table Vol 1 384

Structural

Ceiling Vol 2 176 Wall Vol 2 268

Suite

Floor & Table
Vol 1 430
Wall
Vol 2 304

Tempo

Pendant Vol 1 234 Wall Vol 2 226

Top

Ceiling Vol 2 36 Wall Vol 2 210

Tube

**Pendant** Vol 1 106

Tube Free

Pendant Vol 1 100 Ceiling Vol 2 196

Up

**Ceiling** Vol 2 188

Warm

Pendant Vol 1 122 Floor & Table Vol 1 448 Wind

Pendant Vol 1 230 Outdoor Vol 2 422

Wireflow

**Pendant** Vol 1 126

Wireflow Chandelier

Pendant Vol 1 140

Wireflow Free

**Pendant** Vol 1 134

Wireflow Lineal

**Pendant** Vol 1 130

### Ceiling

Bigger 202

Flat 68

Puck 192

Bind 128

Funnel 172

Spa 182

Bind Solo 148

Guise 168

Structural 176

Line

Circle

18

76

Тор 36

Circus 42

Offset 94

Tube Free 196

Circus Solo 62

Palma 116

Uр 188


Duo 2

Plusminus Solo

Duo Petra 12


120


# Duo



Design by Ramos & Bassols.

Duo brings natural warmth to a space. Its gently curved form encases a supple wood-finished interior, lending a soothing sensibility.











6 VOL2



Articulated through simple volumes with a sculptural quality, Duo becomes a focal point without the need for suspension. Crafted in veined oak and mattelacquered aluminum, its sleek shell and richly textured veneer yield an intriguing material contrast, complemented by a rich, diffuse downlight.



8 VOL 2 DUO









10 VOL 2 DUO CEILING 11 VOL 2

Vibia's general lighting, spot accent and downlight luminaires include the option of tunable white.

Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.



## Tunable White (2200K - 4000K)

Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

## Static White 2700K; 3500K

You can select the static white option that fits best with the desired ambience.

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

"We chose wood because it's a natural and quality material. It lends warmth and at the same time contrasts with the surrounding meta"

Ramos & Bassols.







18 Graphite (ADAPTA RF9913WX)58 Cream (RAL 7044)

93 White (RAL 9016)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate Main Body: Aluminum Inner structure: Oak wood **LED Colour Temperature** Static White

2700 K; 3500 K

Tunable White (2200 K - 4000 K)

CRI>90

Control


Analog: Push; 1-10V Digital: DALI-2; DALI-2 DT8 Smart: Casambi

## Duo Petra



Design by Ramos & Bassols.


Duo Petra's slate veneer lends a timeless elegance to the collection. The ceiling lamp's gently curved form encases a velvety slate-finished interior for a sophisticated, natural aesthetic.



14 VOL 2 DUO PETRA



Simple volumes meet sculptural quality in Duo Petra, expressly designed for those lower-ceiling rooms where a pendant fitting is not suitable. It stands harmonious and sleek, its satinised diffuser radiating with a soft and general diffuse light.



16 VOL 2 DUO PETRA CEILING 17 VOL 2

Vibia's general lighting, spot accent and downlight luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.



## Tunable White (2200K - 4000K)

Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

### Static White 2700K; 3500K

You can select the static white option that fits best with the desired ambience.

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Duo Petra's silky slate-lined interior provides a subtle contrast with its matte aluminum outer shell, a sober and modern aesthetic for an elegant interior style.







18 Graphite (ADAPTA RF9913WX)

58 Cream (RAL 7044)93 White (RAL 9016)

Finish customization (Available options: Vibia colour palette) Diffuser: PC- Polycarbonate Main Body: Aluminum Inner structure: Slate LED Colour Temperature Static White 2700 K; 3500 K Tunable White (2200 K - 4000 K)

CRI>90

### Control

Analog: Push; 1-10V Digital: DALI-2; DALI-2 DT8 Smart: Casambi






4879



4881

## Circle



Combining accent, diffuse and general lighting effects with dynamic control and temperature regulation, Circle is a highlyfunctional complementary product designed to curate a nuanced ambience.



## CIRCLE

## Dynamic light

Designing an atmosphere of wellbeing is based on two main axes:  ${\bf space}$  and  ${\bf time}$ . The axis of time implies the concept of dynamic light .

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within

a lighting project

Atmosphere design is intentional, depending on the **design of different** scenes according to the specific use of a space as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.



Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing

## Comfortable environments

Vibia's spot accent, downlight and general lighting luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.

Tunable lighting allows for comprehensive temperature regulation and intensity: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

## Static White 2700 K

3000 K 3500 K

## **Tunable White**

1800 K 4000 K

## Dim-To-Warm

1800 K 3000 K

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.



Scenographic lighting plays a critical role in retail design. Light enhances the expressive capacity of a space, creating visual hierarchy and ensuring a dialogue with customers.

Different effects can be used to highlight certain products, draw the eye to particular areas and determine the general atmosphere, strengthening the shopping experience. Diffusers and wall-washers ensure comfortable background lighting, while accent downlights and spots create brilliance and contrast, lifting products out of their setting for dramatic effect.





## Accent Downlight - Colour

#### COLOUR MODELS

A set of minimalist accent downlights in four versatile finishes attracts a relaxed gaze to a specific point of light. The option of a trimless profile offers seamless integration within the surrounding architecture.

11 Black (NCS S 8500-N)

23 Warm White (NCS S 0502-Y50R)

24 Beige M1 (NCS S 2005-Y50R)

37 Terra Red (NCS S 4040-Y70R)

Body: Aluminum Shade: PC- Polycarbonate Lens: PMMA

### **LED Colour Temperature**

Ø 6 cm; Ø 7cm

Static White 2700 K - 607 lm 3000 K - 634 lm 3500 K - 657 lm 6,2W

Dim-To-Warm (1800 K - 3000 K) 611 lm 5,8W

Tunable White (1800 K - 4000 K) 308 lm - 504 lm 5,5W

Ø 10 cm; Ø 11 cm

Static White 2700 K - 1256 lm 3000 K - 1313 lm 3500 K - 1360 lm 12,4W

Dim-To-Warm (1800 K - 3000 K)

1258 lm 11,6W

Tunable White (1800 K - 4000 K) 571 lm - 895 lm 8,9W

CRI>90

#### Control

Analog: On/Off; Push; 1-10V Digital: DALI-2; DALI-2 DT8 Smart: Casambi

### **Electrical connection**

Built-in (Driver included) Remote

Visit **vibia.com** to group several pieces with just one electrical point

Updated detailed spec sheets on vibia.com



TRIM



**TRIMLESS** 

3300 Narrow 3303 Medium 3306 Wide

Ø7cm

3310 Narrow 3313 Medium 3316 Wide

Ø6cm





Narrow 15°





H = 1,5 m

H = 3 m

Ø 0,4 m 1640 lx ø 1 m 385 lx ø 1,3 m 226 lx Ø 0,8 m 410 lx Ø 2 m

3320 Narrow 3323 Medium 3326 Wide

Ø 11 cm

3330 Narrow 3333 Medium 3336 Wide Ø 10 cm















CIRCLE 28 VOL 2

## Accent Downlight - Wood

## WOOD MODELS

The collection includes the option of a natural wood in White oak or Walnut. Reflected in its textured surface, warm light bathes the space, producing a rich and restorative atmosphere.



82 White oak



83 Walnut

Body: Aluminum Shade: Wood Lens: PMMA

#### **LED Colour Temperature**

Ø 6 cm; Ø 7cm

Static White 2700 K - 607 lm 3000 K - 634 lm

3500 K - 657 lm 6,2W

Dim-To-Warm (1800 K - 3000 K) 611 lm 5,8W

Tunable White (1800 K - 4000 K) 308 lm - 504 lm 5,5W

Ø 10 cm; Ø 11 cm

Static White 2700 K - 1256 lm 3000 K - 1313 lm 3500 K - 1360 lm

12,4W Dim-To-Warm (1800 K - 3000 K)

1258 lm 11,6W Tunable White (1800 K - 4000 K)

571 lm - 895 lm 8,9W

## CRI>90 Control

Analog: On/Off; Push; 1-10V Digital: DALI-2; DALI-2 DT8 Smart: Casambi

### **Electrical connection**

Built-in (Driver included) Remote

Visit **vibia.com** to group several pieces with just one electrical point





TRIM

**TRIMLESS** 

3300 Narrow 3303 Medium 3306 Wide


Ø7cm

3310 Narrow 3313 Medium 3316 Wide

Ø6cm









3330 Narrow 3333 Medium 3336 Wide Ø 10 cm






Narrow	Medium	Wide	
- 13°	33°	48°	
ø 0,35 m	ø 0,9 m	ø 1,34 m	H = 1,5 m
Ø 0,7 m	Ø 1,8 m	Ø 2,68 m	H = 3 m
ø 0,35 m 3559 lx Ø 0,7 m 967 lx	ø 1,5 m 1090 lx Ø 3 m 273 lx	ø 1,5 m 703 lx Ø 3 m 176 lx	


Updated detailed spec sheets on **vibia.com** 





Circle is designed to complement Vibia's wider product range. Its four contemporary tones and trim or trimless profile adapt to both high contrast and subtle design requirements. Especially suited to a natural, rounded aesthetic, the walnut and oak finishes combine well with Dots and Duo.







## Wall Washer

A Wall Washer option can be used to illuminate a vertical surface with uniform brightness, to accentuate an entrance or to highlight a specific feature such as a shelving unit. Light reflected from the matte surface of the wall makes the space appear brighter and provides soft, diffuse illumination.

11 Black (NCS S 8500-N)

23 Warm White (NCS S 0502-Y50R)

24 Beige M1 (NCS S 2005-Y50R)

37 Terra Red (NCS S 4040-Y70R)

Body: Aluminum Shade: PC- Polycarbonate Lens: PMMA

### **LED Colour Temperature**

Static White 2700 K - 914 lm 3000 K - 956 lm 3500 K - 990 lm 7,4W

Dim-To-Warm (1800 K - 3000 K) 1258 lm 11,6W

Tunable White (1800 K - 4000 K) 571 lm - 895 lm 8,9W

CRI>90

### Control

Analog: On/ Off; Push; 1-10V Digital: DALI-2; DALI-2 DT8 Smart: Casambi

### **Electrical connection**

Built-in (Driver included) Remote

Visit **vibia.com** to group several pieces with just one electrical point



3350




TRIMLESS





3353







CIRCLE 34 VOL 2

## Flat Diffuser

Featuring a translucent cover to control the brightness, the Flat Diffuser model provides soft, general lighting for a comfortable atmosphere or effective transitioning between different spaces.

11 Black (NCS S 8500-N)

23 Warm White (NCS S 0502-Y50R)

24 Beige M1 (NCS S 2005-Y50R)

37 Terra Red (NCS S 4040-Y70R)

Body: Aluminum Shade: PC- Polycarbonate Diffuser: PC- Polycarbonate

## **LED Colour Temperature**

Static White 2700 K; 3000 K; 3500 K Tunable White (2200 K - 4000 K)

CRI>90

## Control

Analog: On/Off; Push Digital: DALI-2; DALI-2 DT8 Smart: Casambi

## **Electrical connection**

Built-in (Driver included)



## 3360

Ø 36 cm



### 3363









## Top




Design by Ramos & Bassols.

Soft, spherical shapes and a warm luminescence characterize the Top collection. Its glowing epicenter is encircled by a larger ring, framing the light within its pure geometry.









A contemporary take on the traditional rosette motif, Top is defined by a pair of concentric circles that combine to produce a halo of ambient, indirect light.







Top distills the timeless rosette down to its essence. A pair of simple circles creates a pulsing nucleus of LED-powered light overhead. The smaller illuminated sphere projects light outwards towards the larger one, creating a halo of even, indirect light and generating a soothing atmosphere.

10 White (NCS S 0300-N)

36 Soft Pink (NCS S 1010-Y50R)

40 Blue L1 (NCS S 3010-B)

47 Green L1 (NCS S 4005-G80Y)

Body: Aluminum Ref. 1170 Diffuser: Triplex Opal Glass LED Colour Temperature


2700 K; 3500 K CRI>90

## Control

Analog: Push; 1-10V; Digital: DALI-2 Smart: Casambi



## Circus





## Design by Antoni Arola.

A creative toolkit full of possibilities to explore and enjoy, Circus offers total freedom of composition, multiple components and a myriad of diffuse, accented and reflected lighting effects. Inspired by the tension and dynamics of a trapeze act, the collection is defined by its minimalist structure and signature conductive bar, delicately balanced by opposing elements to create a joyful festival of light.



44 VOL 2 CEILING 45 VOL 2









Often considered the heart of any home, the kitchen serves as a space for preparing food, for cooking, and for eating.

But it also transcends its functional purpose.

The act of eating creates an opportunity for people to gather together. It is a social space, a meeting point for the entire family, and a manifestation of cultural traditions.

A good kitchen should combine functionality with aesthetics, embracing the many different uses we have for our kitchens today. Circus allows the designer to play with different lighting effects, introducing a variety of fixtures that can be built into the conductive bar, suspended from a track or hung directly from the surface of the ceiling. Go to vibia. com to find the best solution for your project.







48 VOL 2 CIRCUS




Spots and downlights can be used to play with contrasts, define functional areas or highlight key aspects of a space. Thanks to their capacity for adaptation, rotation, and different degrees of lens aperture, Circus spotlights accomodate different functions. The narrower the beam, the more specular the light becomes, creating dynamic visual hierarchies with darker shadows and intense highlights.










52 VOL 2 CIRCUS 53 VOL 2













The bar amplifies the possibilities for shaping a space by conducting electricity and transporting light to wherever it is needed, turning the professional into a composer of atmospheres.

56 VOL 2 CIRCUS

The track is available in two sizes and the electrical connection piece is concealed to adapt to all kinds of ceilings. A choice of two versatile finishes ensures the collection adapts to any interior style.

11 Black (NCS S 8500-N)
24 Beige M1 (NCS S 2005-Y50R)

Electrical connection options







Surface


ce Built-in Remote

## Ceiling Tracks

**A352** 210 cm

**A355** 300 cm

.







58 VOL 2 CIRCUS

> Developed both vertically and horizontally, the system combines spots, reflective discs and a range of striking diffusers to create a perfect synthesis of atmospheres. With a traditional light rail the connection is visible from below, but with Circus, the luminaires are connected to the bar from above and sealed with cover, significantly enhancing the aesthetic purity of the design.

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

Volumetric Diffuser

Diffuser: PE- Polyethylene

Hidden Diffuser

Shade: Aluminum

Diffuser: PC- Polycarbonate

Spots / Downlight Body: Aluminum

Lens: PMMA

**Pendant Spot** 

Body: Zinc Alloy Lens: PMMA

## Volumetric Diffuser

## PENDANT

# 0162 0167

Ø 45 cm


## DIRECT TO TRACK 0164

Ø 20 cm

Ø 20 cm

## Hidden Diffuser

### PENDANT



## DIRECT TO TRACK

## 0157



Ø 40 cm

**CEILING** 59 VOL 2

### **LED Colour Temperature**

Volumetric Diffuser / Hidden Diffuser

Static White

2700 K; 3000 K; 3500 K

Tunable White (1800 K- 4000 K)

Tunable Red (Red - 2700 K)

Spots / Downlight

Static White

2700 K - 680 lm 3000 K - 711 lm

3500 K - 737 lm

7,2W

Only ref. 0136, 0137, 0141, 0142, 0152 and 0153

Tunable White (1800 K - 4000 K)

Smart (P2P)

308 lm - 504 lm 5,5W

Only ref. 0136, 0141 and 0152 Tunable Red (Red - 2700 K)

Smart (P2P)

155 lm - 581 lm 7W

CRI>90

## Accent Spotlight

## SIDE-SPOTS

0135 Narrow

0136 Medium

Ø4cm

0137 Wide

### 0140 Narrow 0141 Medium 0142 Wide

PENDANT



Ø4cm



Ø 0,91 m Ø 1,82 m



Wide

Ø 0,72 m 522 lx Ø 1,82 m

150 lx Ø 2,7 m

Pg 32 VOL1 Pg 42 VOL 2

#### Control

Digital: DALI-2 (P2P) Smart: Casambi (simultaneous line); Casambi (P2P); ProtoPixel\* (P2P)

\*ProtoPixel products are compatible with all other DALÍ-2 products via a designated gateway (please consult us)

Updated detailed spec sheets on vibia.com

## Accent Downlight

## DOWNLIGHTS

0151 Narrow 0152 Medium 0153 Wide



Ø4cm



Medium 34°

H = 1,5 m

60 VOL 2 CIRCUS

Suspended from the ceiling and positioned at any angle, a range of reflector discs

reflect diffuse light from a spot angled towards them. Lustrous and ethereal, they cast a spherical shadow on the adjacent

surface like a lunar eclipse.

(Bottom face: White / Top face: Black)



## Reflected Light

LIGHT REFLECTOR



## Dynamic light

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project

Designing an atmosphere of wellbeing is based on two main axes: space and time. The axis of time implies the concept of dynamic light.

Atmosphere design is intentional, depending on the design of different scenes according to the specific use of a space as it evolves throughout the day. Light is dynamic because ambience also depends on the time of day and on the influence of the natural light at every moment.

Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing.

## A source of emotion

Vibia's approach to coloured light invites the use of colour and intensity to create and experience different atmospheres, making them as natural and subtle as possible.

Colour is a source of emotion, it can instantly set a mood, convey a feeling or generate a sense of wellbeing.



**CEILING** 



61 VOL 2


Static. tunable white and tunable red Circus product options offer a range of static white in three different temperatures as well as the option of tunable white. Tunable lighting allows for comprehensive temperature regulation: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

The tunable red option allows you to glide from red to white, exploring a range of relaxing and cosy effects. Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

#### Static White



#### **Tunable White**



## **Tunable Red**




Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.


## Circus Solo



Circus Solo features a remote or built in accent spot that can be used to play with contrasts, define functional areas or highlight key aspects of a space. By mixing accent, reflected and diffuse lighting, the Circus system allows professionals to experiment with light density, creating multiple scenes within a single space.







66 VOL 2 CIRCUS SOLO CEILING 67 VOL 2

## Accent Spotlight

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

Body: Aluminum Lens: PMMA

Snoot: PC-Polycarbonate

## LED Colour Temperature

Static White 2700 K - 680 lm 3000 K - 711 lm 3500 K - 737 lm 7,2W

Only ref. 0172, 0173 Tunable White (1800 K - 4000 K) Smart 308 lm - 504 lm 5,5W

Only ref. 0172 Tunable Red (Red - 2700 K) Smart 155 lm - 581 lm 7W

CRI>90

## Control

Analog: On/ Off; Push Digital: DALI-2\* Smart: Casambi

\*DALI-2 products are compatible (via a designated gateway) with all ProtoPixel dynamic-light solution products.

#### **Electrical connection options**



Remote Built-in Micro

Driver included

Visit **vibia.com** to group several pieces with just one elecrical point



#### Pg 56 VOL 1 Pg 62 VOL 2

#### SPOTS (REMOTE / BUILT-IN)

0171 Narrow 0172 Medium 0173 Wide






## Static, tunable white and tunable red


Circus product options offer a range of static white in three different temperatures as well as the option of tunable white. Tunable lighting allows for comprehensive temperature regulation: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

The **tunable red** option allows you to glide from red to white, exploring a range of relaxing and cosy effects. Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

#### Static White



#### **Tunable White**



#### **Tunable Red**





**Contact Vibia Support Service at vibia.com** for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

## Flat




Design by Ichiro Iwasaki.

A study in geometry, the Flat collection features distinctive, disc-shaped diffusers that form horizontal planes of light, infusing a space with pools of soft illumination.













FLAT

P

'A reflector lamp collection that connects a floating light source with linear structure. Minimal reflector discs and linear structure provide simple and powerful universality like alphabets and musical scores".

chiro lwasaki

74 VOL 2 FLAT



Ref. 5922

10 White (NCS S 0300-N)



71 White, Green L1, Off-White (NCS S 0300-N, NCS S 4005-G80Y, NCS S 1000-N)

Ref. 5924

10 White (NCS S 0300-N)



72 White, Green L1 (NCS S 0300-N, NCS S 4005-G80Y)

73 White, Off-White (NCS S 0300-N, NCS S 1000-N) Ref. 5926, 5915

10 White (NCS S 0300-N)

Ref. 5920

10 White (NCS S 0300-N)

13 Off-White (NCS S 1000-N)

47 Green L1 (NCS S 4005-G80Y)


Shade: Aliminum. Diffuser: PC- Polycarbonate Structures: Steel. Canopy: Aluminum LED Colour Temperature


2700 K; 3500 K CRI>90

Control

Ref. 5920, 5926 Analog: Push; 1-10V Digital: DALI-2 Ref. 5922, 5924 Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi

\* One electrical connection point






## Line



Line consists of a series of simple linear luminaires, each with a distinct lighting effect. Integrating dynamic control and subtle gradients in intensity, tone and colour, the collection complements Vibia's wider product range to curate a subtle atmosphere.




# Dynamic light

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project

Designing an atmosphere of wellbeing is based on two main axes: **space** and **time**. The axis of time implies the concept of dynamic light .

Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.



Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing

## Comfortable environments

Vibia's spot accent, downlight and general lighting luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.

Tunable lighting allows for comprehensive temperature regulation and intensity: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

#### Static White 2700 K 3000 K 3500 K

4000 K 2200 K

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

**Tunable White** 



80 VOL 2 LINE

# High Comfort Diffuser

Available in various lengths, with and without trim, and in two modest finishes, Line guarantees subtle integration within the surrounding architecture.
The homogeneous quality of light from the High Comfort diffuser is designed to create a peaceful, rich and relaxing ambience, ensuring smooth lighting across the surface of the ceiling.



Body: Aluminum / PC- Polycarbonate Shade: PC- Polycarbonate Diffuser: PE- Polyethylene Trimless frame: Aluminum

#### TRIMLESS











#### TRIM





**3503 Trimless** 13 x 3 cm 3500 Trim

**3508 Trimless** 27 x 3 cm 3505 Trim 28 x 4 cm

3513 Trimless 3510 Trim

3518 Trimless 3515 Trim

#### **LED Colour Temperature**

Static White

2700 K; 3000 K; 3500 K

Tunable White (2200 K - 4000 K)

CRI>90

UGR<21

#### Control


Analog: On/ Off; Push; 1-10V Digital: DALI-2; DALI-2 DT8


#### Smart: Casambi **Electrical connection**

Built-in (Driver included)

Visit **vibia.com** to group several pieces with just one electrical point


Updated detailed spec sheets on vibia.com







A well-illuminated work space with clearly defined areas of activity can enhance productivity, concentration and dialogue, strengthening the work-day experience and generating a collective sense of well-being. General lighting sets the tone, washing a space with comfortable uniform illumination that brightens the entire area. Task lighting, on the other hand, provides the right kind of light for a specific use. The nature and intensity of the light is determined by the intended purpose, defining clear "activity zones" within a space.



84 VOL 2 LINE

## Flat Diffuser

Featuring a translucent cover to control the brightness, the Flat Diffuser creates a comfortable atmosphere by casting a pleasant, uniform light. Designers can experiment with composition, incorporating various lengths for a distinctly linear look.

11 Black (NCS S 8500-N)23 Warm White (NCS S 0502-Y50R)

Body: Aluminum Trimless frame: Aluminum Diffuser: PC- Polycarbonate **LED Colour Temperature** 

2700 K; 3000 K; 3500 K Tunable White (2200 K - 4000 K) CRI>90

#### Control


Analog: On/ Off; Push; 1-10V Digital: DALI-2\*; DALI-2 DT8\* Smart: Casambi

\*DALI-2 products are compatible (via a designated gateway) with all ProtoPixel dynamic-light solution products.

#### **Electrical connection**

Built-in (Driver included)

Updated detailed spec sheets on **vibia.com** 





86 VOL 2 LINE HIGH EFFICIENCY LOW GLARE 87 VOL 2

# High Efficiency Low Glare

Respecting our natural circadian rhythms, the Linear Low-Glare High Efficiency option eliminates unwanted glare, providing soft, general lighting for a comfortable interior or subtle transition between different scenes.

**TRIMLESS** 

TRIM












3553 Trimless

14 x 4 cm

13 x 3 cm

26 x 3 cm



H = 3 m

3550 Trim



D3 m

H = 1,5 m

H = 3 m

3558 Trimless

3555 Trim

27 x 4 cm

d 1,4 m x D1,5 m 418 lx d 2.8 m x D 3 m 104 lx



H1 = 1,5 m  $H2 = 3 \, \text{m}$ 

3563 Trimless 51 x 3 cm

3560 Trim 53 x 4 cm



d 1,4 m x D 1,5 m 1581 lx d 2,8 m x D 3 m 395 lx

d 2,8 m

d 2,8 m

d 1,4 m x D 1,5 m 836 lx d 2,8 m x D 3 m 209 lx



H = 1,5 mH = 3 m

3568 Trimless

104 x 4 cm

102 x 3 cm

3565 Trim



11 Black (NCS S 8500-N)

23 Warm White (NCS S 0502-Y50R)

Body: Aluminum / PC- Polycarbonate Shade: PC- Polycarbonate Diffuser: PE- Polyethylene Trimless frame: Áluminum

#### **LED Colour Temperature**

13 cm; 14 cm

Static White 2700 K - 897 lm 3000 K - 928 lm 3500 K - 960 lm 7,4W

Tunable White (2200 K - 4000 K) 664 lm - 898 lm 7,2W

26 cm: 27 cm

Static White 2700 K - 1674 lm 3000 K - 1733 lm 3500 K - 1791 lm 13,7W

Tunable White (2200 K - 4000 K) 1262 lm - 1707 lm 13,7W

51 cm; 53 cm

Static White 2700 K - 3348 lm 3000 K - 3466 lm 3500 K - 3582 lm 27,4W

Tunable White (2200 K - 4000 K) 2524 lm - 3414 lm 27,4W

102 cm: 104 cm

Static White 2700 K - 6696 lm 3000 K - 6932 lm 3500 K - 7164 lm 54,8W

Tunable White (2200 K - 4000 K) 5048 lm - 6828 lm 54,7W

CRI>90

UGR<18

#### Control

Analog: On/ Off; Push; 1-10V Digital: DALI-2; DALI-2 DT8 Smart: Casambi


#### **Electrical connection**

Built-in (Driver included)

Updated detailed spec sheets on **vibia.com** 

Visit vibia.com to group several pieces with just one electrical point





88 VOL2 WALL WASHER 89 VOL2

#### Wall Washer

A Wall Washer can be selected to illuminate a vertical surface with uniform brightness, accentuate an entrance or highlight a specific feature. Light reflected from the matte surface of the wall makes the space appear brighter and provides soft, diffuse illumination.

H = 4 m

H 2,5 m x 1 m 232 lx H 4 m x 1m 107 lx 3585 Trim

# **TRIMLESS** TRIM 3578 Trimless H = 2,5 m H = 4 m 3575 Trim H 2,5 m x 1 m 75 lx H 4 m x 1m 33 lx H = 2,5 m 3583 Trimless 51 x 3 cm H = 4 m 3580 Trim 53 x 4 cm H 2,5 m x 1 m 134 lx H 4 m x 1m 60 lx H = 2,5 m 3588 Trimless 102 x 3 cm

104 x 7 cm

#### 11 Black (NCS S 8500-N)

23 Warm White (NCS S 0502-Y50R)

Body: Aluminum / PC- Polycarbonate Shade: PC- Polycarbonate Diffuser: PE- Polyethylene Trimless frame: Aluminum

#### LED Colour Temperature

26 cm; 27 cm

Static White

2700 K - 1392 lm 3000 K - 1430 lm 3500 K - 1455 lm

13,3W

Tunable White (2200 K - 4000 K)

764 lm - 849 lm 11,5W

#### 51 cm; 53 cm

Static White 2700 K - 2784 lm

3000 K - 2860 lm 3500 K - 2911 lm 26,6W

Tunable White (2200 K - 4000 K) 1528 lm - 1698 lm 23W

#### 102 cm; 104 cm

Static White 2700 K - 5568 lm

3000 K - 5721 lm 3500 K - 5822 lm

53,2W

Tunable White (2200 K - 4000 K)

3056 lm - 3396lm 46W

CRI>90

#### Control

Analog: On/ Off; Push; 1-10V Digital: DALI-2; DALI-2 DT8 Smart: Casambi

#### **Electrical connection**

Built-in (Driver included)

Visit **vibia.com** to group several pieces with just one electrical point

Updated detailed spec sheets on **vibia.com** 





Tunable White lighting allows for comprehensive temperature regulation. By controlling the individual LEDs, you can precisely tune the temperature from warm to cool white, depending on the desired atmosphere.

#### **Tunable White**

2200 K 4000 K

90 VOL 2 LINE

#### Colour Mood Grazer

Natural light is never mono-tonal.
The Colour Mood Grazer is an elegant solution where either Tunable White or Infinite Colour regulation is desired. Infinite Colour incorporates six unique hues, available both as static colours or gradients, each spectrum unique to Vibia and designed to transmit a particular mood. The installer plays a fundamental role in programming the appropriate lighting mode for the space and its desired use.

11 Black (NCS S 8500-N)
23 Warm White (NCS S 0502-Y50R)

Body: Aluminum / PC- Polycarbonate Shade: PC- Polycarbonate Diffuser: Polyethylene Trimless frame: Aluminum

#### **LED Colour Temperature**

Infinite Colour (TW + RGB) CRI>90

#### Control


Smart: ProtoPixel\*


\*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

#### Electrical connection

Built-in (Driver included)

Updated detailed spec sheets on **vibia.com** 





# A source of emotion

Colour is a source of emotion it can instantly set a mood, convey a feeling or generate a sense of wellbeing Vibia's approach to coloured light invites the use of colour and gradients to create and experience different atmospheres, making them as natural and subtle as possible.

Natural light is never mono-tonal. Gradients come in infinite colours.



# Vibia Chromatica colours of light

#### Static White

2200 K	2500 K	2700 K
3000 K	3500 K	4000 K

You can integrate your lighting selection into the control system for specific scene design and activate it also using the Vibia App.

Our colour lighting range is unique. We have selected 18 subtle tones and gradients based on a deep analysis of colour and temperature, in relation to human comfort and wellbeing.

**Still -** A pale and thin green light, inspired by the

#### Colour Moods



Illusive - An alluring and intriguing blue light that lends an energised, almost magical feel to a space

**Contact Vibia Support Service at vibia.com** for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

# Still colour mood


Light and airy, with a softness that suggests the quiet moment before a new beginning.
A pale and thin green light, inspired by the very first rays of morning light. The gradient has a hint of blue to it.

# Offset



## Design by Xuclà.

Offset combines intuitive lighting with an industrial, geometric silhouette.
A complementary system of superficial ceiling fixtures, the collection integrates five lighting effects with advanced colour and temperature regulation for a carefully curated atmosphere.



# Dynamic light

Designing an atmosphere of wellbeing is based on two main axes: **space** and **time**. The axis of time implies the concept of dynamic light .

Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project



Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing

# Comfortable environments

Vibia's spot accent, downlight and general lighting luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.

Tunable lighting allows for comprehensive temperature regulation and intensity: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.


#### Static White

2700 K 3000 K 3500 K

#### **Tunable White**

2200 K 4000 K

**Contact Vibia Support Service at vibia.com** for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.



11 Black (NCS S 8500-N)

23 Warm White (NCS S 0502-Y50R)

24 Beige M1 (NCS S 2005-Y50R)

OFFSET

Body: Aluminum

#### **LED Colour Temperature**

2700 K; 3000 K; 3500 K 285 lm 2,9W CRI>90

#### Control

Analog: Push Digital: DALI-2 Smart: Casambi; ProtoPixel\*

\*ProtoPixel products are compatible with all other DALİ-2 products via a designated gateway (please consult us)

#### **Electrical connection**

Surface (Driver included)

Updated detailed spec sheets on **vibia.com** 





1720



d 0,7 m x D 0,77 m 987 lx d 1,4 m x D 1,45 m 250 lx




d 0,7m x D 0,73m 659 lx d 1,4 m x D 1,42 m 167 lx



15 x 4 x 7 cm




25 x 4 x 7 cm



1725 15 x 15 x 7 cm



1727 15 x 15 x 7 cm



101 VOL 2

# High Comfort Diffuser

Particularly suited to residential hallways or corridors, the High Comfort Diffuser comes in a broad range of lengths. The aluminium frame is fitted with high performance LED strips that provide diffuse, homogeneous illumination for a smooth and relaxed ambience.

11 Black (NCS S 8500-N)
23 Warm White (NCS S 0502-Y50R)

24 Beige M1 (NCS S 2005-Y50R)

Body: Aluminum Diffuser: PC- Polycarbonate

#### **LED Colour Temperature**

Static White 2700 K; 3000 K; 3500 K Tunable White (2200 K - 4000 K)

CRI>90

#### Control

Analog: Push.
Digital: DALI-2; DALI-2 DT8
Smart: Casambi; ProtoPixel\*
\*ProtoPixel products are
compatible with all other
DALI-2 products via a
designated gateway
(please consult us)

#### **Electrical connection**

Surface (Driver included)


Updated detailed spec sheets on **vibia.com** 











# Flat Diffuser

The Flat Diffuser guarantees a calm and comfortable atmosphere.

11 Black (NCS S 8500-N)
23 Warm White (NCS S 0502-Y50R)

24 Beige M1 (NCS S 2005-Y50R)

Body: Aluminum Diffuser: PC- Polycarbonate

#### LED Colour Temperature

Static White 2700 K; 3000 K; 3500 K Tunable White (2200 K - 4000 K)

CRI>90

#### Control

Digital: DALI-2; DALI-2 DT8 Smart: Casambi; ProtoPixel\* \*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

#### Electrical connection

Surface (Driver included)

Updated detailed spec sheets on **vibia.com** 





225 x 4 x 7 cm





108 VOL 2 HIGH EFFICIENCY LOW GLARE 109 VOL 2

## High Efficiency Low Glare

Eliminating unwanted glare, the Low-Glare High-Efficiency model provides comfortable general lighting suitable for transitional spaces and working environments such as libraries or offices.





d 1,4 m x D 1,5 m 836 lx d 2,8 m x D 3 m 209 lx



d 1,4 m D 1,5 m H = 1,5 m

d 1,4 m x D 1,5 m d 18 k d 2,8 m x D 3 m 104 lx









**1742 1747** 32 x 15 x 7 cm 32 x 15 x 7 cm

11 Black (NCS S 8500-N)

23 Warm White (NCS S 0502-Y50R)
24 Beige M1 (NCS S 2005-Y50R)

Body: Aluminum
Diffuser: PC- Polycarbonate

#### LED Colour Temperature

Ref. 1729 and 1732 Static White 2700 K - 3348 lm 3000 K - 3466 lm 3500 K - 3582 lm

20,8W 27,4W

Tunable White (2200 K - 4000 K) 1842 lm - 2150 lm 20.8W Ref. 1737

Static White 2700 K - 5022 lm 3000 K - 5199 lm

3500 K - 5373 lm 41,1W

Tunable White (2200 K - 4000 K) 2763 lm - 3225 lm 31,2W

Ref. 1742 and 1747

Static White 2700 K - 1674 lm 3000 K - 1733 lm 3500 K - 1791 lm

Tunable White (2200 K - 4000 K) 921 lm - 1075 lm 10,4W

CRI>90

13,7W

#### Control


Analog: Push.
Digital: DALI-2; DALI-2 DT8
Smart: Casambi; ProtoPixel\*
\*ProtoPixel products are
compatible with all other
DALI-2 products via a
designated gateway

#### **Electrical connection**

(please consult us)

Surface (Driver included)

Updated detailed spec sheets on **vibia.com** 








112 VOL 2 COLOUR MOOD GRAZER 113 VOL 2

#### Colour Mood Grazer

Natural light is never mono-tonal. The Colour Mood Grazer is an elegant solution where either Tunable White or Infinite Colour regulation is desired. Infinite Colour incorporates six static colours and six gradients, each spectrum unique to Vibia and designed to transmit a particular kind of sensation or mood. The installer plays a fundamental role in programming the appropriate lighting mode for the space and its desired use.

Pg 460 VOL1 Pg 94/348 VOL 2



24 Beige M1 (NCS S 2005-Y50R)

Diffuser: PC- Polycarbonate Lens: PMMA

#### **LED Colour Temperature**

Infinite Colour (TW + RGB) CRI >90

#### Control

Smart: ProtoPixel\*

\*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

#### **Electrical connection**

Surface (Driver included)

Updated detailed spec sheets on **vibia.com** 





#### Dynamic light

Like the natural light that ascends gradually at dawn or dusk, following circadian rhythms, our infinite colour gradients add layers of visual depth and emotion, adapting to specific scenes and moods by creating a nuanced atmosphere.




**OFFSET** 

## A source of emotion

Colour is a source of emotion it can instantly set a mood, convey a feeling or generate a sense of wellbeing

Vibia's approach to coloured light invites the use of colour and gradients to create and experience different atmospheres, making them as natural and subtle as possible.

Natural light is never mono-tonal. Gradients come in infinite colours.



# Vibia Chromatica colours of light

#### Static White

2200 K	2500 K	2700 K
3000 K	3500 K	4000 K

You can select any desired light -white, colour mood or gradientand intensity manually from the analogic product interface. You can also integrate your selection into the control system for specific scene design and activate it using the Vibia App

Our colour lighting range is unique. We have selected 18 subtle tones and gradients based on a deep analysis of colour and temperature, in relation to human comfort and wellbeing.

#### Colour Moods



**Still -** A pale and thin green light, inspired by the very first rays of morning sun



**Vivid -** A vibrating blue with a hint of pale yellow for a feeling of liveliness



**Delicate -** A warm and glowing orange-yellow hue, reminiscent of afternoon sun spilling through the window



Cozy - Bringing a glowing warmth, this orange-red hue contains darker, moodier undertones



Intense - A powerful and bold red. Not just a striking colour, but deep and nuanced



Illusive - An alluring and intriguing blue light that lends an energised, almost magical feel to a space


Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.



# Palma

Design by Antoni Arola.

Antoni Arola brings an entirely new dimension to the Palma collection with a new ceiling edition. A central aluminium shaft extends vertically into the room, decorated with a choice of either two or four distinctive Palma spheres. Positioned at different heights and angles, they form an organic structure, projecting a warm, diffuse light in all directions.



**3760** 50 x 61 cm





PALMA

50 x 74 cm




18 Graphite (ADAPTA RF 9913 WX)

Diffuser: Blown-glass Profile: Aluminum LED Colour Temperature

2700 K CRI>90

Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi



Pg 170 VOL 1 Pg 116/256 VOL 2





# Plusminus Solo

Design by Diez Office.

The ceiling range can be mounted as desired, creating visual hierarchy by directing the gaze towards specific features within a space, and combined to form intriguing compositions.











11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

37 Terra Red (NCS S 4040-Y70R)

42 Blue M1 (NCS S 5010-B10G)

53 Green M1 (NCS S 6005-G80Y)

Body: Aluminum Diffuser: PC- Polycarbonate

#### **LED Colour Temperature**

Accent

2700 K - 941 lm 3000 K - 987 lm 3500 K - 1022 lm 7,9W

CRI>90


Flat diffuser

LED 2700 K; 3000 K; 3500 K

CRI>90

#### Control

Analog: On/ Off; Push; 1-10V Digital: DALI-2 Smart: Casambi



Updated detailed spec sheets on **vibia.com** 

To see **Plusminus** collection go to page **p. 272 VOL 1** 



Pg 472 VOL 1 Pg 120/216 VOL 2

#### Remote version Built-in

#### SPOTLIGHT



Accent
6330 Narrow
6331 Medium
6332 Wide
Ø 10 cm



Flat diffuser 6333 Ø 10 cm

Narrow	Medium	Wide	
		_	
15°	33°	49°	
ø 0,2 m	ø 0,9 m	ø 0,69 m	H = 1,5 m
Ø 0,4 m	Ø 1,8 m	Ø 1,37 m	H = 3 m
ø 0,2 m 1240 Ø 0,4 m 310			

SEMISPHERE

















Design by Martín Azúa.

Bind is a hybrid lighting system designed to create multiple atmospheres to suit a range of spaces, uses and moods. It allows professionals to experiment with different lighting typologies and levels of density, modelling a space by generating subtle gradients between soft and more accentuated light.
























134 VOL 2 BIND











136 VOL 2 BIND
















140 VOL 2 BIND CEILING 141 VOL 2

# Ceiling Tracks

The Bind collection features ceiling surface track lighting as well as a range of independent elements that can be fitted directly to the ceiling. The connective quality, ease of installation and versatility of this fully modular system facilitates holistic solutions to complex demands.

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

Track: Aluminum Canopy: Aluminum

#### **Electrical connection options**





Surface

Remote

A491 120 cm A492 210 cm A493 300 cm





# Dynamic light

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project Designing an atmosphere of wellbeing is based on two main axes: **space** and **time**. The axis of time implies the concept of dynamic light.

Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.



Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing

# Comfortable environments

Vibia's spot accent, downlight and general lighting luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.

Tunable lighting allows for comprehensive temperature regulation and intensity: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

# Static White 2700 K 3000 K 3500 K Tunable White 1800 K 4000 K

**Contact Vibia Support Service at vibia.com** for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach..

142 VOL 2 BIND **CEILING** 143 VOL 2



As a ceiling track, Bind easily integrates within the existing architecture. Multiple fixtures can be connected at any point using a pincer, oriented to direct light in various directions.

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

Lens: PMMA Body: Aluminum

#### **LED Colour Temperature**

Ø3cm

Static White 2700 K - 451 lm 3000 K - 471 lm 3500 K - 489 lm 4,3W

Ø4cm

Static White 2700 K - 530 lm 3000 K - 554 lm 3500 K - 574 lm 5,2W

Only Ref. 6525, 6529, 6534 and 6538 Tunable White (1800 K - 4000 K) 308 lm - 504 lm 5,5W

CRI>90

#### Control

Analog: On/ Off; 1-10V; Push (simultaneuos line) Digital: DALI-2 (simultaneous line); Smart: Casambi (simultaneous line); Casambi (P2P); ProtoPixel\* (P2P)

\*ProtoPixel products are compatible with all other DALİ-2 products via a designated gateway (please consult us)

Updated detailed spec sheets on **vibia.com** 



## Accent Downlight

## Accent Spotlight

DOWNLIGHT Ø 3 cm

6500 Narrow 6504 Medium


Ø 3 x 15 cm



SPOTLIGHT Ø3cm

6510 Narrow 6514 Medium

Ø3 x 20 cm



Narrow

Medium Ø 0,98 m H = 1,5 m H = 3 m

DOWNLIGHT Ø 4 cm

6520 Narrow 6524 Medium 6528 Wide

Ø 4 x 17,5 cm



SPOTLIGHT Ø 4 cm

6530 Narrow 6534 Medium 6538 Wide

Ø 4 x 22,5 cm




Medium Wide Narrow 52° Ø 0,38 m Ø 0,95 m Ø 1,45 m Ø 0,75 m Ø 1,9 m Ø 2,9 m Ø 0,38 m 1574 lx Ø 0,95 m 335 lx Ø 1,45 m 163 lx Ø 0,75 m 393 lx Ø 1,9 m 90 lx Ø 2,9 m

6525 Medium 6529 Wide

Ø 4 x 20 cm





Pg 240 VOL 1 Pg 128 VOL 2



To highlight a particular activity zone or feature, Bind is compatible with a wide accent downlight fixture that provides functional diffuse and accented lighting.

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

Lens: PC- Polycarbonate Body: Aluminum

#### **LED Colour Temperature**

Static White 2700 K - 1256 lm 3000 K - 1313 lm 3500 K - 1360 lm 12,4W

Tunable White (1800 K - 4000 K) Smart (P2P)

571 lm - 895 lm 8,9W

CRI>90

#### Control

Analog: On/ Off; 1-10V; Push (simultaneuos line) Digital: DALI-2 (simultaneous line) Smart: Casambi (simultaneuos line); Casambi (P2P); ProtoPixel\* (P2P) \*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway

Updated detailed spec sheets on **vibia.com** 


(please consult us))

## Wide Accent Downlight

6540 Medium 6542 Wide

Ø 18,5 cm







Pg 240 VOL 1 Pg 128 VOL 2

BIND

147 VOL 2

Bind track is compatible with the Skan, Slim, North, Tempo and Tube pendant collections, presenting a range of decorative silhouettes with multiple lighting effects. Single or multiple pendants can be suspended as desired, allowing for the formation of intricate chandeliers created from a compilation of tracks with multiple pendants.

Track adapter: Aluminum

#### LED Colour Temperature

2700 K; 3000 K; 3500 K CRI>90

#### Control

Analog: On/Off; Push; 1-10V (simultaneuos line); Digital: DALI-2 (simultaneous line); Smart: Casambi (simultaneous line);

Casambi (P2P); ProtoPixel (P2P)

Updated detailed spec sheets on **vibia.com** 








**CEILING** 





Pg 240 VOL 1 Pg 128 VOL 2

# Bind Solo



Bind Solo provides a set of tools to play with contrasts, defining functional and transitional areas, as well as hybrid activity zones.

The range can be mounted to the ceiling as desired, creating visual hierarchy by directing the gaze towards specific features and combining to form unique compositions overhead.



### Dynamic light

Designing an atmosphere of wellbeing is based on two main axes: space and time. The axis of time implies the concept of dynamic light.

Atmosphere design is intentional, depending on the **design of different** scenes according to the specific use of a space as it evolves throughout the day. Light is dynamic because ambience also depends on the time of day and on the influence of the natural light at every moment.

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project



Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing

### Comfortable environments

Vibia's spot accent, downlight and general lighting luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use. Tunable lighting allows for comprehensive temperature regulation and intensity: colour temperature can be precisely tuned depending on the desired atmosphere for every scene. Static White 2700 K **Tunable White** 1800 K 4000 K

CEILING

The simplest and most effective solution for

your projects

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

### Accent Downlight - Micro

Bind Solo offers a range of scope apertures to choose from depending on the desired scenography. Thanks to a micro-profile variation, the Accent Downlight offers seamless integration within the surrounding architecture.

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

Lens: PMMA Body: Aluminum

#### **LED Colour Temperature**

Ø3 cm

Static White 2700K - 451 lm 3000K - 471 lm 3500K - 489 lm 4,3W

Ø4 cm

Static White 2700 K - 530 lm 3000 K - 554 lm 3500 K - 574 lm 5,2W

Only ref. 6654, 6658 Tunable White (1800 K - 4000 K) 308 lm - 504 lm 5,5W

CRI>90

#### Control

Analog: On/ Off; Push Digital: DALI-2\*; DALI-2 DT8\* Smart: Casambi

\*DALI-2 products are compatible (via a designated gateway) with all ProtoPixel dynamic-light solution products.

Visit **vibia.com** to group several pieces with just one electrical point


Updated detailed spec sheets on **vibia.com** 



6600 Narrow 6604 Medium

Ø3cm






6650 Narrow 6654 Medium 6658 Wide

Ø 4cm



Narrow	Medium	Wide	
_			
16°	35°	52°	
d 0,38 m	d 0,95 m	d 1,45 m	H = 1,5 m
D 0,75 m	D 1,9 m	D 2,9 m	H = 3 m
d 0,38 m 1574 lx D 0,75 m 393 lx	d 0,95 m 335 lx D 1,9 m 90 lx	d 1,45 m 163 lx D 2,9 m 41 lx	









156 VOL 2 **CEILING** 157 VOL 2 **BIND SOLO** 

### Accent Downlight

For a visually compelling variation, Bind Solo also offers a superficial Accent Downlight in various diameters and lengths. The range of apertures allows for precise modelling of the space using light and shadow.

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

Lens: PMMA Body: Aluminum Ceiling support: Aluminum

#### **LED Colour Temperature**

Ø3 cm

Static White 2700 K - 451 lm 3000 K - 471 lm 3500 K - 489 lm 4,3W

Ø4 cm

Static White 2700 K - 530 lm 3000 K - 554 lm 3500 K - 574 lm 5,2W

Only ref. 6664, 6668, 6684, 6688 Tunable White (1800 K - 4000 K) 308 lm - 504 lm 5,5W

CRI>90

#### Control

Analog: On/Off; Push Digital: DALI-2\*; DALI-2 DT8\* Smart: Casambi \*DALI-2 products are compatible (via a designated gateway) with all ProtoPixel dynamic-light

solution products. Electrical connection

Remote (Driver included)

Visit **vibia.com** to group several pieces with just one electrical point

Updated detailed spec sheets on **vibia.com** 



#### DOWNLIGHT Ø3cm






#### DOWNLIGHT Ø 4 cm

d 0,7 m 331 lx d 0,98 m 221 lx

D 1,42 m 83 lx D 1,95 m







158 VOL 2 BIND SOLO



Combining Accent Spotlights with Standard and Wide Accent Downlights, the Bind Solo collection provides comfortable general lighting as well as pointed illumination. Designed to complement Vibia's wider product range, it allows professionals to experiment with light density, combining different lighting typologies to create dynamic and restorative atmospheres.






160 VOL 2 **CEILING** 161 VOL 2 **BIND SOLO** 

### Accent Spotlight

To highlight a particular activity zone or feature, Bind Solo incorporates a series of fixed-angle spots of various lengths.

11 Black (NCS S 8500-N)



Lens: PMMA Body: Aluminum Ceiling support: Aluminum

#### **LED Colour Temperature**

Ø3 cm

Static White 2700 K - 451 lm 3000 K - 471 lm 3500 K - 489 lm 4,3W

Ø4 cm

Static White 2700 K - 530 lm 3000 K - 554 lm 3500 K - 574 lm 5,2W

Only ref. 6674, 6678, 6694, 6698 Tunable White (1800 K - 4000 K) 308 lm - 504 lm 5,5W

CRI>90

#### Control

Analog: On/Off; Push Digital: DALI-2\*; DALI-2 DT8\* Smart: Casambi

\*DALI-2 products are compatible (via a designated gateway) with all ProtoPixel dynamic-light solution products.

#### **Electrical connection**

Remote (Driver included)

Visit **vibia.com** to group several pieces with just one electrical point



#### SPOTLIGHT Ø 3 cm

6620 Narrow 6624 Medium

6640 Narrow 6644 Medium

Ø 3 x 11,5 cm

Ø3x7cm



#### Narrow



D 1,95 m

Medium

H = 1,5 m

d 0,7 m 331 lx d 0,98 m 221 lx D 1,42 m 83 lx D 1,95 m 56 lx

SPOTLIGHT Ø4cm

6670 Narrow 6674 Medium 6678 Wide

6690 Narrow 6694 Medium 6698 Wide

Ø 4 x 10 cm

Ø 4 x 14 cm





## Narrow d 0,38 m D 0,75 m










d 0,38 m 1574 lx d 0,95 m 335 lx d 1,45 m 163 lx D 0,75 m 393 lx D 1,9 m 90 lx D 2,9 m









The Bind Solo collection incorporates a range of independent elements that can be fitted directly to the ceiling, including spots, downlights and general lighting fixtures. This combination of functional lighting with decorative pendants means designers can create made-to-measure lighting solutions for moods and uses within the same space.







166 VOL 2 CEILING BIND SOLO 167 VOL 2

### Wide Accent Downlight

For softer contrasts and a more diffuse lighting effect, Bind Solo's Wide Accent Downlight floods the space from above, thanks to a generous diameter and wider gradient of light.

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

Lens: PC- Polycarbonate Body: Aluminum Ceiling support: Aluminum

#### **LED Colour Temperature**

Static White 2700 K - 1256 lm 3000 K - 1313 lm 3500 K - 1360 lm

12,4W

Tunable White (1800 K - 4000 K) 571 lm - 895 lm 8,9W

CRI>90

#### Control

Analog: Push Digital: DALI-2\*; DALI-2 DT8\* Smart: Casambi

\*DALI-2 products are compatible (via a designated gateway) with all ProtoPixel dynamic-light solution products.

#### Electrical connection

Surface (Driver included)

Updated detailed spec sheets on **vibia.com** 


6700 Medium 6702 Wide


Ø 18,5 cm













# Guise

Design by Diez Office.


Crafted of precision-cut glass and embedded with a row of recessed LEDs, Guise explores the relationship between light and transparency. The light inside the glass appears invisible, while the delicately engraved surface generates a beautiful diffusion.



170 VOL 2 GUISE CEILING CEILING



The Guise ceiling light is surface-mounted and available in two sizes. Crafted of precision-cut borosilicate glass, light emanates from the tube while the source remains hidden. When turned on it becomes a luminous hypnotic presence; turned off, the transparent quality of the glass lends an airy sensibility.



Diffuser: Borosilicate Body: Aluminum LED Colour Temperature

3000 K CRI>90

#### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi



Ø 25 cm



#### 2298

Ø 40 cm





Pg 110 VOL 1 Pg 168/288 VOL 2

# Funnel



A gentle presence with a distinctly sculptural form, Funnel is a study in materiality, light and space.



174 VOL 2 **FUNNEL** CEILING 175 VOL 2



As its name suggests, light seems to flow freely from the smooth curve of this ceiling fixture. Its sculptural form conceals an LED light source behind the cap. Light is reflected back into the funnel, creating a flood of indirect, ambient illumination. The collection can be mounted individually or as a collection for greater visual impact.

10 White ( NCS S 0300-N) 36 Soft pink (NCS S 1010-Y50R) 47 Green L1 (NCS S 4005-G80Y)

Additional finish only for Ref. 2012, 2013

51 Gold leaf (Gold)

Shade: Aluminum Reflector: Aluminum Support: Steel


LED Colour Temperature

2700 K; 3000 K; 3500 K CRI>80; CRI>90

Control Analog: On/Off; Push; 1-10V Digital: DALI-2 Smart: Casambi







## Structural



### Design by Arik Levy.

Structural features cubic forms paired with slender metal rods that both join and separate its volumes. Deconstructing the source, it casts light in unexpected places, creating points of light connected in space.



178 VOL 2 STRUCTURAL CEILING 179 VOL 2











180 VOL 2 STRUCTURAL CEILING 181 VOL 2











**2640** 120 x 21 cm








**2645** 120 x 21 cm **2647** 160 x 21 cm



Through the combination of direct and indirect lighting, Structural bathes ceilings with an intense lighting effect. Different cubic volumes meet and expand, its adaptable nature providing flexible solutions while its geometric form maintains a sense of order.



15 Grey L2 (NCS S 2500-N)

21 Black Grey (NCS S 7000-N)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate Main body: Aluminum Structures: Aluminum

#### LED Colour Temperature


Static White 2700 K; 3000 K; 3500 K Tunable White (2200 K - 4000 K) CRI>90

#### Control

Analog: 1-10V Digital: DALI-2; DALI-2 DT8 Smart: Casambi



Vibia's general lighting, spot accent and downlight luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.



#### **Tunable White (2200K - 4000K)**


Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

#### Static White 2700K; 3000K; 3500K

You can select the static white option that fits best with the desired ambience.


**Contact Vibia Support Service at vibia.com** for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

## Spa



Design by Ramos & Bassols.

Spa is the perfect lighting solution for any wellness space. From public dressing rooms, restaurants and spas, to private kitchens, corridors and bathrooms, its graceful simplicity and linear form allow for seamless integration within a variety of humid interiors.



184 VOL 2 SPA CEILING 185 VOL 2

Multiple luminaires can be positioned in a row to illuminate up to six metres of wall or ceiling space from a single point of connection.









186 VOL 2 SPA CEILING 187 VOL 2

#### WALL & CEILING



#### 5975

121 x 4,7 x 6,5 cm

#### 5977

201 x 4,7 x 6,5 cm

#### 5979

301 x 4,7 x 6,5 cm

Spa is an adaptable system of linear LEDs that allows for limitless compositional freedom. From intimate corners for personal wellbeing to functional spaces designed for general wellness, Spa's minimalist form and accomodates a range of atmospheres.

11 Black (NCS S 8500-N)23 Warm White (NCS S 0502-Y50R)

25 Beige D1 (NCS S 4005-Y50R)

Profile and canopy: Aluminum Diffuser: PMMA

#### LED Colour Temperature

2700 K; 3500 K CRI>90

#### Control

Analog: 1-10V Digital: DALI-2 Smart: Casambi (Remote)

IDAA




### WALL & CEILING







# Up




Design by Ramos & Bassols.

Inspired by the neoclassical cornice, Up's geometric form protudes from the ceiling with a quiet elegance. Its broad flat diffuser and refined rim create the illusion of daylight passing through an opening in the ceiling.



UP 190 VOL 2 CEILING 191 VOL 2

With a depth of merely 7 centimeters, the surface-mounted aluminum fixture adds an understated, yet distinctive design element.



Finish customization (Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate Body: Aluminum Ceiling support: Steel

#### LED Colour Temperature

Static White 2700 K

Tunable White (2200K - 4000K)

CRI>90

#### Control

Analog: Push; 1-10V Digital: DALI-2; DALI-2 DT8 Smart: Casambi





4452

73 x 121 cm



4454

64 x 64 cm





Vibia's general lighting, spot accent and downlight luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.




#### Tunable White (2200K - 4000K)

Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

Static White 2700K

**Contact Vibia Support Service at vibia.com** for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

# Puck




Design by Jordi Vilardell.

Inspired by the iconic circle motif, Puck's simple, spherical forms can be superimposed on top of one another, lending the whole an organic sensibility.



PUCK 194 VOL 2 CEILING 195 VOL 2



The Puck collection offers users a versatile ceiling light defined by its strong formal expression and warm illumination thanks to its LED light source and blown-glass diffuser. Puck combines a series of models of different compositions, all of which work off a single electrical point connection, using circles as their central leitmotif.

03 White (RAL 9016)

Canopy: Aluminum Diffuser: Blown-glass

LED Colour Temperature 2700 K CRI>90

Control Analog: On/ Off

All versions require just one electrical connection. Surface mounted





5412 27,2 x 7,7 cm



5430 5432 46,7 x 38 cm



5435 5437 56,8 x 49,2cm




## Tube Free




### Design by Ichiro Iwasaki.

With the Tube ceiling collection, Ichiro Iwasaki endeavours to create a lighting system capable of forming distinctive expressions by reconfiguring the different constituent parts. By combining three different diameter shades, six colour tones and a rhythm of differing heights, Tube creates a unique landscape of luminaires overhead.



198 VOL 2 TUBE FREE CEILING 199 VOL 2





200 VOL 2 TUBE FREE



10 White (NCS S 0300-N)
15 Grey L2 (NCS S 2500-N)
16 Grey M1 (NCS S 4500-N)

21 Black Grey (NCS S 7000-N)24 Beige M1 (NCS S 2005-Y50R)


37 Terra Red (NCS S 4040-Y70R)

Diffuser: PC- Polycarbonate Led support: Aluminum Shade: Aluminum Canopy: Steel LED Colour Temperature

2700 K; 3000 K; 3500 K CRI>90

Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi



Pg 100 VOL 1 Pg 196 VOL 2



## Bigger



#### Design by La Invisible.

Bigger serves as statement lighting without overbearing the space it occupies. Radiating with profuse light which cascades down from above, its impressive scale and soothing geometry introduce a striking new dimension.



204 VOL 2 **BIGGER CEILING** 205 VOL 2



23 Beige L1 (NCS S 0502-Y50R)

24 Beige M1 (NCS S 2005-Y50R)

37 Terra Red (NCS S 4040-Y70R)

53 Green M1 (NCS S 6005-G80Y)

Body: Aluminum Shade: Aluminum Diffuser: PC- Polycarbonate LED Colour Temperature

Static White 2700 K; 3500 K Tunable White (2200K - 4000K)

Control

CRI>90

Analog: Push; 1-10V Digital: DALI-2; DALI-2 DT8 Smart: Casambi


Updated detailed spec sheets on **vibia.com** 



Pg 176 VOL 1 Pg 262 VOL 2



Vibia's general lighting, spot accent and downlight luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.



#### Tunable White (2200K - 4000K)

Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

#### Static White 2700K; 3500K

You can select the static white option that fits best with the desired ambience.

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.



## Wall

Alpha 316

Dots 242

North 330

Offset 348

Dots Glass 252

Palma 256

Funnel 300

Guise 288

Halo

336 I.Cono 308

Kontorno 278

Musa 296

Origami 312

Pin 262

Plusminus Solo

216 Puck

320 Puck Wall Art

324

Set 274

Spa 232

Sticks 340

Structural 268

Suite 304

Tempo 226

Тор 210



## Top

Design by Ramos & Bassols.


Soft, spherical shapes and a warm luminescence characterize the Top collection. Its glowing epicenter is encircled by a larger ring, framing the light within its pure geometry.

212 VOL 2 TOP WALL 213 VOL 2





214 VOL 2 TOP WALL 215 VOL 2





10 White (NCS S 0300-N) 36 Soft Pink (NCS S 1010-Y50R) 40 Blue L1 (NCS S 3010-B)

47 Green L1 (NCS S 4005-G80Y)

Body: Aluminum Ref. 1170 Diffuser: Triplex Opal Glass

### LED Colour Temperature


2700 K; 3500 K CRI>90

#### Control

Analog: On/ Off; Push; 1-10V Digital: DALI-2 Smart: Casambi




## Plusminus Solo





Design by Diez Office.

Plusminus Solo introduces a collection of versatile semi-spherical luminaires that adapt to the surrounding space. Easily adjustable, the Plusminus wall range features semi-spherical directed flat diffusers in different sizes, as well as an accent spotlight for more precise illumination.












Available in five elegant finishes and mounted as desired, the Plusminus Solo wall range is suitable for functional purposes, such as illuminating a transitional area by bathing a wall with soft light, as well as shaping comfortable scenes through a unique blend of diffuse and accented lighting. Combined with Plusminus Solo floor, table and ceiling luminaires the possibilities are endless.







11 Black (NCS S 8500-N) 24 Beige M1 (NCS S 2005-Y50R)

37 Terra Red (NCS S 4040-Y70R) 42 Blue M1 (NCS S 5010-B10G)

53 Green M1 (NCS S 6005-G80Y)

Body: Aluminum Diffuser: PC- Polycarbonate

#### **LED Colour Temperature**

Accent


2700 K - 941 lm 3000 K - 987 lm 3500 K - 1022 lm 7,2W

Flat diffuser LED 2700 K; 3000 K; 3500 K

CRI>90

#### Control

Analog: On/ Off; Push; 1-10V Digital: DALI-2 Smart: Casambi



Updated detailed spec sheets on **vibia.com** 

#### SPOTLIGHT - ACCENT

Narrow	Medium	Wide	
15°	33°	49°	
ø 0,2 m	ø 0,9 m	ø 0,69 m	H = 1,5 m
Ø 0,4 m	Ø 1,8 m	Ø 1,37 m	H = 3 m
ø 0,2 m 1240 lx Ø 0,4 m 310 lx	ø 0,9 m 851 lx Ø 1,8 m 213 lx	ø 0,69 m 307 lx Ø 1,37 m 77 lx	

#### Remote version Built-in

SPOTLIGHT

SEMISPHERE

Flat diffuser Flat diffuser Flat diffuser Accent 6330 Narrow 6333 6335 6340 6331 Medium Ø 10 cm Ø 20 cm Ø 30 cm 6332 Wide Ø 10 cm






### Plug version Surface

SPOTLIGHT

SEMISPHERE

Flat diffuser Flat diffuser Flat diffuser Accent 6361 Medium 6363 6365 6370 Ø 10 cm Ø 10 cm Ø 20 cm Ø 30 cm









# Tempo



Design by Lievore Altherr.

The Tempo collection reclaims our collective memory of light, distilling lighting archetypes into three basic forms: the disc, the diamond and the milk glass oval explore the interplay of opacity, translucence and transparency.





Fusing contemporary style and classic design, the collection is characterised by lean lines and a long adjustable arm that extends out from its vertical base.

The opaline diamond projects a diffused light of a romantic quality, filling a space with its inviting glow.

An evolution of the classic bistrot globe, the oval diffuser hangs gracefully in the air, its translucency introducing an air of tranquillity.

Converting the traditional bulb into a brilliant bubble, the reflector disk embraces an industrial aesthetic.

Featuring a flat graphite-coloured plate, light is reflected downwards for a compelling effect.

Ref. 5757, 5759, 5761, 5763, 5765, 5767. Recessed dimmable driver.



Ref. 5756, 5758, 5760, 5762, 5764, 5766. Push dimmer on the cable. With plug.





229 VOL 2





TEMPO

230 VOL 2

18 Graphite (ADAPTA RF 9913 WX)

37 Terra Red (NCS S 4040-Y70R)

58 Cream (RAL 7044)


62 Green (NCS S 3010-G20Y)

Diffuser: Blown-glass LED support: Aluminum Structures: Steel Shade: Aluminum LED Colour Temperature


2700 K CRI>90

#### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi




## Spa



Design by Ramos & Bassols.

Spa is the perfect lighting solution for any wellness space. From public dressing rooms, restaurants and spas, to private kitchens, corridors and bathrooms, its graceful simplicity and linear form allow for seamless integration within a variety of humid interiors.



234 VOL 2

SPA




The diffuser provides diffuse, glare-free, front lighting, ideal for creating an intimate atmosphere.



Ideal as a bathroom mirror light fixture, Spa can be positioned at an angle to send diffuse, ambient lighting in the desired direction.



IP44. Spa can be wiped down with a wet cloth for easy maintenance







SPA

WALL

Each luminaire is separated from the wall by a single aluminium support and connects to a simple terminal, invisible from the front, which lends a sense of weightlessness and essentiality to the design.













5975

121 x 4,7 x 6,5 cm

201 x 4,7 x 6,5 cm

5979

5977

301 x 4,7 x 6,5 cm

5981

253 x 4,8 x 6,6 cm

\_\_\_\_

5983

413 x 4,8 x 6,6 cm

5985

613 x 4,8 x 6,6 cm

WALL VANITY LIGHT (slanted diffusor)



5987

121 x 7,3 x 5,3 cm

5989

201 x 7,3 x 5,3 cm

5991

301 x 7,3 x 5,3 cm

11 Black (NCS S 8500-N)

23 Warm White (NCS S 0502-Y50R)

25 Beige D1 (NCS S 4005-Y50R)

Profile and canopy: Aluminum Diffuser: PMMA

**LED Colour Temperature** 

2700 K; 3500 K CRI>90

Control

Analog: 1-10V Digital: DALI-2 Smart: Casambi (Remote)

IP44

Suitable for wet location

VERTICAL WALL

6,6 x 4,7 x 212 cm

5995 5993

6,6 x 4,7 x 132 cm



## Dots



### Design by Martín Azúa.

This small scale wall sconce in the form of simple, circular dots delivers high visual impact through a range of lighting effects. Seamlessly connecting a space with an intimate landscape of beams and halos, the collection creates a melody of light like a composition of musical notes in concert with one another.




244 VOL 2 DOTS WALL 245 VOL 2





4662 item with on-off switch on the back plate




Its compact shape and coloured lacquer or natural wood finishes mean Dots can be easily integrated into any space.










Deployed alone like a sparkling jewel or in combination to create a glowing galaxy, Dots luminaires provide personalised lighting solutions for a range of uses: task lighting, graphic, directional light, and diffuse, ambient illumination.





"Dots is a simple, versatile lighting system that offers many different solutions in one collection. If we forget the idea that wall lamps are boring, we can suddenly start playing with material, colours and lighting effects in group or individually to create comfortable atmospheres".

Martín Azúa



13 Grey L1 (NCS S 1000-N)

27 Sand (NCS S 1505-Y50R)

Bod
Diffu

37 Terra Red (NCS S 4040-Y70R)

47 Green L1 (NCS S 4005-G80Y)

82 White oak

83 American walnut

Body: ABS or Wood Diffuser: PC- Polycarbonate Canopy: Aluminum

LED Colour Temperature

2700 K; 3500 K CRI>90

Control

Analog: On/ Off ; TRIAC; 1-10V Digital: DALI-2



## Dots Glass




Design by Martín Azúa.

The Dots collection introduces a sleek new diffuser. Sheathed in layers of transparent optical glass, Dots Glass generates a warm, 360-degree glow with a pulsating ambient effect.







10 White (NCS S 0300-N)

Body: Aluminum Diffuser: Optical Glass LED Colour Temperature

2700 K; 3500 K CRI>90

Control

Analog: On/ Off; 1-10V Digital: DALI-2 Smart: Casambi (Remote)

P66



255 VOL 2

 $\bigcirc$ 

4680

Ø 20 cm

## Palma



Design by Antoni Arola.

The interior ambience takes on a life of its own with Palma; an unexected design that accommodates greenery along its axis.



WALL



Palma consists of hand blown glass spheres joined together by a contemporary aluminium structure. Available in vertical and horizontal orientations and a choice of one, two or three spheres, the sconces and plantings can be combined in an array of different compositions to span a broad stretch of wall or climb upward towards the ceiling.





260 VOL 2 PALMA



18 Graphite (ADAPTA RF 9913 WX)

Diffuser: Blown-glass Profile: Aluminum Planter: PMMA LED Colour Temperature


2700 K CRI>90

Control

Analog: Push; 1-10V Digital: DALI-2









## Pin

Design by Ichiro Iwasaki.

A timeless proposal from Japanese designer Ichiro Iwasaki, Pin is both classic and contemporary. Characterised by a graceful stem and subtle, functional expression, it is small in scale but with exceptional lighting efficiency.



As a wall lamp, Pin features a striking interplay of geometric forms. Lean, steel lines extend outward, punctuated by a bold, circular base and aluminum dome shades. Whether displayed individually or in customised combinations, Pin functions as abstract wall art as well as a simple reading light.



266 VOL 2 PIN WALL 267 VOL 2







11 Black (NCS S 8500-N)

23 Warm White (NCS S 0502-Y50R)

58 Cream (NCS S 2500-Y20R)

62 Green (NCS S 3010-G20Y)

Finish customization (Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate Head: Aluminum

Rods: Steel Base: Zinc Alloy

LED Colour Temperature

2700 K CRI>90

Control Analog: On/ Off






## Structural



### Design by Arik Levy.

Structural features cubic forms paired with slender metal rods that both join and separate its volumes. Deconstructing the source, it casts light in unexpected places, creating points of light connected in space.











The Structural wall lamp can be combined in various arrangements to integrate with a range of architectural styles and spaces. Marked by lean lines and defined coordinates, it creates glowing sculptural silhouettes. The LED-powered light source is encased in an aluminium box, bathing walls in a bright wash of light without glare.

15 Grey L2 (NCS S 2500-N)21 Black Grey D1 (NCS S 7000-N)

Finish customization (Available options: Vibia colour palette) Diffuser: PC- Polycarbonate Main body: Aluminum Structures: Aluminum


**LED Colour Temperature** 2700 K; 3000 K; 3500 K CRI>90

Control

Analog: 1-10V Digital: DALI-2 Smart: Casambi




2617



2615








## Set

Design by Xuclà.

Set is a new concept of modular wall sconces that composes light as art onto the walls. During the day Set decorates the wall with a pattern of rectangular elements, but once illuminated it creates a surprising play of lights, shadows and volumes.

276 VOL 2 SET WALL 277 VOL 2



A customised composition of rectangular pieces crafted of an aluminum body and fine borosilicate-glass diffuser, Set both generates and reflects light. It features one fixed component fitted with an LED that casts its light over the other adjustable volumes, each, in turn, emanating elegant rays of light and shadow upwards. The fixture produces an endless array of luminary effects depending on how it's positioned and doubles as dramatic wall art.

25 Beige D1 (NCS S 4005-Y50R)93 White (RAL 9003)

Main body: Aluminum Diffuser: Borosilicate glass Lid: PC- Polycarbonate Reflecting bodies: PVC LED Colour Temperature 2700 K; 3500 K CRI>90

Control Analog: 0-10V





## Kontorno




Design by Sebastian Herkner.

Consisting of an elegant linear framework complemented by a cylindrical diffuser or curved reflector, the Kontorno collection envelops the light source it contains, offering diffuse, balanced illumination.




280 VOL 2 KONTORNO 281 VOL 2




Large-scale glass wall lamp

Pure and refined, Kontorno's cylindrical glass diffuser expresses timeless romanticism with its warm, 360-degree glow.



"Kontorno is about simplicity and balance. The light is very poetic and features a frame interacting with different shapes to generate myriad lighting moods and atmospheres."

Sebastian Herkner.




282 VOL 2

KONTORNO

LIGHTOPIA





**6444**19 x 92 cm

**6446** 19 x 122 cm

11 Black (NCS S 8500-N)

Glass shade: Opal triplex Diffuser: PC- Polycarbonate Canopy: Aluminum LED Colour Temperature

2200 K; 2700 K; 3000 K; 3500 K CRI>90

Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi





284 VOL 2 KONTORNO WALL 285 VOL 2



2200 K LED Colour Temperature








2700 K LED Colour Temperature

286 VOL 2 KONTORNO 287 VOL 2







11 Black (NCS S 8500-N)

Concave shade: Aluminum Diffuser: PC- Polycarbonate Structures: Steel Canopy: Aluminum LED Colour Temperature

2200 K; 2700 K; 3000 K; 3500 K CRI>90

#### Control

Analog: Push; 1-10V Digital: DALI-2 Smart: Casambi







## Guise



Design by Diez Office.

Crafted of precision-cut glass and embedded with a row of recessed LEDs, Guise explores the relationship between light and transparency. The light inside the glass appears invisible, while the delicately engraved surface generates a beautiful diffusion.




### A source of emotion

Colour is a source of emotion it can instantly set a mood, convey a feeling or generate a sense of wellbeing

Vibia's approach to coloured light invites the use of colour and gradients to create and experience different atmospheres, making them as natural and subtle as possible.

Natural light is never mono-tonal. Gradients come in infinite colours.



### Vibia Chromatica colours of light

#### Static White

2200 K	2500 K	2700 K
3000 K	3500 K	4000 K

You can select any desired light -white, colour mood or gradientand intensity manually from the analogic product interface. You can also integrate your selection into the control system for specific scene design and activate it using the Vibia App

Our colour lighting range is unique. We have selected 18 subtle tones and gradients based on a deep analysis of colour and temperature, in relation to human comfort and wellbeing.

#### Colour Moods



for a feeling of liveliness

Delicate - A warm and glowing orange-yellow hue, reminiscent of afternoon sun spilling through the window

Cozy - Bringing a glowing warmth, this orange-red hue contains darker, moodier undertones

Intense - A powerful and bold red. Not just a striking colour, but deep and nuanced

> Illusive - An alluring and intriguing blue light that lends an energised, almost magical feel to a space

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

### Cozy colour mood


Bringing warmth and glow, this hue also contains darker, moodier undertones. A deep, burned red tone in the solid colour, while a colder grey-blue tone merges with he red in the gradient.

SURFACE

2262 Ø 92 cm REMOTE

2263

Ø 92 cm





The Guise wall sconce consists of a glass disk emitting a perimeter glow from a hidden LED light source. When switched on it generates a halo of diffuse light like a solar eclipse; when switched off, the transparent glass and hidden LEDs seem to disappear, hence its enigmatic name.

18 Graphite (ADAPTA RF9913WX)

Diffuser: Borosilicate LED support: Aluminum

#### LED Colour Temperature

Ref. 2260, 2262 Static White 3000 K

Ref. 2263

Infinite Colour (RGB + TW)

CRI>90



Control



Ref. 2260, 2262



You can select any desired light -white, colour mood or gradient- and intensity manually from the analogic product interface.

Analog: Optical sensor on the LED support

Smart: ProtoPixel\* (also with push buttons)

\*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)



Pg 110 VOL 1 Pg 168/288 VOL 2







# Musa



Design by Note Design Studio.

A poetic expression of light, inspired by nature. Cradled by the soft curve of Musa's bowl-shaped diffuser, light is both contained and reflected in its silky veneer.



298 VOL 2 MUSA

WALL

299 VOL 2



**7415** Ø 26 x 10 cm

Musa recalls the organic form of an oyster and pearl. A small, dimmable diffuser nestles at its base, casting a soft glow that spreads across the larger sphere that contains and diffuses it.

23 Warm White (NCS S 0502-Y50R)

24 Beige M1 (NCS S 2005-Y50R)

36 Soft Pink (NCS S 1010-Y50R)

Finish customization (Available options: Vibia colour palette)

Diffuser: Blown glass Body: Aluminum LED Colour Temperature

2700 K CRI>90

Control

Analog: 1-10V



9

Pg 454 VOL 1 Pg 296 VOL 2





# Funnel





FUNNEL 302 VOL 2







2013 Ø 35 cm

A fluid design defines this aluminum fixture, a streamlined, funnel-shaped base that flows into a protruding cap.
The smooth, sculptural curves conceal a LED light source behind the tip, reflecting light back on the funnel form and creating a flood of indirect, ambient lighting. It can be displayed individually or in a row for greater impact.

10 White ( NCS S 0300-N)

36 Soft pink (NCS S 1010-Y50R)

47 Green L1 (NCS S 4005-G80Y)

51 Gold leaf (Gold)

Shade: Aluminum Reflector: Aluminum Support: Steel

#### LED Colour Temperature

2700 K; 3000 K; 3500 K CRI>80; CRI>90

Control Analog: On/ Off; Push; 1-10V Digital: DALI-2
















306 VOL 2 SUITE WALL 307 VOL 2



14 Chocolate (RAL 8019)

23 Warm White (NCS S 0502-Y50R)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate / Blown-glass Shelf: Aluminum Lid: Steel LED Colour Temperature


2700 K; 3500 K CRI>90

Control

Analog: On/ Off

6050







# I.Cono



Design by Lievore, Altherr, Molina.

Distinguished by its signature visor-shaped shade, I.Cono presents a poised, Scandinavian presence. The visual purity of its angular shade is matched by a sleek base and complemented by a range of elegant finishes.



311 VOL 2



I.CONO

10 White (NCS S 0300-N)

21 Grey D1 (NCS S 7000-N)

25 Beige D1 (NCS S 4005-Y50R)

37 Terra Red (NCS S 4040-Y70R)

42 Blue M1 (NCS S 5010-B10G)

Shade: ABS + PC- Polycarbonate Tube: Steel Base: Aluminium

#### LED Colour Temperature

2700 K CRI>90

#### Control

Ref. 0720 Analog: On/ Off

Ref. 0721 Analog: On/ Off; Push (Remote) Digital: DALI-2 (Remote) Smart: Casambi (Remote)



On/ Off switch on the base.


0720 15 x 17 x 26 cm



0721

15 x 17 x 26 cm






# Origami

Design by Ramón Esteve.

Inspired by the Japanese art of paper folding, Origami provides gentle ambient light illumination while doubling up as a striking installation. Light radiates out from a series of distinctive geometric structures, creating a dialogue of light and shadow across the wall.



314 VOL 2 WALL ORIGAMI 315 VOL 2

#### 10 White (NCS S 0300-N)

29 Brown D1 (NCS S 8005-Y50R)

38 Terra Dark (NCS S 5040-Y70R)

53 Green M1 (NCS S 6005-G80Y)

Shade: ABS Diffuser: PC- Polycarbonate Lid: PC- Polycarbonate Arm: PC- Polycarbonate

#### LED Colour Temperature

2700 K; 3500 K CRI>90


#### Control

Analog: TRIAC

A maximum of 30 modules can be connected to a single connection point.









318 VOL 2 ALPHA





7940 12 x 12 cm

7942 12 x 12 cm



18 Graphite & Black (RAL 7016 & RAL 9005)

93 White (RAL 9016)

Diffuser: PC- Polycarbonate Lid: Zinc Alloy Body: Aluminum Lid: Aluminum


LED Colour Temperature

2700 K; 3500 K CRI>90

#### Control


Analog: On/ Off

Ref. 7940 On/off switch on the front cover Ref. 7942 Without switch





# Puck



Design by Jordi Vilardell.

Glowing like a full moon, Puck's simple, spherical forms can be superimposed on top of one another, lending the whole an organic sensibility.



322 VOL 2 PUCK



5410

24,4 x 6,6 cm

5412

27, 2x 7,7 cm

**5425 5427** 31,8 x 24,2 cm

03 White (RAL 9016)

Canopy: Aluminum Diffuser: Blown-glass LED Colour Temperature

2700 K; 3500 K CRI>90


Control

Analog: On/ Off





Pg 192/320 VOL 2




## Puck Wall Art



Design by Jordi Vilardell.

Puck Wall Art combines two circular wall lights of different sizes and colours, superimposed on top of one another, and combining to create a set of highly dynamic, sculptural compositions. The collection provides ambient indirect light and only requires a single electrical connection.



- 15 Grey L2 (NCS S 2500-N)
- 21 Black Grey (NCS S 7000-N)
- 28 Brown M1 (NCS S 4020-Y60R)
- 72 Black Grey & Grey L2 (NCS S 7000-N, NCS S 2500-N)
- 73 Brown M1 & Black Grey (NCS S 4020-Y60R, NCS S 7000-N)
- 76 Grey felt L1
- 77 Grey felt D1
- 71 Grey felt L1 & Grey felt D1

Diffuser: PC- Polycarbonate Shade: ABS Wall support: Aluminum

#### LED Colour Temperature

2700 K; 3500 K CRI>90

#### Control

Analog: Push; TRIAC; 1-10V Digital: DALI-2 Smart: Casambi

A maximum of 8 modules can be connected to a single connection point









328 VOL 2 PUCK WALL ART WALL 329 VOL 2



Puck Wall Art is comprised of different disks to create a warm, visually sharp and mathematically creative effect. There are four sizes of disks, allowing the designer to play with varied combinations of indirect light. The resulting design comprises a set of highly dynamic, sculptural compositions.

## North



## Design by Arik Levy.

The North collection consists of a conical aluminum shade hanging from an adjustable carbon fibre rod. The rod and shade are disconnected from one another via a slim cable, directing the LED-powered light where needed in a dynamic system of adjustable parts.





#### 5630

150 x 195 cm

For the North wall light, a slender rod rises from a base attached to the wall. The light source and shade are separated from the base, suspended delicately in mid-air from the tip of the rod. Available in four lacquered matte tones, it can be adapted to any style for both private and public use. North provides flat uniform light of a local yet flexible chataracter.

10 White (NCS S 0300-N)

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

42 Blue M1 (NCS S 5010-B10G)

Rods: Carbon fiber Shade: Aluminum Diffuser: PMMA Wall Plate: Steel

#### LED Colour Temperature

2700 K; 3000K CRI>90 3500 K CRI>80

#### Control

Analog: Push

Pg 264/412 VOL 1 Pg 330 VOL 2




North combines pendant and wall application to provide elegant and adjustable solutions. Choose from different shade sizes for more focused or diffused illumination.

# Halo



Design by Martín Azúa.

Halo's graphic simplicity lends it an ethereal quality. The fixture seems to float in mid-air, powered by invisible LEDs hidden within its opalized, linear diffuser.



338 VOL 2 HALO

2360

102,5 x 5,7 cm

When composed as a collection, Halo comes alive with new compositional value. Rotation around a central axis allows the light sticks to be positioned as desired, creating a luminous mural that bathes the surrounding wall in a diffuse light.

11 Black (NCS S 8500-N)

13 Off-White (NCS S 1000-N)

Diffuser: PMMA LED support: Aluminum


#### LED Colour Temperature

2700 K CRI>90

3000 K CRI>80

#### Control

Analog: 1-10V Digital: DALI-2 Smart: Casambi (Remote)



Pg 218 VOL 1 Pg 336 VOL 2



# Sticks



Design by Arik Levy.

A pure solution for a minimalist interior, Sticks features luminaires of various lengths and incorporates a range of electrical connection options for seamless integration with the surrounding architecture.



342 VOL 2 STICKS









344 VOL 2 STICKS WALL 345 VOL 2



Horizontal version with a UGR index <19 available



Linear flat diffuser





11 Black (S 8500-N)

Stick: Aluminum Diffuser: PC- Polycarbonate

### LED Colour Temperature

2700K; 3000K; 3500K CRI>90

#### Control

Analog: Push, 1-10V Digital: DALI-2 Smart: Casambi

#### Electrical connection options









& plug

Floor base Surface canopy disc S

Built-in

Remote driver Built-in Micro

## Connecting space application


Sticks offers a creative lighting toolkit for integrating light elements in an interior space, connecting the different architectural planes.

#### Connectable

The Sticks collection has three sizes: 1.5 m, 2 m, or 3 m, and they can be connected one to each other to a total maximum lenght of 6.5 meters per electrical connection.



Sticks are connected one to each other with a 15 cm length cord.




Each stick rotates on its own axis, allowing light to be directed precisely where needed.

1.5 m 2 m

3 m

Wall-Wall











Wall-Pendants








Floor-Wall





## Offset



Up&Down Surface Grazer



Colour Mood Grazer

### Design by Xuclà.

Offset combines soft, indirect light with an industrial, geometric silhouette. Offering a range of linear or angular luminaires and available in a range of different sizes, the system guarantees the versatility to adapt to any space.



351 VOL 2





352 VOL 2 OFFSET WALL 353 VOL 2

11 Black (NCS S 8500-N)

23 Warm White (NCS S 0502-Y50R)

24 Beige M1 (NCS S 2005-Y50R)

Ref. 1770, 1772 and 1774 Body: Aluminum Lens: PMMA

Pg 460 VOL1 Pg 94/348 VOL 2

Ref. 1760, 1762, 1765 and 1767 Body: Aluminum

Diffuser: PC - Polycarbonate

#### LED Colour Temperature


Ref. 1770,1772 and 1774 Static White 2700 K; 3000 K; 3500 K Ref. 1760, 1762, 1765 and 1767 Infinite Colour (TW + RGB) CRI >90

#### Control

Ref. 1770
Analog: On / Off; Push (Remote)
Digital: DALI-2 (Remote)
Smart: Casambi (Remote)
Ref. 1772 and 1774
Analog: Push
Digital: DALI-2
Smart: Casambi

Ref. 1760, 1762, 1765 and 1767 Smart: ProtoPixel\*

\*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)



## Up&Down Surface Grazer



### Colour Mood Grazer

 Left
 Right
 Left
 Right

 1762
 1760
 1767
 1765

 7 x 125 x 5 cm
 7 x 225 x 5 cm

