




INDEX STEINHAUER COLLECTION

pages 16 to 273


Ambiance	165
Ancilla	157
Bambus	221
Bande	33
Bikkel	177
Bloc	31
Bollique	135
Brass	256
Brooklyn	184
Capri	195
Ceiling and wall	218
Ceiling panels	272
Constellation	150
Daphne	80
Elegant Classy	235
Feuilleter	190
Flady	112
Glaslic	154
Ikaro	215
Krisip	170
Lido	213
Litho	83
Lotus	153
Muro	85
Mykty	111
Natasja	205
Outdoor collection	260
Parade	175
Pelite spot	208
Pimpernel	191
Piola	62
Points Noirs	202
Prestige Chic	237
Profilo	37
Reflexion	124
Retina	39
Ringlede	90
Ringlux	102
Semicirkel	173
Serenade	88
Smukt	166
Soleil	43
Sovereign Classic	121
Sparkled Light	224
Spring	186
Stang	241
Tallerken	117
Tor	168
Tubel	169
Tuk	176
Turound	17
Vidrio	116
Vortex	122
Warbier	176
Yorkshire	167
Zelena	66
Zenith	48
Zodiac	73




Pag. 17
Turound



Pag. 31
Bloc




Pag. 33
Bande



Pag. 37
Profilo



Pag. 39
Retina



Pag. 43
Soleil



Pag. 48
Zenith



Pag. 62
Piola



Pag. 66
Zelena



Pag. 73
Zodiac



Pag. 80
Daphne



Pag. 83
Litho



Pag. 85
Muro



Pag. 88
Serenade



Pag. 90 / 102
Ringlede / Ringlux



Pag. 111
Mykty



Pag. 112
Flady



Pag. 114
Vortex



Pag. 117 / 121
Tallerken / Sovereign Classic



Pag. 122
Vidrio



Pag. 124
Reflexion



Pag. 135
Bollique



Pag. 150
Constellation



Pag. 153
Lotus



Pag. 154
Glaslic



Pag. 157
Ancilla



Pag. 165
Ambiance



Pag. 166 / 167
Smukt / Yorkshire



Pag. 168 / 169
Tor / Tubel



Pag. 170
Krisip



Pag. 173
Semicirkel



Pag. 174 / 175
Warbier / Parade



Pag. 176
Tuk



Pag. 177
Bikkel



Pag. 184
Brooklyn



Pag. 186
Spring



Pag. 190 / 191
Feuilleter / Pimpernel



Pag. 195
Capri



Pag. 202
Points Noirs




Pag. 205
Natasja



Pag. 208
Pelite spot



Pag. 213 / 215
Lido / Ikaro



Pag. 218
Ceiling and wall




Pag. 221
Bambus



Pag. 224
Sparkled Light



Pag. 235
Elegant Classy



Pag. 237 / 241
Prestige Chic / Stang



Pag. 256
Brass



Pag. 260 / 272
Outdoor collection / Ceiling panels



INDEX ANNE COLLECTION

pages 274 to 331

- Animaux 317
- Aura 321
- Bangalore 308
- Bois 290
- Brassi 331J
- Bundle 302
- Capos 305
- Clearvoyand 287
- Cloud 304
- Dolphin 289
- Dunbar 278
- Fjorgard 279
- Flinter 306
- Frisk 282
- Geurnsey 284
- Grass 327
- Jazz 311
- Kasket 277
- Linstrom 312
- Lyons 297
- Mark III 285
- Marrakesch 329
- Maze 322
- Millstone 286
- Muoversi 309
- Porcelain 310
- Woody 280
- Zappa 281



Pag. 277
Kasket



Pag. 278
Dunbar



Pag. 279
Fjorgard



Pag. 280
Woody



Pag. 311
Jazz



Pag. 312
Linstrom



Pag. 317
Animaux



Pag. 321
Aura



Pag. 322
Maze



Pag. 281
Zappa



Pag. 282
Frisk



Pag. 284
Geurnsey



Pag. 285
Mark III



Pag. 327
Grass



Pag. 329
Marrakesch



Pag. 331
Brassi



Pag. 286
Millstone



Pag. 287
Clearvoyand



Pag. 289
Dolphin



Pag. 290
Bois



Pag. 297
Lyons



Pag. 302
Bundle



Pag. 304
Cloud



Pag. 305
Capos



Pag. 306
Flinter



Pag. 308
Bangalore



Pag. 309
Muoversi




Pag. 310
Porcelain




INDEX MEXLITE COLLECTION

pages 332 to 440

Acier	365
Aureole	366
Belana	373
Bella	422
Biron	339
Bjorr	393
Black Moon	371
Buckley	380
Carree	376
Ceiling and wall	359
Cera	372
Danske	334
Davin	375
Densi	397
Dion	440
Ebbe	402
Eden	390
Eliga	395
Ella	394
Eloi	344
Espen	370
Fez Black	364
Flex	379
Gaeve	396
Galaxy	358
Gearmetal	415
Gearwood	404
Geripu	416
Grazioglass	420
Karl	350
Lisanne	398
Minimalics	403
Noor	426
Nouveau	434
Nove	385
Office Magna	378
Ornoir	435
Paco	401
Platu	349
Sabi	439
Serpent	353
Skandina	369
Solva	431
Stekk	336
Study	419
Sunflower	417
Synna	346
Triek	436
Upround	355
Volcan	362



pag. 334
Danske




pag. 336
Stekk



pag. 339
Biron




Pag. 344
Eloi




pag. 346
Synna



pag. 349
Platu



pag. 350
Karl



pag. 353
Serpent



pag. 355
Upround



pag. 358
Galaxy



pag. 359
Ceiling and Wall



pag. 362
Volcan



pag. 364
Fez Black



pag. 365
Acier



pag. 366
Aureole



pag. 369
Skandina



pag. 370
Espen




pag. 371
Black moon



pag. 372
Cera



pag. 373
Belana



pag. 375
Davin



pag. 376
Carree



pag. 378 - 379
Office Magna / Flex



pag. 380
Buckley



pag. 385
Nove



pag. 390
Eden



pag. 393
Bjorr



pag. 394
Ella



pag. 395
Eliga



pag. 396
Gaeve



pag. 397
Densi



pag. 398
Lisanne



pag. 401
Paco



pag. 402
Ebbe



pag. 403
Minimalics



pag. 404
Gearwood



pag. 415
Gearmetal



pag. 416
Geripu



pag. 417
Sunflower



pag. 419
Study



pag. 420
Grazioglass



pag. 422
Bella



pag. 426
Noor



pag. 431
Solva



pag. 434
Nouveau



pag. 435
Ornoir



pag. 436
Triek




pag. 439 / 440
Sabi / Dion






steinhauer
LIGHTING
exclusive

LED
BUILT-IN
REPLACEABLE
LED MODULE
BY STEINHAUER LIGHTING



Fluxy

Article	Electrification	L x W x H	Extra information
4189	27W	120 x 9 x 40-160	2700 Kelvin, 2700 Lumen, CRI90, cracked steel/champagne color, cable-lift, motion dimmers, up- and down light separately stepless dimmable
4190	39W	165 x 9 x 40-160	2700 Kelvin, 4000 Lumen, CRI90, cracked steel/champagne color, cable-lift, motion dimmers, up- and down light separately stepless dimmable



Mykty

Article	Electrification	L x W x H	Extra information
4201ZW	40W	Ø40 x 170	2300 - 2500 - 2700 Kelvin, 5200 Lumen, CRI90, floor dimmer, matt black
4203ZW	60W	Ø60 x 40-130	2700 Kelvin, 7800 Lumen, CRI90, dimmable driver, matt black, cable-lift



Mykty

Article	Electrification	L x W x H	Extra information
4204ZW	25W + 25W	95 x 30 x 60-130	2700 Kelvin, 6500 Lumen, CRI90, dimmable driver, matt black, cable-lift
4205ZW	80W	120 x 35 x 60-130	2700 Kelvin, 10500 Lumen, CRI90, dimmable driver, matt black, cable-lift



Cable-lift

4205ZW




Cable-lift

4204ZW





4585ME

Cable-lift 



4587ME



4589ME





4590ME

Belluno

Article	Electrification	L x W x H	Extra information
4585ME	5 x 9W	Ø35 x 25 -150	2200-2700 Kelvin, 4950 Lumen, CRI90, dimmable driver, cable-lift
4586ME	5 x 9W	110 x 11 x 25 -150	2200-2700 Kelvin, 4950 Lumen, CRI90, dimmable driver, cable-lift
4587ME	9W	Ø10 x 25 -150	2200-2700 Kelvin, 990 Lumen, CRI90, dimmable driver, cable-lift
4589ME	9W	20 x 14 x 42	2200-2700 Kelvin, 990 Lumen, CRI90, push dimmer
4590ME	3 x 9W	23 x 23 x 150	2200-2700 Kelvin, 2970 Lumen, CRI90, push dimmer




Cable-lift 



4586ME






4591ME



4592ME

Cable-lift 



4588ME




Belluno

Article	Electrification	L x W x H	Extra information
4588ME	9W	15 x 13 x 13	2200-2700 Kelvin, 990 Lumen, CRI90, push dimmer
4591ME	8 x 9W	100 x 32 x 25 -150	2200-2700 Kelvin, 7920 Lumen, CRI90, dimmable driver, cable-lift
4592ME	8 x 9W	115 x 15 x 25 -150	2200-2700 Kelvin, 7920 Lumen, CRI90, dimmable driver, cable-lift





Cable-lift 




4585ZW



4590ZW



4588ZW

Cable-lift 



4587ZW



4589ZW

Belluno

Article	Electrification	L x W x H	Extra information
4585ZW	5 x 9W	Ø35 x 25 -150	2200-2700 Kelvin, 4950 Lumen, CRI90, dimmable driver, cable-lift
4587ZW	9W	Ø10 x 25 -150	2200-2700 Kelvin, 990 Lumen, CRI90, dimmable driver, cable-lift
4588ZW	9W	15 x 13 x 13	2200-2700 Kelvin, 990 Lumen, CRI90, push dimmer
4589ZW	9W	20 x 14 x 42	2200-2700 Kelvin, 990 Lumen, CRI90, push dimmer
4590ZW	3 x 9W	23 x 23 x 150	2200-2700 Kelvin, 2970 Lumen, CRI90, push dimmer





4591ZW


Belluno

Article	Electrification	L x W x H	Extra information
4586ZW	5 x 9W	110 x 11 x 25 -150	2200-2700 Kelvin, 4950 Lumen, CRI90, dimmable driver, cable-lift
4591ZW	8 x 9W	100 x 32 x 25 -15	2200-2700 Kelvin, 7920 Lumen, CRI90, dimmable driver, cable-lift
4592ZW	8 x 9W	115 x 15 x 25 -150	2200-2700 Kelvin, 7920 Lumen, CRI90, dimmable driver, cable-lift



4592ZW




Cable-lift 



4586ZW





Turound

Article	Electrification	L x W x H	Extra information
2663ZW	10W + 40W	27 x 58 x 187	2200 - 4000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
2734ZW	10W	62 x 20 x 17	2200 - 4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3082ZW	10W	56 x 100-140	2200 - 4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable



3512ZW



2993ZW

Turound

Article	Electrification	L x W x H	Extra information
2993ZW	40W	Ø27 x 187	2200-4000 Kelvin, 4000 Lumen, CRI90, push dimmer, light color adjustable
3512ZW	4 x 10W	120 x 16 x 80-122	2200-4000 Kelvin, 4000 Lumen, CRI90, push dimmer, light color adjustable



2560ST



2733ST



3081ST



Turound

Article	Electrification	L x W x H	Extra information
2560ST	10W + 40W	27 x 58 x 187	2200-4000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
2733ST	10W	62 x 20 x 17	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3081ST	10W	56 x 100-140	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable



3512ST



Turound

Article	Electrification	L x W x H	Extra information
2992ST	40W	Ø27 x 187	2200-4000 Kelvin, 4000 Lumen, CRI90, push dimmer, light color adjustable
3512ST	4 x 10W	120 x 16 x 80-122	2200-4000 Kelvin, 4000 Lumen, CRI90, push dimmer, light color adjustable



2992ST



2663BR



3082BR



2 charging ports



3402BR



3083BR



Turound

Article	Electrification	L x W x H	Extra information
2663BR	10W + 40W	27 x 58 x 187	2200 - 4000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
3082BR	10W	56 x 100-140	2200 - 4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable

Retina


Article	Electrification	L x W x H	Extra information
3083BR	10W	23 x 60 x 100-125	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, dim to warm,
3402BR	10W	26-45 x 11 x 16	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, dim to warm, USB-A and USB-C port



3402ZW



3402ST



3083ZW



2 charging ports



3083ST

Retina

Article	Electrification	L x W x H	Extra information
3083	10W	23 x 60 x 100-125	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, dim to warm,
3402	10W	26-45 x 11 x 16	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, dim to warm, USB-A and USB-C port

Rechargeable and cordless reading lamp

Operating time at full power with 100% battery power 8H.



3515ZW



2 batteries LI Ion, 3,7V/8000mAh, 29,6Wh.

Floor stand battery charger



Indicator of charge



3515GO



3515CR



3515BR



3515CH




3515ST




Soleil

Article	Electrification	L x W x H	Extra information
3515	7W	Ø20 x 55 x 106-144	2200-4000 Kelvin, 900 Lumen, energy class E, CRI90, light color adjustable, memory touch dimmer



Cable-lift 




Soleil 2

Article	Electrification	L x W x H	Extra information
4140ZW	40W	Ø32 x 60-130	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver, cable-lift
4386ZW	40W + 10W	32 x 76 x 185	2200 - 4000 Kelvin, 6500 Lumen, CRI90, light color adjustable, remote control
4387ZW	10W	105 x 180 x 51	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable, remote control
4388ZW	30W + 10W	35 x 58 x 183	2200 - 4000 Kelvin, 5200 Lumen, CRI90, light color adjustable, remote control
4389ZW	10W	23 x 48 x 135	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable, remote control
4865ZW	10W	20 x 70 x 84	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable, remote control



4387BR

Cable-lift



4140BR



4389BR



4386BR



4388BR

Soleil 2


Article	Electrification	L x W x H	Extra information
4140BR	40W	Ø32 x 60-130	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver, cable-lift
4386BR	40W + 10W	32 x 76 x 185	2200 - 4000 Kelvin, 6500 Lumen, CRI90, light color adjustable, remote control
4387BR	10W	105 x 180 x 51	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable, remote control
4388BR	30W + 10W	35 x 58 x 183	2200 - 4000 Kelvin, 5200 Lumen, CRI90, light color adjustable, remote control
4389BR	10W	23 x 48 x 135	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable, remote control




4386ST




4388ST

Cable-lift 



4140ST



4387ST



4865ST



Soleil 2

Article	Electrification	L x W x H	Extra information
4140ST	40W	Ø32 x 60-130	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver, cable-lift
4386ST	40W + 10W	32 x 76 x 185	2200 - 4000 Kelvin, 6500 Lumen, CRI90, light color adjustable, remote control
4387ST	10W	105 x 180 x 51	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable, remote control
4388ST	30W + 10W	35 x 58 x 183	2200 - 4000 Kelvin, 5200 Lumen, CRI90, light color adjustable, remote control
4389ST	10W	23 x 48 x 135	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable, remote control
4865ST	10W	20 x 70 x 84	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable, remote control



4389ST




4395ZW

Zenith 2

Article	Electrification	L x W x H	Extra information
4394ZW	30W + 8W	28 x 45 x 185	2200 - 4000 Kelvin, 4940 Lumen, CRI90, push dimmer, light color adjustable
4395ZW	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4396ZW	8W	Ø15 x 15	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4397ZW	8W	15 x 31 x 38	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4398ZW	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, rechargeable, usage time 8 hours



4396ZW



4398ZW



4397ZW




4394ZW

4398ZW is rechargeable

2 batteries LI Ion, 3,7V/8000mAh, 29,6Wh.

Floor stand battery charger



4392ZW



4393ZW



4391ZW



4390ZW

Zenith 2

Article	Electrification	L x W x H	Extra information
4390ZW	40W + 8W	28 x 75 x 185	2200 - 4000 Kelvin, 6240 Lumen, CRI90, push dimmer, light color adjustable
4391ZW	8W	25 x 60 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4392ZW	8W	12 x 53 x 30	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4393ZW	8W	15 x 28 x 50	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable



4394BR

steinhauer
LIGHTING
exclusive



4395BR



4397BR



4396BR



Zenith 2

Article	Electrification	L x W x H	Extra information
4394BR	30W + 8W	28 x 45 x 185	2200 - 4000 Kelvin, 4940 Lumen, CRI90, push dimmer, light color adjustable
4395BR	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4396BR	8W	Ø15 x 15	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4397BR	8W	15 x 31 x 38	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable



4391BR



4393BR



4398BR



4398BR is rechargeable

2 batteries LI Ion, 3,7V/8000mAh, 29,6Wh.

Floor stand battery charger

Zenith 2

Article	Electrification	L x W x H	Extra information
4390BR	40W + 8W	28 x 75 x 185	2200 - 4000 Kelvin, 6240 Lumen, CRI90, push dimmer, light color adjustable
4391BR	8W	25 x 60 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4392BR	8W	12 x 53 x 30	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4393BR	8W	15 x 28 x 50	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4398BR	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, rechargeable, usage time 8 hours



4390BR



4392BR






4397ST

Zenith 2

Article	Electrification	L x W x H	Extra information
4394ST	30W + 8W	28 x 45 x 185	2200 - 4000 Kelvin, 4940 Lumen, CRI90, push dimmer, light color adjustable
4395ST	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4396ST	8W	Ø15 x 15	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4397ST	8W	15 x 31 x 38	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable



4396ST



4395ST



4394ST





Zenith 2

Article	Electrification	L x W x H	Extra information
4390ST	40W + 8W	28 x 75 x 185	2200 - 4000 Kelvin, 6240 Lumen, CRI90, push dimmer, light color adjustable
4391ST	8W	25 x 60 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4392ST	8W	12 x 53 x 30	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4393ST	8W	15 x 28 x 50	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4398ST	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, rechargeable, usage time 8 hours



4392ST



4391ST



4393ST



4398ST





4396ME



4394ME



4398ME



4397ME

4398ME is rechargeable



Floor stand battery charger




2 batteries LI Ion, 3,7V/8000mAh, 29,6Wh.



4395ME

Zenith 2

Article	Electrification	L x W x H	Extra information
4394ME	30W + 8W	28 x 45 x 185	2200 - 4000 Kelvin, 4940 Lumen, CRI90, push dimmer, light color adjustable
4395ME	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4396ME	8W	Ø15 x 15	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4397ME	8W	15 x 31 x 38	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable
4398ME	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, rechargeable, usage time 8 hours



4601BR



4602BR



Daphne 2

Article	Electrification	L x W x H	Extra information
4601BR	10W	25 x 58 x 131	2200 - 3000 Kelvin, 1200 Lumen, CRI90, push dimmer, light color adjustable, remote control
4602BR	30W + 10W	28 x 62 x 185	2200 - 3000 Kelvin, 4800 Lumen, CRI90, push dimmer, light color adjustable, remote control



4602ST



4601ST



Daphne 2

Article	Electrification	L x W x H	Extra information
4601ST	10W	25 x 58 x 131	2200 - 3000 Kelvin, 1200 Lumen, CRI90, push dimmer, light color adjustable, remote control
4602ST	30W + 10W	28 x 62 x 185	2200 - 3000 Kelvin, 4800 Lumen, CRI90, push dimmer, light color adjustable, remote control



4601ZW



4602ZW


Daphne 2

Article	Electrification	L x W x H	Extra information
4601ZW	10W	25 x 58 x 131	2200 - 3000 Kelvin, 1200 Lumen, CRI90, push dimmer, light color adjustable, remote control
4602ZW	30W + 10W	28 x 62 x 185	2200 - 3000 Kelvin, 4800 Lumen, CRI90, push dimmer, light color adjustable, remote control





3994CA




Cable-lift



3994BR



3994ST



3994ZW

Bande

Article	Electrification	L x W x H	Extra information
3994	16,8W + 2 x 4,2W	114 x 8 x 80-120	2200-4000 Kelvin, 2500 Lumen, CRI90, up- and downlight, separately dimmable and adjustable in light color, touch buttons




3995ZW



3995CA



3995BR



Cable-lift ↕

3995ST



Bande

Article	Electrification	L x W x H	Extra information
3995	21W + 2 x 8,4W	155 x 8 x 80-120	2200-4000 Kelvin, 3800 Lumen, CRI90, up- and downlight, separately dimmable and adjustable in light color, touch buttons



4863ST



4906BR



4906ST



4906ZW



4863BR





4863ZW




Bande

Article	Electrification	L x W x H	Extra information
4863	2 x 15W + 2 x 8W	90-150 x 8 x 80-120	2200-4000 Kelvin, 4600 Lumen, CRI90, up- and downlight, separately dimmable and adjustable in light color
4906	11W + 2 x 4W	80 x 8 x 80-120	2200-4000 Kelvin, 2000 Lumen, CRI90, up- and downlight, separately dimmable and adjustable in light color



Karol

Article	Electrification	L x W x H	Extra information
4733	25W + 25W	120 x 9 x 40-170	2300-2700 Kelvin, 5000 Lumen, CRI90, up- and downlight, separately dimmable and adjustable in light color, cable lift, remote control
4734	30W + 30W	150 x 9 x 40-170	2300-2700 Kelvin, 6000 Lumen, CRI90, up- and downlight, separately dimmable and adjustable in light color, cable lift, remote control





1482BR



1482GO



1482ST



1482ZW

Zelena

Article	Electrification	L x W x H	Extra information
1482	2 x 4W + 17W	119 x 8 x 82-117	2200-4000 Kelvin, 2500 Lumen, CRI90, push dimmers, up- and down light separately dimmable and light color adjustable



7971BR



7971ST



7971GO



7971ZW

Zelena

Article	Electrification	L x W x H	Extra information
7971	2 x 4W + 21W	150 x 8 x 82-117	2200-4000 Kelvin, 3700 Lumen, CRI90, push dimmers, up- and down light separately dimmable and light color adjustable



4133ZW



Luzhaz

Article	Electrification	L x W x H	Extra information
4133ZW	24W	Ø10 x 157	2700 Kelvin, 2400 Lumen, CRI90, motion dimmer



2431ZW

2431BR

2431ST



Litho

Article	Electrification	L x W x H	Extra information
2431	9W	60 x 16 x 9	2200-4000 Kelvin, 850 Lumen, CRI90, push dimmer, light color adjustable



2685ZW



2685ST



2684ZW



2684ST

Serenade

Article	Electrification	L x W x H	Extra information
2684	10W	20 x 15 x 60	4-steps dimmable, 2200-2800-3400-4000 Kelvin, 900 Lumen, light color adjustable
2685	10W	20 x 15 x 140	4-steps dimmable, 2200-2800-3400-4000 Kelvin, 900 Lumen, light color adjustable



3365CA



3365ZW



3365CR




3365E



3365CR

Muro

Article	Electrification	L x W x H	Extra information
3365	3W G9	13 x 7,5 x 9	2700 Kelvin, 300 Lumen, dimmable light source



Muro

Article	Electrification	L x W x H	Extra information
3367	3W G9	13,5 x 12,5 x 13	2700 Kelvin, 300 Lumen, dimmable light source
3368	2 x 3W G9	20 x 12,5 x 13	2700 Kelvin, 2 x 300 Lumen, dimmable light source



3364CA



3364ZW



3364CR



3366ZW



3098ZW



Muro

Article	Electrification	L x W x H	Extra information
3098ZW	2 x 3W	11 x 11 x 11	2700 Kelvin, 2 x 240 Lumen, dimmable driver, IP44, also suitable for bathroom and outdoor
3364	3W G9	13 x 11 x 8	2700 Kelvin, 300 Lumen, dimmable light source
3366ZW	3W G9	12 x 14 x 12	2700 Kelvin, 300 Lumen, dimmable light source



2563ZI



2562ZI



3086ZI




Ringlede

Article	Electrification	L x W x H	Extra information
2562ZI	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
2563ZI	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, CRI90, dimmable driver
3086ZI	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
4612ST	40W	Ø57 x 40-170	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver, cable lift

Cable-lift

4612ST





3086GO



2562GO



2563GO



Cable-lift

4612GO




Ringlede

Article	Electrification	L x W x H	Extra information
2562GO	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
2563GO	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, CRI90, dimmable driver
3086GO	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
4612GO	40W	Ø57 x 40-170	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver, cable lift



4612ZW

Cable-lift 



2563ZW



2562ZW



3086ZW



Ringlede

Article	Electrification	L x W x H	Extra information
2562ZW	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
2563ZW	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, CRI90, dimmable driver
3086ZW	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
4612ZW	40W	Ø57 x 40-170	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver, cable lift



3086W



2562W




2563W



Ringlede

Article	Electrification	L x W x H	Extra information
2562W	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
2563W	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, CRI90, dimmable driver
3086W	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
4612W	40W	Ø57 x 40-170	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver, cable lift

Cable-lift 

4612W





2563BR



2562BR



3086BR



Ringlede

Article	Electrification	L x W x H	Extra information
2562BR	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
2563BR	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, CRI90, dimmable driver
3086BR	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver





3691GO



3691ZW



3690ZW



3690GO



Ringlede

Article	Electrification	L x W x H	Extra information
3690	20W	Ø28 x 6	2700 Kelvin, 1600 Lumen, CRI90, dimmable driver, top and bottom light
3691	30W	Ø38 x 6	2700 Kelvin, 2400 Lumen, CRI90, dimmable driver, top and bottom light



3502GO



3502ST

3502ZW

Ringlux

Article	Electrification	L x W x H	Extra information
3502	42W	Ø60 x 50-150	2700 Kelvin, 4200 Lumen, CRI90, dimmable driver, top and bottom light





3676ZW



3675ZW



steinhauer
LIGHTING



3676GO



3675GO

Ringlux

Article	Electrification	L x W x H	Extra information
3675	60W	Ø80 x 50-190	2700 Kelvin, 5400 Lumen, CRI90, dimmable driver, top and bottom light
3676	80W	Ø100 x 50-190	2700 Kelvin, 7200 Lumen, CRI90, dimmable driver, top and bottom light





4130ZW



4130ST

4130GO




Ringlux

Article	Electrification	L x W x H	Extra information
4130	40W	50 x 130-210 x 210-240	2200 - 2600 - 3000 Kelvin, 4000 Lumen, CRI90, floor dimmer, top and bottom light



Ringlux

Article	Electrification	L x W x H	Extra information
4138	10W	30-60 x 25 x 110-140	2700 Kelvin, 1000 Lumen, CRI90, touch dimmer, top and bottom light
4139	10W	25-50 x 20 x 40-75	2700 Kelvin, 1000 Lumen, CRI90, touch dimmer, top and bottom light





Ringlux

Article	Electrification	L x W x H	Extra information
4134	25W	Ø30 x 5,6	2700 Kelvin, 2500 Lumen, CRI90, dimmable driver, top and bottom light
4135	36W	Ø40 x 5,6	2700 Kelvin, 3600 Lumen, CRI90, dimmable driver, top and bottom light



4135GO



4134GO



4135ST



4134ST



4135ZW




4134ZW





3692ZW



3692GO



4742ZW



Ringlux

Article	Electrification	L x W x H	Extra information
3692	50W	Ø60 x 40-150	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver
4742ZW	48W	Ø60 x 130-210 x 210-240	2200 - 2700 Kelvin, 4800 Lumen, CRI90, floor dimmer, remote control



4331ZW



4732ZW



4332ZW

Golden veil

Article	Electrification	L x W x H	Extra information
4331ZW	35W	Ø40 x 12	2700 Kelvin, 3500 Lumen
4332ZW	48W	Ø60 x 30-125	2700 Kelvin, 4800 Lumen
4732ZW	48W	Ø60 x 12	2700 Kelvin, 4800 Lumen





3686ZW



3685ZW



4367ZW



3686BR



3685BR



4367BR



4367GO



3685GO



3686GO



Flady

Article	Electrification	L x W x H	Extra information
3685	30W + 6W	Ø40 x 7	2700 Kelvin, 3500 Lumen, CRI90, dimmable driver, top and bottom light
3686	40W + 8W	Ø50 x 7	2700 Kelvin, 4600 Lumen, CRI90, dimmable driver, top and bottom light
4367	16W + 4W	Ø30 x 7	2700 Kelvin, 2000 Lumen, CRI90, dimmable driver, top and bottom light




3686ST




4367ST




3685ST



3685W



4367W



3686W



Flady

Article	Electrification	L x W x H	Extra information
3685	30W + 6W	Ø40 x 7	2700 Kelvin, 3500 Lumen, CRI90, dimmable driver, top and bottom light
3686	40W + 8W	Ø50 x 7	2700 Kelvin, 4600 Lumen, CRI90, dimmable driver, top and bottom light
4367	16W + 4W	Ø30 x 7	2700 Kelvin, 2000 Lumen, CRI90, dimmable driver, top and bottom light





7798GO



7797GO



7799GO



7798ZW



7799ZW



7797ZW



7799W



7798W



7797W

Lido

Article	Electrification	L x W x H	Extra information
7797	12W	Ø28 x 6	2700 Kelvin, 1100 Lumen, dimmable driver
7798	18W	Ø36 x 6	2700 Kelvin, 1500 Lumen, dimmable driver
7799	24W	Ø42 x 6	2700 Kelvin, 2200 Lumen, dimmable driver



2564W



2564ZW



2564ST

Lido

Article	Electrification	L x W x H	Extra information
2564	8W	Ø17 x 4	2700 Kelvin, 700 Lumen, dimmable driver



4132ZW



4131ZW



4132W



4131W



Luminix

Article	Electrification	L x W x H	Extra information
4131	15W	Ø20 x 2,5	2700 - 3000 - 3500 Kelvin, 1500 Lumen, CRI90, 4-steps dimmable, IP44
4132	18W	Ø29 x 2,5	2700 - 3000 - 3500 Kelvin, 1800 Lumen, CRI90, 4-steps dimmable, IP44



3797ME



2681ME



2683ME



2682ME

Reflexion



Article	Electrification	L x W x H	Extra information
2681ME	E27	Ø22 x 22	cable switch
2682ME	E27	Ø15 x 28	cable switch
2683ME	E27	Ø16 x 23	cable switch
3797ME	6 x E27 + Incl. 3 x 4,9W GU10	140 x 44 x 35-150	2200-2700 Kelvin, 1440 Lumen, GU10 dim to warm



steinhauer
LIGHTING



3079ZW



3078ZW

Reflexion

Article	Electrification	L x W x H
3078ZW	5 x E27	100 x 30 x 40-200
3079ZW	3 x E27	Ø40 x 30-370



3796ZW



2682ZW



Reflexion

Article	Electrification	L x W x H	Extra information
2681ZW	E27	Ø22 x 22	cable switch
2682ZW	E27	Ø15 x 28	cable switch
2683ZW	E27	Ø16 x 23	cable switch
3796ZW	6 x E27 + Incl. 3 x 4,9W GU10	140 x 44 x 35-150	2200-2700 Kelvin, 1440 Lumen, GU10 dim to warm



2683ZW



2681ZW



Reflexion

Article	Electrification	L x W x H
3387ZW	E27	Ø25 x 17
3388ZW	E27	Ø30 x 19,5

Bollique

Article	Electrification	L x W x H
7376ST	5 x E27	Ø60 x 60-350






2730ZW



2730CR



2730CA

Bollique

Article	Electrification	L x W x H
2730	5 x E27	Ø60 x 60-350



3123ZW



3498ZW



3497ZW



4186ZW



3496ZW

Bollique

Article	Electrification	L x W x H
3123ZW	3 x E27	Ø35 x 35-200
3496ZW	E27	Ø20 x 30-150
3497ZW	E27	Ø25 x 30-150
3498ZW	E27	Ø30 x 30-150
4186ZW	E27	Ø40 x 50-180



Bollique

Article	Electrification	L x W x H	Extra Information
3798ZW	6 x E27 + incl. 3 x 4,9W GU10	140 x 55 x 35-150	2200 - 2700 Kelvin, 1440 Lumen, GU10 dim to warm
3800ZW	3 x E27 + incl. 2 x 4,9W GU10	Ø60 x 35-150	2200 - 2700 Kelvin, 960 Lumen, GU10 dim to warm





Bollique

Article	Electrification	L x W x H	Extra Information
4846ZW	6 x E27 + 3 x 4,9W GU10	120 x 55 x 50-150	2200 - 2700 Kelvin, 1440 Lumen, GU10 dim to warm
4847ZW	5 x E27 + 2 x 4,9W GU10	110 x 25 x 40-160	2200 - 2700 Kelvin, 960 Lumen, GU10 dim to warm





Bollique

Article	Electrification	L x W x H	Extra Information
3799ME	6 x E27 + incl. 3 x 4,9W GU10	140 x 55 x 35-150	2200 - 2700 Kelvin, 1440 Lumen, GU10 dim to warm
3801ME	3 x E27 + incl. 2 x 4,9W GU10	Ø60 x 35-150	2200 - 2700 Kelvin, 960 Lumen, GU10 dim to warm






2730ME



4186ME



3498ME



3497ME



3496ME



Bollique

Article	Electrification	L x W x H
2730ME	5 x E27	Ø60 x 60-350
3496ME	E27	Ø20 x 30-150
3497ME	E27	Ø25 x 30-150
3498ME	E27	Ø30 x 30-150
4186ME	E27	Ø40 x 50-180



4195ZW

4195ZW



4196ZW

Bollique

Article	Electrification	L x W x H	Extra information
4195ZW	12 x 6W	Ø50 x 60-350	2700 Kelvin, 7200 Lumen, CRI90, dimmable driver, dimmable light source
4196ZW	5 x 6W	Ø60 x 60-350	2700 Kelvin, 3000 Lumen, CRI90, dimmable driver, dimmable light source





Bollique

Article	Electrification	L x W x H	Extra information
4609BR	E14	25 x 15 x 40	cable switch on/off
4610BR	E14	25 x 16 x 46	cable switch on/off
4611BR	3 x E14	Ø40 x 173	cable switch on/off





4611ZW



4609ZW




4610ZW



Bollique

Article	Electrification	L x W x H	Extra information
4609ZW	E14	25 x 15 x 40	cable switch on/off
4610ZW	E14	25 x 16 x 46	cable switch on/off
4611ZW	3 x E14	Ø40 x 173	cable switch on/off



Cable-lift 

4719ZW



Cable-lift 

4718ZW

4714ZW

4905ZW

Volari

Article	Electrification	L x W x H	Extra information
4714ZW	5W	Ø8 x 50-170	2300 - 2700 Kelvin, 500 Lumen, dimmable driver, dimmable light source, cable-lift
4718ZW	5 x 5W	Ø45 x 50-170	2300 - 2700 Kelvin, 2500 Lumen, dimmable driver, dimmable light source, cable-lift
4719ZW	9 x 5W	120 x 30 x 50-170	2300 - 2700 Kelvin, 4500 Lumen, dimmable driver, dimmable light source, cable-lift
4905ZW	5W	Ø16 x 50-170	2200 - 2700 Kelvin, 500 Lumen, dimmable driver, dimmable light source, cable-lift





4712ZW



4713ZW



4710ZW



4709ZW



4711ZW

Volari

Article	Electrification	L x W x H	Extra information
4709ZW	5W	26 x 12 x 50	2300 - 2700 Kelvin, 500 Lumen,
4710ZW	5W	35 x 16 x 125	2300 - 2700 Kelvin, 500 Lumen,
4711ZW	2 x 5W	21 x 21 x 157	2300 - 2700 Kelvin, 1000 Lumen,
4712ZW	5W	10 x 10 x 16	2300 - 2700 Kelvin, 500 Lumen,
4713ZW	2 x 5W	22 x 10 x 16	2300 - 2700 Kelvin, 1000 Lumen,



Volari

Article	Electrification	L x W x H	Extra information
4714ST	5W	Ø8 x 50-170	2300 - 2700 Kelvin, 500 Lumen, dimmable driver, dimmable light source
4718ST	5 x 5W	Ø45 x 50-170	2300 - 2700 Kelvin, 2500 Lumen, dimmable driver, dimmable light source
4719ST	9 x 5W	120 x 30 x 50-170	2300 - 2700 Kelvin, 4500 Lumen, dimmable driver, dimmable light source
4905ST	5W	Ø16 x 50-170	2200 - 2700 Kelvin, 500 Lumen, dimmable driver, dimmable light source



4719ST



4710ST



4709ST



4711ST



4712ST




4713ST



Volari

Article	Electrification	L x W x H	Extra information
4709ST	5W	26 x 12 x 45	2300 - 2700 Kelvin, 500 Lumen
4710ST	5W	35 x 16 x 120	2300 - 2700 Kelvin, 500 Lumen
4711ST	2 x 5W	21 x 21 x 157	2300 - 2700 Kelvin, 1000 Lumen
4712ST	5W	10 x 10 x 16	2300 - 2700 Kelvin, 500 Lumen
4713ST	2 x 5W	22 x 10 x 16	2300 - 2700 Kelvin, 1000 Lumen





Cable-lift



4579ME



Cable-lift



4594ME



4593ME


4595ME



Alisio

Article	Electrification	L x W x H	Extra information
4577ME	9W	Ø8 x 50-100	2200 - 2700 Kelvin, 990 Lumen
4579ME	5 x 9W	Ø35 x 120	2200 - 2700 Kelvin, 4950 Lumen
4593ME	9W	32 x 12 x 47	2200 - 2700 Kelvin, 990 Lumen
4594ME	9W	25 x 10 x 19	2200 - 2700 Kelvin, 990 Lumen
4595ME	9W	16 x 50 x 122	2200 - 2700 Kelvin, 990 Lumen
4597ME	2 x 9W	48 x 48 x 155	2200 - 2700 Kelvin, 1980 Lumen



Cable-lift 



Alisio

Article	Electrification	L x W x H	Extra information
4578ME	5 x 9W	90 x 8 x 50 - 100	2200 - 2700 Kelvin, 4950 Lumen
4580ME	8 x 9W	100 x 35 x 50 - 120	2200 - 2700 Kelvin, 7920 Lumen
4581ME	8 x 9W	120 x 18 x 50 - 120	2200 - 2700 Kelvin, 7920 Lumen





4594ZW



4597ZW



4595ZW



4593ZW



Alisio

Article	Electrification	L x W x H	Extra information
4593ZW	9W	32 x 12 x 47	2200 - 2700 Kelvin, 990 Lumen
4594ZW	9W	25 x 10 x 19	2200 - 2700 Kelvin, 990 Lumen
4595ZW	9W	16 x 50 x 122	2200 - 2700 Kelvin, 990 Lumen
4597W	2 x 9W	48 x 48 x 155	2200 - 2700 Kelvin, 1980 Lumen



4580ZW

Cable-lift



4579ZW



4581ZW



Alisio

Article	Electrification	L x W x H	Extra information
4577ZW	9W	Ø8 x 50 - 100	2200 - 2700 Kelvin, 990 Lumen
4578ZW	5 x 9W	90 x 8 x 50 - 100	2200 - 2700 Kelvin, 4950 Lumen
4579ZW	5 x 9W	Ø35 x 50 - 120	2200 - 2700 Kelvin, 4950 Lumen
4580ZW	8 x 9W	100 x 35 x 50 - 120	2200 - 2700 Kelvin, 7920 Lumen
4581ZW	8 x 9W	120 x 18 x 50 - 120	2200 - 2700 Kelvin, 7920 Lumen

4577ZW

4578ZW





3865ZW



3864ZW



3865BR



3864BR

Glastic

Article	Electrification	L x W x H	Extra information
3864	E27	16 x 26 x 20	on/off switch
3865	2 x E27	40 x 16 x 27	





3101BR



3101ST



3101CR



3103CA



Ancilla

Article	Electrification	L x W x H	Extra information
3101	E27	Ø14,5 x 26	touch on/off
3103	E27	Ø14,5 x 26	touch on/off



3102CA



3100BR



3100ST



3102ZW



3100CR

Ancilla

Article	Electrification	L x W x H	Extra information
3100	E27	12 x 12 x 33	touch on/off
3102	E27	12 x 12 x 33	touch on/off



7932BE



7932ST



7932BR



Ancilla

Article	Electrification	L x W x H	Extra information
7932	3W G9	Ø18 x 30	2700 Kelvin, 300 Lumen, touch , light source 3-steps dimmable




6185BR



7735BR



6186BR



7961BR

Ancilla

Article	Electrification	L x W x H	Extra information
6185BR	E27	26 x 15 x 39	pull switch
6186BR	E27	26 x 15 x 39	pull switch
7735BR	E27	27 x 15 x 47-55	pull switch
7961BR	E27	27 x 15 x 47-55	pull switch



Ancilla

Article	Electrification	L x W x H	Extra information
5557ST	2 x E14	Ø30 x 39	cable switch
7933CH	3W G9	Ø18 x 30	2700 Kelvin, 300 Lumen, touch, lightsource 3-steps dimmable



Yorkshire

Article	Electrification	L x W x H	Extra information
7774ZW	E27	Ø17 x 34-61 x 23	cable switch on/off




3298ZW



Tor

Article	Electrification	L x W x H	Extra information
3298ZW	30W	100 x 21 x 40-150	2700 Kelvin, 3000 Lumen, dimmable driver



3867ME



3867ZW



Tubel

Article	Electrification	L x W x H	Extra information
3867	4,9W GU10	Ø11 x 30-150	2200 - 2700 Kelvin, 480 Lumen, dim to warm





Downlume

Article	Electrification	L x W x H	Extra information
4215ZW	10W GU10	Ø10 x 45-150	
4216ZW	5 x 10W GU10	100 x 9 x 30-140	
4333ZW	10W GU10	32 x 17 x 131	cable swith on/off
4857ZW	10W GU10	12 x 30 x 35	swith on/off



4859ZW



4858ZW



4862ZW



Downlume

Article	Electrification	L x W x H
4858ZW	2 x 10W GU10	Ø25 x 20
4859ZW	3 x 10W GU10	Ø30 x 20
4860ZW	10W GU10	10 x 10 x 20
4861ZW	2 x 10W GU10	30 x 10 x 20
4862ZW	3 x 10W GU10	50 x 10 x 20



4861ZW



4860ZW



7906ST



7904ST




7901ST



3094ST



7902ST



7903ST

Natasja

Article	Electrification	L x W x H	Extra information
3094ST	4,9W GU10	11 x 35 x 35	2200 - 2700 Kelvin, 480 Lumen, including light source, dim to warm
7901ST	4,9W GU10	8,5 x 12 x 12	2200 - 2700 Kelvin, 480 Lumen, including light source, dim to warm
7902ST	2 x 4,9W GU10	38 x 18 x 12	2200 - 2700 Kelvin, 2 x 480 Lumen, including light sources, dim to warm
7903ST	3 x 4,9W GU10	68 x 18 x 12	2200 - 2700 Kelvin, 3 x 480 Lumen, including light sources, dim to warm
7904ST	4 x 4,9W GU10	90 x 18 x 12	2200 - 2700 Kelvin, 4 x 480 Lumen, including light sources, dim to warm
7906ST	6 x 4,9W GU10	134 x 18 x 12	2200 - 2700 Kelvin, 6 x 480 Lumen, including light sources, dim to warm





1731W



1731ST



1731ZW



BATHROOM
IP44



4705W



4705ZW



4705ST



2488ZW



2488W



4705BR

BATHROOM
IP44



2488ST



2-position switch

position 1
2200 - 2700 Kelvin

position 2
3000 Kelvin



Pelite spot

Article	Electrification	L x W x H	Extra information
1731	GU10	Ø8,5 x 9	excluding light source
2488	GU10	Ø10 x 4,4	excluding light source, IP44
4705	6 W	Ø8 x 4	2-position switch, 540 Lumen, dimmable driver, including light source, IP44



7305ST



7305ZW



7305W



7304ST



7304ZW



7304W

Pelite spot

Article	Electrification	L x W x H	Extra information
3371	GU10	Ø10 x 7	excluding light source
7304	GU10	Ø10 x 7	excluding light source
7305	GU10	10 x 10 x 7	excluding light source



3371ZW



3371W




3371ST





2677GR



2677ZW




2677W



Krisip

Article	Electrification	L x W x H
2677	E27	55 x 40-170





4217W




4217ZW




4217GR

Halo Cirque

Article	Electrification	L x W x H
4217	E27	Ø50 x 40-160



2555ZW



7978ZW



1452GR



Semicirkel

Article	Electrification	L x W x H
2555ZW	E27	Ø50 x 60-180

Bikkel

Article	Electrification	L x W x H
1452GR	E27	Ø45 x 55-145
7978ZW	E27	Ø32 x 40-130





7834ZW



7834GR




7834B

Bikkel

Article	Electrification	L x W x H
7834	E27	Ø52 x 63-153



7586ZW



7586GR

Bikkel

Article	Electrification	L x W x H
7586	E27	Ø42 x 55-145



7586B



7586PE



7586ST



7586G

Bikkel

Article	Electrification	L x W x H
7586	E27	Ø42 x 55-145



3391ZW



3391ST



3391G



3391W



Spring

Article	Electrification	L x W x H	Extra information
3391	E27	Ø14 x 33	on/off switch



6827W



6827ST



6827ZW



6290ST



6290ZW



6290W

Spring

Article	Electrification	L x W x H	Extra information
6290	E27	12,5 x 28-70 x 24	rotary dimmer
6827	E27	12,5 x 23 x 23	cable swith on/off



5972ZW



5971ZW



5972ZBR



5973ZW




5971BR





5973BR

Pimpernel

Article	Electrification	L x W x H
5971	2 x E14	Ø23 x 60-120
5972	4 x E14	Ø25 x 60-120
5973	E27	Ø16 x 26



4126ZW



Pentino

Article	Electrification	L x W x H	Extra information
4125ZW	GU10	16 x 68 x 34	cable switch on/off, excluding light source
4126ZW	GU10	36 x 17 x 133	cable switch on/off, excluding light source



4125ZW



4327BR



4325BR



4326BR

Anthea

Article	Electrification	L x W x H
4325BR	2 x E27	80 x 30 x 80-120
4326BR	3 x E27	110 x 30 x 80-120
4327BR	E27	Ø45 x 50-160



4328BR



4329BR



4330BR

Anthea

Article	Electrification	L x W x H	Extra information
4328BR	E27	16 x 31 x 36	cable swith on/off
4329BR	E27	16 x 26 x 36	cable swith on/off
4330BR	E27	Ø25 x 141	cable swith on/off



3306BR



Belleron

Article	Electrification	L x W x H	Extra information
2779BR	2 x E27	Ø30,5 x 11	
2785BR	2 x E27	Ø29 x 9	
3306BR	E27	Ø25 x 42	



2779BR



2785BR



4528ZW
4221ZW + K2014BS



4459ZW
3085ZW + K2014BS



4456ZW
2995ZW + K2014BS



4523ZW
4220ZW + K2014BS

4538ZW
4222ZW + K2014BS



4494ZW
3821ZW + K2014BS



4501ZW
4129ZW + K2014BS



4461ZW
3332ZW + K2014BS



4498ZW
4128ZW + K2014BS

Nox Light

Article	Electrification	L x W x H	Extra information
2995ZW	E27 + 1W LED	11 x 17,5 x 15	2900 Kelvin, 100 Lumen. 2 x on/off switch
3085ZW	E27	11 x 17,7 x 15	rotary on/off switch
3332ZW	E27	20 x 14 x 51	rotary on/off switch
4128ZW	E27	Ø9 x 15	cable switch on/off
4129ZW	E27	Ø10 x 8	
3821ZW	E27	75 x 30 x 180	rotary switch on/off
4220ZW	E27	Ø40 x 40-320	
4221ZW	E27	110 x 8 x 140	
4222ZW	E27	Ø11 x 135	
K2014BS	E27	Ø23x 14	




4478ZW
3602ZW + K2018BS



4477ZW
3602ZW + K2016BS

4476ZW
3602ZW + K2007BS




4407ZW
1481ZW + K2016BS



4561ZW
7268ZW + K2016BS

Nox Light

Article	Electrification	L x W x H	Extra information
1481ZW	E27	160 x 145-160 x 160	cable switch on/off
3602ZW	E27	Ø11 x 135	
7268ZW	E27	45 x 130-210 x 210-240	cable switch on/off
K2016BS		Ø60 x 30	



4145ZW
4129ZW + K2003BS


4144ZW
4129ZW + K2002BS



4147ZW
4129ZW + K2006BS



4146ZW
4129ZW + K2004BS



4184ZW
3602ZW + K2002BS



4152ZW
3602ZW + K2003BS



4474ZW
3602ZW + K2004BS



4151ZW
1481ZW + K2004BS



4753BR = 2574BR+K2003BS




4153ZW
2574ZW + K2003BS



Breeza Beach

Article	Electrification	L x W x H	Extra information
1481ZW	E27	160 x 145-160 x 160	cable switch on/off
2574	E27	120-9 x 40	cable switch on/off
3602ZW	E27	Ø11 x 135	
4129ZW		Ø10 x 8	
K2002BS		Ø60 x 25	
K2003BS		Ø50 x 21	
K2004BS		Ø40 x 17	
K2006BS		Ø15 x 9	



4160ZW
4142ZW + K2004BS



4310BR = 7268BR+K2002BS



4769CA = 7268C A+K2002BS



4159ZW
4141ZW + K2003BS

Breeza Beach

Article	Electrification	L x W x H	Extra information
7268	E27	45 x 130-210 x 210-240	cable switch on/off
4141ZW	E27	35 x 30-66 x 150-165	cable switch on/off
4142ZW	E27	70 -140 x 4 x 45	cable switch on/off
K2003BS		Ø50 x 21	
K2004BS		Ø40 x 17	



4149ZW
7268ZW + K2002BS

4527ZW
4221ZW + K2006BS



4522ZW
4220ZW + K2006BS



4475ZW
3602ZW + K2006BS



4143ZW
4128ZW + K2006BS



4148ZW
3821ZW + K2006BS

Breeza Beach

Article	Electrification	L x W x H	Extra information
3821ZW	E27	75 x 30 x 180	rotary switch on/off
4128ZW		Ø9 x 15	cable switch on/off
3602ZW	E27	Ø11 x 135	
4220ZW		Ø40 x 40-320	
4221ZW		110 x 8 x 140	
K2006BS		Ø15 x 9	





9329ST
2574ST + K1066RS



4750BR
2574BR + K1066QS

4743BR = 2574BR+K1066FS



4750BR = 2574BR+K1066QS



4751BR = 2574BR+K1066RS



4752BR = 2574BR+K1066ZS



3957ST = 2574ST+K1066YS



3699ZW = 2574ZW+K1066BS



4336ZW = 2574ZW+K1066FS



8133ZW = 2574ZW+K1066VS

8131ST = 2574ST+K1066GS



8134ZW = 2574ZW+K1066GS

8132ST = 2574ST+K1066KS



8135ZW = 2574ZW+K1066KS

8243ST = 2574ST+K1066ZS



8244ZW = 2574ZW+K1066ZS

9328ST = 2574ST+K1066QS



9323ZW = 2574ZW+K1066QS

9329ST = 2574ST+K1066RS



9324ZW = 2574ZW+K1066RS


Elegant Classy

Article	Electrification	L x W x H	Extra information
2574 K1066	E27	120-9 x 40 Ø50 x 20	cable switch on/off


3823ZW = 3821ZW+K3084GS




3824ZW = 3821ZW+K3084KS



3825ZW = 3821ZW+K3084QS




3826ZW = 3821ZW+K3084RS



3827ZW = 3821ZW+K3084VS




3828ZW = 3821ZW+K3084ZS




3829ZW = 3821ZW+K3084BS



3977ZW = 3821ZW+K26762S




4356ZW = 3821ZW+K3084FS



4495ZW = 3821ZW+K2019BS



4496ZW = 3821ZW+K2021DS



3827ZW
3821ZW + K3084VS

Sparkled Light

Article	Electrification	L x W x H	Extra information
3821ZW	E27	75 x 30 x 180	rotary switch on/off
K2676		Ø20 x 15	
K2019BS		Ø31 x 18	
K2021DS		Ø31 x 15	
K3084		Ø23x 15	





3753ZW
3602ZW + K1066BS



3753ZW = 3602ZW+K1066BS



3959ST = 3602ST+K1066YS

3960ZW = 3602ZW+K1066YS



4337ZW = 3602ZW+K1066FS



8148ST = 3602ST+K1066VS

8156ZW = 3602ZW+K1066VS



8149ST = 3602ST+K1066GS

8157ZW = 3602ZW+K1066GS



8150ST = 3602ST+K1066KS

8158ZW = 3602ZW+K1066KS



8247ST = 3602ST+K1066ZS

8248ZW = 3602ZW+K1066ZS




9889ST = 3602ST+K1066QS

8154ZW = 3602ZW+K1066QS



9890ST = 3602ST+K1066RS


8155ZW = 3602ZW+K1066RS



3959ST
3602ST + K1066YS

Sparkled Light

Article	Electrification	L x W x H	Extra information
3602	E27	Ø11 x 135	
K1066	Ø50 x 20		



8201ST
1481ST+K11130S



8141ZW
1481ZW + K1068KS

3966ST = 1481ST+K1068SS



3967ZW = 1481ZW+K1068SS



3695ZW = 1481ZW+K1068BS



4343ZW = 1481ZW+K1068FS



4408ZW = 1481ZW+K2020BS

8143ST = 1481ST+K1068RS



8137ZW = 1481ZW+K1068RS

8144ST = 1481ST+K1068QS



8138ZW = 1481ZW+K1068QS

8145ST = 1481ST+K1068VS



8139ZW = 1481ZW+K1068VS

8146ST = 1481ST+K1068GS



8140ZW = 1481ZW+K1068GS

8147ST = 1481ST+K1068KS



8141ZW = 1481ZW+K1068KS

8200ST = 1481ST+K10610S



8195ZW = 1481ZW+K10610S

8201ST = 1481ST+K11130S



8196ZW = 1481ZW+K11130S

8246ST = 1481ST+K1068ZS



8245ZW = 1481ZW+K1068ZS

Sparkled Light

Article	Electrification	L x W x H	Extra information
1481	E27	160 x 145-160 x 160	cable switch on/off
K1068		Ø40 x 20	
K11130		Ø38 x 24	
K10610		Ø38 x 24	
K2020BS		Ø60 x 25	



7173W
7268W + K1066KS



4341W = 7268W+K1066FS

4754CA = 7268CA+K1066FS



4759CA = 7268CA+K2020BS



7169W = 7268W+K1066QS

4766CA = 7268CA+K1066QS



7170W = 7268W+K1066RS

4767CA = 7268CA+K1066RS



7171W = 7268W+K1066VS



7172W = 7268W+K1066GS



7173W = 7268W+K1066KS

4765CA = 7268CA+K1066KS



7174W = 7268W+K1066ZS



7348W = 7268W+K10610S

4764CA = 7268CA+K10610S



4754CA
7268CA + K1066FS

Sparkled Light

Article	Electrification	L x W x H	Extra information
7268	E27	45 x 130-210 x 210-240	cable switch on/off
K1066		Ø50 x 20	
K10610S		Ø38 x 24	
K2020BS		Ø60 x 25	





4314CR
7268CR + K10610S



4304BR
7268BR + K1066QS

Sparkled light

Article	Electrification	L x W x H	Extra information
7268	E27	42 x 125-165 x 180-210	cable switch on/off
K1066		Ø50 x 20	
K10610S		Ø38 x 24	



Sparkled light

Article	Electrification	L x W x H	Extra information
7268	E27	45 x 130-210 x 210-240	cable switch on/off
K1066		Ø50 x 20	
K11130		Ø38 x 24	
K10610		Ø38 x 24	
K2020BS		Ø60 x 25	





4770CA
7268CA + K2013SS



4311BR = 7268BR+K2013SS



4771ZW = 7268ZW+K2013SS

Luma Dark

Article	Electrification	L x W x H	Extra information
7268 K2013SS	E27	45 x 130-210 x 210-240 Ø60 x 22	cable switch on/off



3808ST = 3602ST+K10942S



3809ZW
3602ZW + K10942S



4308BR
7268BR + K10942S



3806ST = 7268ST+K10942S



3807ZW = 7268ZW+K10942S



4185W = 7268W++K10942S




4318CR = 7268CR+K10942S



4755CA = 7268CA+K10942S

Luma Nola

Article	Electrification	L x W x H	Extra information
7268	E27	45 x 130-210 x 210-240	cable switch on/off
3602	E27	Ø11 x 135	
K10942S		Ø60 x 23	



4405ZW
1481ZW + K2001HS

4449ZW
2574ZW + K2001HS





7508ZW
7268ZW + K2001HS



7506ZW
3602ZW + K2001HS

Maze Natural

Article	Electrification	L x W x H	Extra information
1481ZW	E27	160 x 145-160 x 160	cable switch on/off
2574ZW	E27	120-9 x 40	cable switch on/off
3602ZW	E27	Ø11 x 135	
7268ZW	E27	45 x 130-210 x 210-240	cable switch on/off
K2000HS	Ø60 x 25		



Maze Natural

Article	Electrification	L x W x H	Extra information
1481	E27	160 x 145-160 x 160	cable switch on/off
2574	E27	120-9 x 40	cable switch on/off
3602ZW	E27	Ø11 x 135	
7268	E27	45 x 130-210 x 210-240	cable switch on/off
K2000HS		Ø60 x 25	





4678CR
7268CR + K41931S



4762CA = 7268CA+K41931S



4564ZW = 7268ZW+K41931S




4673BR = 7268W+K41931S



4485ZW
3602ZW + K41931S

4748BR
2574BR + K41931S



4454ZW = 2574ZW+K41931S

4409ZW
1481ZW + K41931S



Vela Lino

Article	Electrification	L x W x H	Extra information
1481	E27	160 x 145-160 x 160	cable switch on/off
2574	E27	120-9 x 40	cable switch on/off
3602ZW	E27	Ø11 x 135	
7268	E27	45 x 130-210 x 210-240	cable switch on/off
K41931S		Ø60 x 30	




4473ST
3602ST + K4193SS




4486ZW = 3602ZW+K4193SS




4403ST
1481ST + K4193SS



4410ZW = 1481ZW+K4193SS




4455ZW = 2574ZW+K4193SS



4749BR = 2574BR+K4193SS




4447ST
2574ST + K4193SS



4565ZW = 7268ZW+K4193SS



4674BR = 7268BR+K4193SS



4679CR = 7268CR+K4193SS



4763CA = 7268CA+K4193SS



4559ST
7268ST + K4193SS

Vela Lino

Article	Electrification	L x W x H	Extra information
1481	E27	160 x 145-160 x 160	cable switch on/off
2574	E27	120-9 x 40	cable switch on/off
3602	E27	Ø11 x 135	
7268	E27	45 x 130-210 x 210-240	cable switch on/off
K4193SS		Ø60 x 30	



4619ZW
1481ZW + K2026QS



4640ZW
3602ZW + K2026QS




4626ZW
2574ZW + K2026QS



4747BR = 2574BR+K2026QS



4761CA = 7268CA+K2026QS



4677CR = 7268CR+K2026QS



4691ZW = 7268ZW+K2026QS

Silva Alba


Article	Electrification	L x W x H	Extra information
1481ZW	E27	160 x 145-160 x 160	cable switch on/off
3602ZW	E27	Ø11 x 135	
7268	E27	45 x 130-210 x 210-240	cable switch on/off
K2026QS		Ø60 x 23	



4672BR
7268BR + K2026QS



4911ZW
7268ZW + K1059SS



4913ZW
3602ZW + K1059SS

4909ZW
7268ZW + K1059SS

Globe Black

Article	Electrification	L x W x H	Extra information
4141ZW	E27	35 x 30-66 x 150-165	cable switch on/off
4142ZW	E27	70 -140 x 4 x 45	cable switch on/off
K1059SS	E27	Ø40 x 26	



Bloeba

Article	Electrification	L x W x H	Extra information
4141ZW	E27	35 x 30-66 x 150-165	cable switch on/off
4142ZW	E27	70 -140 x 4 x 45	cable switch on/off
K1068	E27	Ø40 x 20	





Prestige Chic

Article	Electrification	L x W x H	Extra information
7396	E27	80 x 15-45	rotary dimmer
K2131		Ø30 x 18	
K7396		Ø30 x 18	



4349ZW
7395ZW + K7396FS



3792ZW = 7395ZW+K1068BS



3975ST = 7395ST+K1068SS

3976ZW = 7395ZW+K1068SS




4349ZW = 7395ZW+K1068FS



8101ST = 7395ST+K1068RS

8113ZW = 7395ZW+K1068RS



8102ST = 7395ST+K1068QS

8114ZW = 7395ZW+K1068QS



8103ST = 7395ST+K1068VS

8115ZW = 7395ZW+K1068VS



8104ST = 7395ST+K1068GS

8116ZW = 7395ZW+K1068GS



8105ST = 7395ST+K1068KS

8117ZW = 7395ZW+K1068KS



8237ST = 7395ST+K1068ZS

8239ZW = 7395ZW+K1068ZS



8104ST
7395ST + K1068GS



Prestige Chic

Article	Electrification	L x W x H	Extra information
7395 K1068	E27	210 x 30 x 35 Ø40 x 20	cable switch on/off



Stang

Article	Electrification	L x W x H
3457ZW	3 x E27	120 x 10 x 85-155
K7396		Ø30 x 18
K2131		Ø30 x 18



3863ZW
3843ZW + K7396ZS



3962ZW
3842ZW + K1066YS

Stang

Article	Electrification	L x W x H	Extra information
3842ZW	E27	15 x 30 x 145	cable switch on/off
3843ZW	E27	10 x 20 x 45	cable switch on/off
K1066		Ø50 x 20	
K7396		Ø30 x 18	
K2131		Ø30 x 18	



4886CA
3332CA + K3084RS



4900BR = 3332BR+K3084FS

4882CA = 3332CA+K3084FS



4901BR = 3332BR+K26762S

4883CA = 3332CA+K26762S



4884CA = 3332CA+K3084KS



4902BR = 3332BR+K3084QS

4885CA = 3332CA+K3084QS



4903BR = 3332BR+K3084RS

4886CA = 3332CA+K3084RS

Stang

Article	Electrification	L x W x H	Extra information
3332	E27	20 x 14 x 51	rotary on/off switch
K2676		Ø20 x 12	
K3084		Ø20 x 15	



4902BR
3332BR + K3084QS



Stang

Article	Electrification	L x W x H	Extra information
2997ZW	E27	28 x 18 x 160	rotary on/off switch
3332ZW	E27	20 x 14 x 51	rotary on/off switch
K2131		Ø30 x 18	
K2676		Ø20 x 12	
K3084		Ø20 x 15	
K7396		Ø30 x 18	



4876CA
997CA + K7396KS



4894BR = 2997BR+K7396FS
4874CA = 2997CA+K7396FS

4895BR = 2997BR+K2131SS
4875CA = 2997CA+K2131SS

4876CA = 2997CA+K7396KS

4897BR = 2997BR+K7396RS
4878CA = 2997CA+K7396RS

4896BR = 2997BR+K7396QS
4877CA = 2997CA+K7396QS



4895BR
2997BR + K7396KS

Stang

Article	Electrification	L x W x H	Extra information
2997	E27	28 x 18 x 160	rotary on/off switch
K2131		Ø30 x 18	
K7396		Ø30 x 18	





4351ZW
3084ZW + K3084FS



8215ZW
996ZW + K7396ZS

Stang

Article	Electrification	L x W x H	Extra information
2996ZW	E27	11 x 17,7 x 15	rotary on/off switch
3084ZW	E27	14 x 14 x 30	rotary on/off switch
K2131		Ø30 x 18	
K2676		Ø20 x 15	
K3084		Ø20 x 15	
K7396		Ø30 x 18	



4890BR
2995BR + K26762S



4871CA
2995CA + K3084RS

Stang


Article	Electrification	L x W x H	Extra information
2995	E27 + 1W LED	11 x 17,5 x 15	2900 Kelvin, 100 Lumen. 2 x on/off switch
K2676		Ø20 x 12	
K3084		Ø20 x 15	

4889BR = 2995BR+K3084FS



4868CA = 2995CA+K3084FS

4890BR = 2995BR+K26762S



4869CA = 2995CA+K26762S

4870CA = 2995CA+K3084KS



4870CA = 2995CA+K3084KS

4892BR = 2995BR+K3084RS



4871CA = 2995CA+K3084RS

4891BR = 2995BR+K3084QS



4872CA = 2995CA+K3084QS



Stang

Article	Electrification	L x W x H	Extra information
2995ZW	E27 + 1W LED	11 x 17,5 x 15	2900 Kelvin, 100 Lumen. 2 x on/off switch
3085ZW	E27	11 x 17,7 x 15	rotary on/off switch
K2676		Ø20 x 12	
K3084		Ø20 x 15	



4727ZW
4720ZW + K1066VS

4721ZW = 4720ZW+K1066BS



4722ZW = 4720ZW+K1066FS



4723ZW = 4720ZW+K1066GS



4724ZW = 4720ZW+K1066KS



4725ZW = 4720ZW+K1066QS



4726ZW = 4720ZW+K1066RS



4727ZW = 4720ZW+K1066VS



4728ZW = 4720ZW+K1066ZS



Stang

Article	Electrification	L x W x H	Extra information
4720ZW K10666	E27 + 1W LED	Ø50 x ?? Ø50 x 20	2900 Kelvin, 100 Lumen. 2 x on/off switch





4800BR
4738BR+K2131SS



Stang

Article	Electrification	L x W x H	Extra information
4738	E27		switch on/off
K7396		Ø30 x 20	
K2131		Ø30 x 20	



4790ZW
4738ZW + K7396FS



4804ZW
4739ZW + K7396BS



4815BR
4739BR + K7396KS



4804ZW = 4739ZW+K7396BS

4805ZW = 4739ZW+K7396FS

4806ZW = 4739ZW+K7396GS



4813BR = 4739BR+K7396FS

4807ZW = 4739ZW+K2131SS

4808ZW = 4739ZW+K7396KS

4809ZW = 4739ZW+K7396QS



4814BR = 4739BR+K2131SS

4815BR = 4739BR+K7396KS

4816BR = 4739BR+K7396QS

4810ZW = 4739ZW+K7396RS

4811ZW = 4739ZW+K7396VS

4812ZW = 4739ZW+K7396ZS



4817BR = 4739BR+K7396RS

Stang

Article	Electrification	L x W x H	Extra information
4739	E27	30 x 15 x ??	switch on/off
K7396		Ø30 x 18	
K2131		Ø30 x 20	



4830BR
4740BR + K1066RS

4818ZW = 4740ZW+K1066BS



4819ZW = 4740ZW+K1066FS



4827BR = 4740BR+K1066FS

4820ZW = 4740ZW+K1066GS



4821ZW = 4740ZW+K1066KS



4828BR = 4740BR+K1066KS

4822ZW = 4740ZW+K1066QS



4823ZW = 4740ZW+K1066RS




4829BR = 4740BR+K1066QS

4830BR = 4740BR+K1066RS

4824ZW = 4740ZW+K1066VS



4825ZW = 4740ZW+K1066ZS



4825ZW
4740ZW + K1066ZS

Stang

Article	Electrification	L x W x H	Extra information
4740 K1066	E27	18 x 30 x 147 Ø50 x 20	switch on/off



4844BR
4741BR+K1068RS



4835ZW
4741ZW + K1068KS

Stang

Article	Electrification	L x W x H	Extra information
4741	E27 + 3W	Ø40 x 145	2700 Kelvin, 250 Lumen, CRI80, 2 x switch on/off
K1068		Ø40 x 20	



1507ZW



2728ZW



1502ZW



2721ZW



2720ZW



Outdoor collection

Article	Electrification	L x W x H	Extra information
1502ZW	4W GU10	Ø9 x 32	2700 Kelvin, 345 Lumen, IP54
1507ZW	2 x 6,5W	22 x 6,5 x 6,5	2700 Kelvin, 2 x 590 Lumen, IP67
2720ZW	2 x 4W GU10	6,7 x 9 x 15,5	2700 Kelvin, 2 x 345 Lumen, IP44, darkness switch
2721ZW	2 x 4W GU10	6,7 x 9 x 15,5	2700 Kelvin, 2 x 345 Lumen, IP54, darkness switch
2728ZW	2 x 3W	9,8 x 10 x 10	2700 Kelvin, 2 x 240 Lumen, IP54, darkness switch



2726ZW



3820ZW



Outdoor collection



Article	Electrification	L x W x H	Extra information
2726ZW	2 x 4W GU10	9 x 11 x 23	2700 Kelvin, 2 x 345 Lumen, darkness switch, IP44
3820ZW	2 x 3W	11,8 x 13,8 x 10	2700 Kelvin, 2 x 240 Lumen, darkness switch, IP54





1494ZW



1496ZW



1497ZW




1495ZW



1498ZW


Outdoor collection

Article	Electrification	L x W x H	Extra information
1494ZW	4W GU10	9 x 7 x 9	2700 Kelvin, 345 Lumen, IP54
1495ZW	4W GU10	8 x 9 x 6,5	2700 Kelvin, 345 Lumen, IP54
1496ZW	2 x 4W GU10	7 x 9 x 15	2700 Kelvin, 2 x 345 Lumen, IP44
1497ZW	2 x 4W GU10	7 x 9 x 15	2700 Kelvin, 2 x 345 Lumen, IP44
1498ZW	2 x 4W GU10	12,5 x 7,5 x 16	2700 Kelvin, 2 x 345 Lumen, IP54



Ceiling panels

Article	L x W x H
115293S	100 x 9 x 2,5
115294S	140 x 9 x 2,5
115295S	170 x 9 x 2,5
115296S	100 x 25 x 2,5
115297S	140 x 25 x 2,5
115298S	170 x 25 x 2,5
115299S	Ø30 x 2,5
115300S	Ø50 x 2,5
115301S	Ø70 x 2,5
115428S	120 x 40 x 3
115537S	



I15299S

I15300S


I15301S

I15428S

I15428S

Ceiling panels

Article	L x W x H
I15526S	100 x 9 x 2,5
I15527S	140 x 9 x 2,5
I15528S	170 x 9 x 2,5
I15529S	100 x 25 x 2,5
I15530S	140 x 25 x 2,5
I15531S	170 x 25 x 2,5
I15532S	Ø30 x 2,5
I15533S	Ø50 x 2,5
I15534S	Ø70 x 2,5
I15535S	120 x 40 x 3



I15526S

I15527S

I15528S

I15529S

I15530S

I15531S

*anne*TM
lighting





4856B



4856ZW



4856CR



4856W



Mush

Article	Electrification	L x W x H	Extra information
4856	3W	Ø16 x 21	2700 - 5700 Kelvin, 300 lumen, 3 steps color adjustable, push dimmer, rechargeable



4856G





Fjorgard

Article	Electrification	L x W x H	Extra information
1702ZW	E27, 2 x 40W	Ø25 x 155	switch button on/off on top of reflector
4848ZW	E27, 40W	Ø20 x 20	on/off switch
4849ZW	E27, 2 x 40W	40 x 10 x 20	



4112ZW



4110ZW



4109ZW




4111ZW

Preto

Article	Electrification	L x W x H	Extra information
4109ZW	GU10, 10W	Ø9 x 18	excl. light source
4110ZW	GU10, 2 x 10W	41 x 10 x 18	excl. light source
4111ZW	GU10, 10W	Ø15 x 40	excl. light source, cable switch on/off
4112ZW	GU10, 2 x 10W	Ø23 x 161	excl. light source, cable switch on/off



3329ZW



3329E

Flinter

Article	Electrification	L x W x H
3329	E27, 40W	Ø50 x 25-165



Frisk

Article	Electrification	L x W x H
7696	E27, 40W	Ø50 x 60-210



Clearvoyant

Article	Electrification	L x W x H
7695ZW	E27, 40W	Ø41,5 x 60-210



3866ZW



1894W

Aura

Article	Electrification	L x W x H	Extra information
1894W	12W	Ø50 x 6	2700 Kelvin, 960 Lumen
3866ZW	12W	Ø50 x 6	2700 Kelvin, 1150 Lumen, dimmable in 4 steps



2136B

Bangalore

Article	Electrification	L x W x H
2136B	E27, 40W	Ø70 x 80-220



4368CR



LumaFlora

Article	Electrification	L x W x H
4368CR	E27, 40W	Ø80 x 25-140



Travino

Article	Electrification	L x W x H
4598CR	E27, 40W	Ø21 x 20-160
4599CR	E27, 3 x 40W	100 x 21 x 20-160





4553CR
4401CR + K7396QS



4558CR
4402CR + K3084QS



Travino

Article	Electrification	L x W x H	
4401CR	E27, 40W	Ø10,5 x 36	cable switch on/off
4402CR	E27, 40W	Ø11 x 26	cable switch on/off
K3084QS		Ø20 x 15	
K7396QS		Ø30 x 18	



Sable

Article	Electrification	L x W x H
4122CR	E27, 40W	Ø25 x 30-150
4123CR	E27, 40W	Ø28 x 30-150
4124CR	E27, 40W	Ø27 x 40-150

4353ZW = 3126ZW+K3084FS



7202ZW = 3126ZW+K2131SS



8224ZW = 3126ZW+K7396RS



4354ZW = 3127ZW+K3084FS



7203ZW = 3127ZW+K26762S



8231ZW = 3127ZW+K3084RS



8225ZW = 3126ZW+K7396QS



8226ZW = 3126ZW+K7396VS



8227ZW = 3126ZW+K7396GS



8232ZW = 3127ZW+K3084QS



8233ZW = 3127ZW+K3084VS



8234ZW = 3127ZW+K3084GS



8228ZW = 3126ZW+K7396KS



8229ZW = 3126ZW+K7396ZS



8235ZW = 3127ZW+K3084KS



8236ZW = 3127ZW+K3084ZS



Animaux


Article	Electrification	L x W x H	Extra information
3126ZW	E27, 40W	20 x 12 x 40,5	cable switch on/off
3127ZW	E27, 40W	Ø17 x 31	cable switch on/off
K2131SS		Ø30 x 18	E27 support
K26762S		Ø20 x 15	E27 support
K3084		Ø20 x 15	E27 support
K7396		Ø30 x 18	E27 support





Curve

Article	Electrification	L x W x H	Extra information
4219ZW	E27, 40W	Ø48 x 150 x 210	cable switch on/off
K10610S		Ø38 x 24	E27 support
K1066		Ø50 x 20	E27 support
K10942S		Ø60 x 22,5	E27 support
K2000HS		Ø60 x 25	E27 support
K2001HS		Ø60 x 25	E27 support
K2002BS		Ø60 x 25	E27 support
K2013SS		Ø60 x 25	E27 support
K2016BS		Ø60 x 30	E27 support
K2020BS		Ø60 x 25	E27 support
K2026QS		Ø60 x 23	E27 support
K41931S		Ø60 x 30	E27 support
K41935S		Ø60 x 30	E27 support



4259ZW = 4219ZW+K10610S




4261ZW = 4219ZW+K1066BS



4263ZW = 4219ZW+K1066GS



4264ZW = 4219ZW+K1066KS



4267ZW = 4219ZW+K1066QS



4268ZW = 4219ZW+K1066RS



4269ZW = 4219ZW+K1066VS



4270ZW = 4219ZW+K1066YS



4271ZW = 4219ZW+K1066ZS



4340ZW = 4219ZW+K1066FS




4272ZW = 4219ZW+K10942S



4273ZW = 4219ZW+K2000HS



4274ZW = 4219ZW+K2001HS



4279ZW = 4219ZW+K2013SS



4520ZW = 4219ZW+K41931S



4521ZW = 4219ZW+K41935S



4642ZW = 4219ZW+K2026QS



4275ZW = 4219ZW+K2002BS



4518ZW = 4219ZW+K2020BS



4517ZW = 4219ZW+K2016BS



4908ZW = 4219ZW+K11130S



4912ZW = 4219ZW+K10595S



4238ZW = 4218ZW+K1066BS



4240ZW = 4218ZW+K1066GS



4241ZW = 4218ZW+K1066KS



4244ZW = 4218ZW+K1066QS



4245ZW = 4218ZW+K1066RS



4246ZW = 4218ZW+K1066VS



4247ZW = 4218ZW+K1066YS



4248ZW = 4218ZW+K1066ZS



4253ZW = 4218ZW+K20101S



4254ZW = 4218ZW+K2010RS



4255ZW = 4218ZW+K2010SS



4339ZW = 4218ZW+K1066FS



4249ZW = 4218ZW+K10942S



4509ZW = 4218ZW+K2000HS



4510ZW = 4218ZW+K2001HS



4641ZW = 4218ZW+K2026SS



4250ZW
4218ZW + K2003BS

Zig-Zag

Article	Electrification	L x W x H	Extra information
4218ZW	E27, 40W	Ø40 x 70 x 173	cable switch on/off
K1066		Ø50 x 20	E27 support
K2010		Ø48 x 19	E27 support

Zig-Zag

Article	Electrification	L x W x H	Extra information
4218ZW	E27, 40W	Ø40 x 70 x 173	cable switch on/off
K1059SS		Ø40 x 26	E27 support
K10942S		Ø60 x 22,5	E27 support
K2000HS		Ø60 x 25	E27 support
K2001HS		Ø60 x 25	E27 support
K2003BS		Ø50 x 21	E27 support



7506ZW
3602ZW + K2001HS



4400BE



7505ZW
3602ZW + K2000HS



Maze

Article	Electrification	L x W x H	Extra information
3602ZW	E27, 40W	Ø11 x 20-135	E27 support
4400BE	E14, 10W	Ø32 x 17	E27 support, cable switch on/off
K2000HS		Ø60 x 25	
K2001HS		Ø60 x 25	




3128BE



3131BE



3130BE



3129BE

Maze

Article	Electrification	L x W x H	Extra information
3128BE	E27, 40W	Ø40 x 16,5	
3129BE	E27, 40W	Ø40 x 16,5	
3130BE	E27, 40W	Ø30 x 30	cable switch on/off
3131BE	E27, 40W	Ø30 x 30	cable switch on/off



4399CR

Ropex


Article	Electrification	L x W x H	Extra information
3602ZW	E27, 40W	Ø11 x 20-135	
4128ZW	E27, 40W	Ø9 x 15	cable switch on/off
4129ZW	E27, 40W	Ø10 x 8	
4399CR	E14, 40W	20 x 25	cable switch on/off
4738ZW	E27, 40W	Ø25 x 155	cable switch on/off
K2021DS		Ø24 x 16	E27 support
K2022DS		Ø50 x 19	E27 support
K2023DS		Ø40 x 16	E27 support
K2024DS		Ø20 x 24	E27 support



4482ZW
3602ZW + K2022DS



4483ZW
3602ZW + K2023DS



4481ZW
3602ZW + K2021DS



4504ZW
4129ZW + K2023DS



4788ZW
4738ZW + K2024DS



4503ZW
4129ZW + K2021DS



4500ZW
4128ZW + K2021DS



4531ZW
4221ZW + K2024DS



4530ZW
4221ZW + K2021DS



4526ZW
4220ZW + K2024DS




4525ZW
4220ZW + K2021DS




4484ZW
3602ZW + K2024DS

Ropex

Article	Electrification	L x W x H	Extra information
3602ZW	E27, 40W	Ø11 x 20-135	
4220ZW	E27, 5 x 40W	Ø40 x 25-320	
4221ZW	E27, 5 x 40W	110 x 8,5 x 30-140	
K2021DS		Ø24 x 16	E27 support
K2024DS		Ø20 x 24	E27 support





4529ZW
4221ZW + K2019BS



4502ZW
4129ZW + K2019BS



4499ZW
4128ZW + K2019BS




4524ZW
4220ZW + K2019BS

Silva

Article	Electrification	L x W x H	Extra information
4128ZW	E27, 40W	Ø9 x 15	cable switch on/off
4129ZW	E27, 40W	Ø10 x 8	
4220ZW	E27, 5 x 40W	Ø40 x 25-320	
4221ZW	E27, 5 x 40W	110 x 8,5 x 30-140	E27 support
K2019BS		Ø31 x 18	



4480ZW
3602ZW + K2020BS



4479ZW
3602ZW + K2019BS

Silva

Article	Electrification	L x W x H	Extra information
3602ZW	E27, 40W	Ø11 x 20-135	
K2019BS		Ø31 x 18	E27 support
K2020BS		Ø60 x 25	E27 support



3680BR




3681BR

Brass

Article	Electrification	L x W x H
3680BR	E27, 40W	24 x 13 x 36
3681BR	E27, 40W	Ø42 x 20

MEXLITE™





MEXLITE



BrightLine

Article	Electrification	L x W x H	Extra information
4202	50W	119 x 8,5 x 30-150	2700 Kelvin, 5000 Lumen, CRI90, dimmable driver



2745ST





2745ZW

MEXLITE



Danske

Article	Electrification	L x W x H	Extra information
2745	20W	114 x 9 x 20-125	2700 Kelvin, 2000 Lumen, CRI90, Touch dimmer





4206ZW

4207ZW

Lumex

Article	Electrification	L x W x H	Extra information
4206ZW	33W	Ø58 x 50-130	2700 Kelvin, 3300 Lumen, CRI90, dimmable driver
4207ZW	26W	Ø38 x 7	2700 Kelvin, 2600 Lumen, CRI90, dimmable driver



4324ZW



Luna-Arc

Article	Electrification	L x W x H	Extra information
4324ZW	38W	180 x 45 x 210	2200 - 3000 - 4000 Kelvin, 4000 Lumen, CRI90, floor switch



3351BR



3351CA



3351CR



3351ST



3351ZW



Platu

Article	Electrification	L x W x H	Extra information
3351	10W	Ø64 x 110-132	2700 - 4000 Kelvin, 900 Lumen, CR190, Push dimmer





2690ZW

MEXLITE



2689ZW

Stekk


Article	Electrification	L x W x H	Extra information
2689ZW	8W	22 x 46 x 47-70	2700 Kelvin, 720 Lumen, Push dimmer, CRI90, 4-steps dimmable
2690ZW	8W	17 x 52 x 135-170	2700 Kelvin, 720 Lumen, Push dimmer, CRI90, 4-steps dimmable



1327ZW



1327ST



1327CA

Synna

Article	Electrification	L x W x H	Extra information
1327	5 x 4,5W	90 x 30 x 189	2700 Kelvin, 5 x 500 Lumen, CRI90, Rotary dimmer



4731ST



4730ST

Kora

Article	Electrification	L x W x H	Extra information
4730	GU10, 4,9W	20 x 14 x 51	2200 - 2700 Kelvin, 355 lumen, Touch dimmer
4731	GU10, 4,9W	24 x 17 x 130	2200 - 2700 Kelvin, 355 lumen, Touch dimmer



4731BR



4730BR





4608ZW



MEXLITE



4851ZW



4607ZW



4850ZW



4606ZW

Lumo

Article	Electrification	L x W x H	Extra information
4606ZW	5W	18 x 12 x 50	2700 Kelvin, 480 lumen, CRI90, Touch dimmer
4607ZW	5W	35 x 16 x 125	2700 Kelvin, 480 lumen, CRI90, Touch dimmer
4608ZW	2 x 5W	21 x 21 x 156	2700 Kelvin, 2 x 480 lumen, CRI90, Touch dimmer
4850ZW	5W	10 x 10 x 16	2700 Kelvin, 480 lumen, CRI90, dimmable driver
4851ZW	2 x 5W	22 x 9 x 16	2700 Kelvin, 2 x 480 lumen, CRI90, dimmable driver



Lumo

Article	Electrification	L x W x H	Extra information
4606ST	5W	18 x 12 x 50	2700 Kelvin, 480 lumen, CRI90, Touch dimmer
4607ST	5W	35 x 16 x 125	2700 Kelvin, 480 lumen, CRI90, Touch dimmer
4608ST	2 x 5W	21 x 21 x 156	2700 Kelvin, 2 x 480 lumen, CRI90, Touch dimmer
4850ST	5W	10 x 10 x 16	2700 Kelvin, 480 lumen, CRI90, dimmable driver
4851ST	2 x 5W	22 x 9 x 16	2700 Kelvin, 2 x 480 lumen, CRI90, dimmable driver



4608BR



4851BR



4850BR



4606BR



4607BR

Lumo

Article	Electrification	L x W x H	Extra information
4606BR	5W	18 x 12 x 50	2700 Kelvin, 480 lumen, CRI90, Touch dimmer
4607BR	5W	35 x 16 x 125	2700 Kelvin, 480 lumen, CRI90, Touch dimmer
4608BR	2 x 5W	21 x 21 x 156	2700 Kelvin, 2 x 480 lumen, CRI90, Touch dimmer
4850BR	5W	10 x 10 x 16	2700 Kelvin, 480 lumen, CRI90, dimmable driver
4851BR	2 x 5W	22 x 9 x 16	2700 Kelvin, 2 x 480 lumen, CRI90, dimmable driver



4603BR

GlowGo

Article	Electrification	L x W x H	Extra information
4603	6W	Ø51 x 125	2700 Kelvin, 550 Lumen, CRI90, Touch dimmer




4603ST

4603ZW

MEXLITE

BUILT-IN
REPLACEABLE
LED MODULE
BY STEPHANAUER LIGHTING





5895BR



5895ST



5895ZW


Karl

Article	Electrification	L x W x H	Extra information
5895	10W	Ø51 x 116-146	2700 Kelvin, 800 Lumen, CRI90, Push dimmer





7502ZW



7501ZW



MEXLITE



7500ZW

Biron

Article	Electrification	L x W x H	Extra information
7500ZW	23W + 8W	27 x 52 x 180	2700 Kelvin, 2000 + 650 Lumen, CRI90, 2x Rotary dimmer
7501ZW	8W	25 x 45 x 140-160	2700 Kelvin, 650 Lumen, CRI90, Push dimmer
7502ZW	8W	17 x 35 x 32-52	2700 Kelvin, 650 Lumen, CRI90, Push dimmer





Biron

Article	Electrification	L x W x H	Extra information
1315ST	10W	Ø17 x 36-46	2700 Kelvin, 800 Lumen, CRI90, Rotary dimmer
7500ST	23W + 8W	27 x 52 x 180	2700 Kelvin, 2000 + 650 Lumen, CRI90, 2x Rotary dimmer
7501ST	8W	25 x 45 x 140-160	2700 Kelvin, 650 Lumen, CRI90, Push dimmer
7502ST	8W	17 x 35 x 32-52	2700 Kelvin, 650 Lumen, CRI90, Push dimmer



7500BR



1315BR

7502BR

7501BR

Biron

Article	Electrification	L x W x H	Extra information
1315BR	10W	Ø17 x 36-46	2700 Kelvin, 800 Lumen, CRI90, Rotary dimmer
7500BR	23W + 8W	27 x 52 x 180	2700 Kelvin, 2000 + 650 Lumen, CRI90, 2x Rotary dimmer
7501BR	8W	25 x 45 x 140-160	2700 Kelvin, 650 Lumen, CRI90, Push dimmer
7502BR	8W	17 x 35 x 32-52	2700 Kelvin, 650 Lumen, CRI90, Push dimmer



4855BR



4855ZW

Pentra

Article	Electrification	L x W x H	Extra information
4855	E14, 5 x 10w	100 x 150 x 210	Rotary dimmer

MEXLITE




4119ZW



4118ZW



4120ZW



Prato

Article	Electrification	L x W x H	Extra information
4118ZW	E14, 40W	Ø20 x 15	
4119ZW	E14, 2 x 40W	40 x 15 x 20	
4120ZW	E14, 40W	Ø24 x 45	cable switch on/off
4121ZW	E14, 2 x 40W	Ø40 x 151	cable switch on/off




4121ZW

MEXLITE




Oeroe

Article	Electrification	L x W x H	Extra information
4113ZW	E14, 40W	Ø19 x 14	
4114ZW	E14, 2 x 40W	35 x 10 x 19	
4115ZW	E14, 3 x 40W	57 x 10 x 19	
4116ZW	E14, 40W	Ø19 x 18	cable switch on/off
4117ZW	E14, 2 x 40W	Ø32 x 151	cable switch on/off





MEXLITE




Davin

Article	Electrification	L x W x H	Extra information
7655	E14, 40W	Ø15,5 x 37,5-68	cable switch on/off
7656	E14, 40W	10 x 60 x 40-83	cable switch on/off
7657	E14, 40W	10 x 29 x 18	cable switch on/off



MEXLITE




Nove

Article	Electrification	L x W x H	Extra information
1318ZW	E27, 40W	Ø42 x 25-125	
1320ZW	E27, 40W	Ø18 x 14	cable switch on/off
1321ZW	E27, 40W	Ø18 x 38-75	cable switch on/off
1322ZW	E27, 40W	Ø28 x 130-172	cable switch on/off



1320G



1322G



1321G



1318G

Nove

Article	Electrification	L x W x H	Extra information
1318G	E27, 40W	Ø42 x 25-125	
1320G	E27, 40W	Ø18 x 14	cable switch on/off
1321G	E27, 40W	Ø18 x 38-75	cable switch on/off
1322G	E27, 40W	Ø28 x 130-172	cable switch on/off



1322BR



1320BR



1321BR

Nove

Article	Electrification	L x W x H	Extra information
1320BR	E27, 40W	Ø18 x 14	cable switch on/off
1321BR	E27, 40W	Ø18 x 38-75	cable switch on/off
1322BR	E27, 40W	Ø28 x 130-172	cable switch on/off



3493ME

3492ME

3494ME



Grazio Glass

Article	Electrification	L x W x H
3492ME	E27, 40W	Ø18 x 30-150
3493ME	E27, 40W	Ø14 x 30-150
3494ME	E27, 40W	Ø18 x 30-150



3456G




3456CR



3456ZW

Study

Article	Electrification	L x W x H	Extra information
3456	E27, 40W	Ø15 x 30-54,5	cabla switch on/off



MEXLITE

Glimsy

Article	Electrification	L x W x H	Extra information
4197ZW	5 x 6W	115 x 22 x 30-170	2700 Kelvin, 2900 Lumen, CRI90, dimmable driver
4198ZW	5 x 6W	Ø40 x 50-380	2700 Kelvin, 2900 Lumen, CRI90, dimmable driver
4199ZW	6W	Ø22 x 50-170	2700 Kelvin, 580 Lumen, CRI90, dimmable driver
4200ZW	6W	Ø14,5 x 50-170	2700 Kelvin, 580 Lumen, CRI90, dimmable driver





I15459S



4208ZW



4212ZW



4213ZW



4210ZW



4211ZW



4209ZW



4214ZW

Tenebris

Article	Electrification	L x W x H	Extra information
4208ZW	E14, 40W	Ø12 x 16	ceiling and wall lamp
4209ZW	E14, 2 x 40W	33 x 12 x 22	
4210ZW	E14, 3 x 40W	56 x 12 x 22	
4211ZW	E14, 4 x 40W	73 x 12 x 22	
4212ZW	E14	Ø19 x 39	cable switch on/off
4213ZW	E14, 2 x 40W	Ø28 x 150	cable switch on/off
4214ZW	E14, 5 x 40W	80 x 30 x 194	cable switch on/off
I15459S		Ø15 x 10	E14 support

MEXLITE



7704W




7704ZW



7704RO



7704GR



7704CR



Eden

Article	Electrification	L x W x H
7704	E14, 40W	Ø42 x 45-200

1443ZW



Blackmoon

Article	Electrification	L x W x H
1443ZW	E27, 40W	Ø40 x 35-180



7647ZW



Cera

Article	Electrification	L x W x H	Extra information
7647ZW	E14, 40W	13 x 33 x 16	cable switch on/off



7731W



7730W

Bjorr

Article	Electrification	L x W x H
7730W	E27, 40W	Ø45 x 30-170
7731W	E27, 40W	Ø33 x 40-160



8852BE

MEXLITE IIII



8853BE



Dion

Article	Electrification	L x W x H	Extra information
8852BE	E14, 40W	20 x 60 x 40	cable switch on/off
8853BE	E14, 40W	20 x 40 x 24	cable switch on/off

MEXLITE

7779ZW



Densi

Article	Electrification	L x W x H
7779	E27, 40W	Ø47 x 75-160



7779GR



2661ZW

Gaeva

Article	Electrification	L x W x H
2661ZW	E27, 40W	Ø50 x 60-160





1340B





1342B



1340GR



1342GR



Lisanne


Article	Electrification	L x W x H
1340	E27, 40W	21 x 10 x 8
1342	E27, 40W	Ø17 x 8



Buckley

Article	Electrification	L x W x H
1705ZW	E27, 4 x 40W	100 x 20 x 90-145
2983ZW	E27, 4 x 40W	100 x 20 x 60-140





Carree

Article	Electrification	L x W x H
7996ZW	E27, 40W	25 x 20 x 23
7997ZW	E27, 2 x 40W	58 x 25 x 23



Bella

Article	Electrification	L x W x H	Extra information
3406BR	E27, 40W	Ø45 x 135	pull switch on/off
3407ST	E27, 40W	Ø45 x 135	pull switch on/off
K2131SS		Ø30 x 20	E27 support
K58941S		Ø30 x 18	E27 support
K58942S		Ø30 x 18	E27 support
K7396		Ø30 x 18	E27 support

3884ZW = 3407ZW+K7396BS



3886ZW = 3407ZW+K7396GS



3887ZW = 3407ZW+K7396KS



3888ZW = 3407ZW+K7396QS



3889ZW = 3407ZW+K7396RS



3890ZW = 3407ZW+K7396VS



3891ZW = 3407ZW+K7396ZS




3892ZW = 3407ZW+K2131SS



4362ZW = 3407ZW+K7396FS



5894ZW = 3407ZW+K5894SS



MEXLITE



Bella

Article	Electrification	L x W x H	Extra information
3407ZW	E27	Ø45 x 135	pull switch on/off
K2131SS		Ø30 x 20	E27 support
K5894SS		Ø30 x 18	E27 support
K7396		Ø30 x 18	E27 support

4412ST = 4907ST+K3084GS



4423ZW = 4907ZW+K3084GS

4413ST = 4907ST+K3084KS



4424ZW = 4907ZW+K3084KS

4414ST = 4907ST+K3084QS



4425ZW = 4907ZW+K3084QS

4415ST = 4907ST+K3084RS



4426ZW = 4907ZW+K3084RS

4416ST = 4907ST+K3084VS



4427ZW = 4907ZW+K3084VS

4417ST = 4907ST+K3084ZS



4428ZW = 4907ZW+K3084ZS



4418ZW = 4907ZW+K26762S



4420ZW = 4907ZW+K3084BS



4422ZW = 4907ZW+K3084FS



1563ZW
4907ZW + K1563SS


MEXLITE



1563ST
4907ST + K15632S

Noor

Article	Electrification	L x W x H	Extra information
4907	E27	20 x 20 x 56	switch on/off
K1563		Ø20 x 20	E27 support
K26762S		Ø20 x 15	E27 support
K3084		Ø20 x 15	E27 support



Noor

Article	Electrification	L x W x H	Extra information
3403	E27	Ø25 x 133,5	switch on/off
K1564		Ø30 x 30	E27 support
K2131SS		Ø30 x 18	E27 support
K7396		Ø30 x 18	E27 support



Solva

Article	Electrification	L x W x H	Extra information
3409ZW	E27	35 x 152 x 185	cable switch on/off
3410ST	E27	35 x 152 x 185	cable switch on/off
K10610S		Ø38 x 24	E27 support
K1068		Ø40 x 20	E27 support
K11130S		Ø38 x 24	E27 support

4232ZW = 3409ZW+K2007BS



4345ZW = 3409ZW+K1068FS



4465ZW = 3409ZW+K2000HS



4466ZW = 3409ZW+K2001HS



4627ZW = 3409ZW+K20101S



4628ZW = 3409ZW+K2010RS



4631ST = 3410ST+K20101S

4632ST = 3410ST+K2010RS

4629ZW = 3409ZW+K2010SS



4633ST = 3410ST+K2010SS

4630ZW = 3409ZW+K2026QS



7977ST
3410ST + K7977QS

MEXLITE



7976ZW
3409ZW + K7976SS

Solva

Article	Electrification	L x W x H	Extra information
3409ZW	E27	35 x 152 x 185	cabl switch on/off
3410ST	E27	35 x 152 x 185	cabl switch on/off
K1068FS		Ø40 x 20	E27 support
K2000HS		Ø60 x 25	E27 support
K2001HS		Ø60 x 25	E27 support
K2007BS		Ø50 x 22	E27 support
K2010		Ø48 x 19	E27 support
K2026QS		Ø60 x 23	E27 support
K7976SS		Ø40 x 25	E27 support
K7977QS		Ø40 x 25	E27 support

MEXLITE



Solva

4156ZW
3409ZW + K2004BS



Solva

4468ZW
3409ZW + K2020BS




Solva

4467ZW
3409ZW + K2016BS



Solva

4469ZW
3409ZW + K2022DS



4098ZW = 3348ZW+K1068BS



4099ZW = 3348ZW+K1068RS



4100ZW = 3348ZW+K1068QS



4102ZW = 3348ZW+K1068ZS



4103ZW = 3348ZW+K1068KS



4104ZW = 3348ZW+K1068VS



4344ZW = 3348ZW+K1068FS



4106ZW = 3348ZW+K1068GS



4107ZW = 3348ZW+K1068SS



7175ZW = 3348ZW+K7976SS



7176ZW = 3348ZW+K7977QS



Triek

Article	Electrification	L x W x H	Extra information
3348ZW	E27	Ø75 x 115-150	cable switch on/off
K1068		Ø40 x 20	E27 support
K7976SS		Ø40 x 25	E27 support
K7977QS		Ø40 x 25	E27 support

4773ZW = 4737ZW+K7396BS



4774ZW = 4737ZW+K7396FS



4783BR = 4737BR+K7396FS

4775ZW = 4737ZW+K2131SS



4784BR = 4737BR+K2131SS

4776ZW = 4737ZW+K7396GS



4777ZW = 4737ZW+K7396KS



4785BR = 4737BR+K7396KS

4778ZW = 4737ZW+K7396QS



4786BR = 4737BR+K7396QS

4779ZW = 4737ZW+K7396RS



4787BR = 4737BR+K7396RS

4780ZW = 4737ZW+K7396VS



4781ZW = 4737ZW+K7396ZS



Forma

Article	Electrification	L x W x H	Extra information
4737	E27, 40W	Ø28 x 157	switch on/off
K2131		Ø30 x 18	E27 support
K7396		Ø30 x 18	E27 support



4489ZW
3667ZW + K2015BS



4488ZW
3666ZW + K2015BS



4491ZW
3669ZW + K2015BS



4492ZW
3670ZW + K2015BS



4490ZW
3668ZW + K2015BS



4493ZW
3671ZW + K2015BS



4487ZW
3665ZW + K2015BS



Sumba


Article	Electrification	L x W x H	Extra information
3665ZW	E14, 40W	Ø12 x 16	ceiling and wall lamp
3666ZW	E14, 2 x 40W	33 x 12 x 22	
3667ZW	E14, 3 x 40W	56 x 12 x 22	
3668ZW	E14, 4 x 40W	73 x 12 x 22	
3669ZW	E14, 40W	Ø19 x 39	cable switch on/off
3670ZW	E14, 2 x 40W	Ø28 x 150	cable switch on/off
3671ZW	E14, 5 x 40W	80 x 30 x 194	cable switch on/off
K2015BS		Ø12 x 11	E14 support



4369ZW
4129ZW + K2011NS



4282ZW
4220ZW + K2011NS




4287ZW
4221ZW + K2011NS



4384ZW
4128ZW + K2011NS



4297ZW
4222ZW + K2011NS



Silura

Article	Electrification	L x W x H	Extra information
4128ZW	E27, 40W	Ø9 x 15	cable switch on/off
4129ZW	E27, 40W	Ø10 x 8	
4220ZW	E27, 5 x 40W	Ø40 x 25-320	
4221ZW	E27, 5 x 40W	110 x 8,5 x 30-140	
4222ZW	E27, 40W	Ø10 x 15-140	
K2011NS		Ø25 x 25	E27 support



4288ZW
4221ZW + K20121S




4370ZW
4129ZW + K20121S



4298ZW
4222ZW + K20121S



4385ZW
4128ZW + K20121S



4283ZW
4220ZW + K20121S

Silura

Article	Electrification	L x W x H	Extra information
4128ZW	E27, 40W	Ø9 x 15	cable switch on/off
4129ZW	E27, 40W	Ø10 x 8	
4220ZW	E27, 5 x 40W	Ø40 x 25-320	
4221ZW	E27, 5 x 40W	110 x 8,5 x 30-140	
4222ZW	E27, 40W	Ø10 x 15-140	
K20121S		Ø25 x 25	E27 support



4383ZW
4220ZW + I15471S

4235ZW
4128ZW + I15471S

Aurelio

Article	Electrification	L x W x H	Extra information
4128ZW	E27, 40W	Ø9 x 15	cable switch on/off
4129ZW	E27, 40W	Ø10 x 8	
4220ZW	E27, 5 x 40W	Ø40 x 25-320	
4221ZW	E27, 5 x 40W	110 x 8,5 x 30-140	
4222ZW	E27, 40W	Ø10 x 15-140	E27 support
I15471S		Ø30 x 16	



4295ZW
4222ZW + I15471S



4236ZW
4129ZW + I15471S



4286ZW
4221ZW + I15471S



4371ZW
4129ZW + I15465S



4372ZW
4129ZW + I15466S



4290ZW
4222ZW + I15466S



4289ZW
4222ZW + I15465S



4284ZW
4221ZW + I15465S



4280ZW
4221ZW + I15465S + I15466S



4378ZW
4128ZW + I15466S



4377ZW
4128ZW + I15465S

Drovia

Article	Electrification	L x W x H	Extra information
4128ZW	E27, 40W	Ø9 x 15	cable switch on/off
4129ZW	E27, 40W	Ø10 x 8	
4221ZW	E27, 5 x 40W	110 x 8,5 x 30-140	
4222ZW	E27, 40W	Ø10 x 15-140	
I15465S		Ø22,5 x 33	E27 support
I15466S		Ø15 x 20	E27 support



Sferio

Article	Electrification	L x W x H	Extra information
4221ZW	E27, 5 x 40W	110 x 8,5 x 30-140	
4222ZW	E27, 40W	Ø10 x 15-140	
I15467S		Ø15 x 11,7	E27 support
I15468S		Ø20 x 16,6	E27 support
I15469S		Ø25 x 21,9	E27 support
I15470S		Ø30 x 27	E27 support





4281ZW
4220ZW + 2x I15467S
I15468S + I15469S + I15470S



4376ZW
4129ZW + I15470S



4375ZW
4129ZW + I15469S



4374ZW
4129ZW + I15468S



4373ZW
4129ZW + I15467S



4380ZW
4128ZW + I15468S



4381ZW
4128ZW + I15469S

Sferio

Article	Electrification	L x W x H	Extra information
4128ZW	E27, 40W	Ø9 x 15	cable switch on/off
4129ZW	E27, 40W	Ø10 x 8	
4220ZW	E27, 5 x 40W	Ø40 x 25-320	
I15467S		Ø15 x 11,7	E27 support
I15468S		Ø20 x 16,6	E27 support
I15469S		Ø25 x 21,9	E27 support
I15470S		Ø30 x 27	E27 support



Fez

Article	Electrification	L x W x H	Extra information
2673	8W	Ø7,8 x 8,3	2700 Kelvin, 700 Lumen, CRI90
2674	2x 8W	16 x 8 x 8,3	2700 Kelvin, 2 x 700 Lumen, CRI90

MEXLITE

2673ZW



2674W



2674ZW



2673W



2673BR



2674BR





2486ZW



2486W



3390W



2487ZW



2487W



3654ZW



3390ZW



3517ZW

Upround

Article	Electrification	L x W x H	Extra information
2486	GU10, 4,9W	Ø10 x 12	2200 - 2700 Kelvin, 480 Lumen, incl. light source , CRI90, IP44
2487	GU10, 2 X 4,9W	Ø24 x 12	2200 - 2700 Kelvin, 2x 480 Lumen, incl. light source , CRI90, IP44
3390	GU10, 4,9W	10 x 25 x 30	2200 - 2700 Kelvin, 480 Lumen, incl. light source , CRI90, Dim to warm
3517ZW	GU10, 40W	11 x 22 x 33	Excl. light source
3654ZW	GU10, 4,9W	16 x 30 x 16	2200 - 2700 Kelvin, 480 Lumen, incl. light source, CRI90, Dim to warm



2729G



2133G



7968G



7969G



3063G

Gearwood

Article	Electrification	L x W x H
2133G	E27, 3 x 40W	59 x 19 x 23
2729G	E27, 4 x 40W	90 x 19 x 23
3063G	E27, 3 x 40W	Ø38 x 23
7968G	E27, 40W	15 x 24 x 17
7969G	E27, 2 x 40W	32 x 19 x 16



2729GR

MEXLITE



2133GR



3063GR



7969GR



7968GR

Gearwood

Article	Electrification	L x W x H
2133GR	E27, 3 x 40W	59 x 19 x 23
2729GR	E27, 4 x 40W	90 x 19 x 23
3063GR	E27, 3 x 40W	Ø38 x 23
7968GR	E27, 40W	15 x 24 x 17
7969GR	E27, 2 x 40W	32 x 19 x 16



7968W



7969W



2729W



3063W



2133W



Gearwood

Article	Electrification	L x W x H
2133W	E27, 3 x 40W	59 x 19 x 23
2729W	E27, 4 x 40W	90 x 19 x 23
3063W	E27, 3 x 40W	Ø38 x 23
7968W	E27, 40W	15 x 24 x 17
7969W	E27, 2 x 40W	32 x 19 x 16



Gearwood

Article	Electrification	L x W x H
2133	E27, 3 x 40W	59 x 19 x 23
7968	E27, 40W	15 x 24 x 17
7969	E27, 2 x 40W	32 x 19 x 16



2133TA



2133CR

MEXLITE



7968TA



7969TA



7968CR

Gearwood

Article	Electrification	L x W x H
2133	E27, 3 x 40W	59 x 19 x 23
7968	E27, 40W	15 x 24 x 17
7969	E27, 2 x 40W	32 x 19 x 16



7969CR



3117ZW

Volcan

Article	Electrification	L x W x H	Extra information
3116	E14, 25W	Ø9 x 35	2700 Kelvin, 150 Lumen, incl. light source R39, cable switch on/off
3117	E14, 25W	Ø14 x 37	2700 Kelvin, 150 Lumen, incl. light source R39, cable switch on/off



3117ST



3116ST



3116ZW



4188ZW



4188ST



4187ZW

Volcan

Article	Electrification	L x W x H	Extra information
4187	E14, 25W	Ø9 x 35	2700 Kelvin, 150 Lumen, incl. light source R39, cable switch on/off
4188	E14, 25W	Ø14 x 37	2700 Kelvin, 150 Lumen, incl. light source R39, cable switch on/off



4187ST

MEXLITE



Belana

Article	Electrification	L x W x H	Extra information
7733BR	E27, 40W	Ø27 x 44	pull switch on/off